KRONOS INDUSTRIES

PRODUCT CATALOG

Electrical

110 items · Item numbers OPS-10001 to OPS-10110

TO ORDER OR REQUEST A QUOTE

info@kronosindustries.ca

Please quote the item number (OPS-#####)

Alkaline Batteries



Alkaline Batteries

2 options · Unit of measure: Box of 24

- Mercury-free
- Cadmium-free
- Aluminium jacket
- 7 Year shelf life

Voltage: 1.5 V

Manufacturer's Warranty: 1 Year Limited

ITEM #	BATTERY TYPE
OPS-10001	AA
OPS-10002	AAA



Industrial Alkaline Batteries

2 options · Unit of measure: Pack of 4

Voltage: 1.5 V

Manufacturer's Warranty: 1 Year Limited

ITEM #	BATTERY TYPE
OPS-10003	C
OPS-10004	D



OPS-10005

Industrial Alkaline Batteries

Unit of measure: Pack of 12

Battery Type: 9V
Voltage: 9 V

Manufacturer's Warranty: 1 Year Limited

Automotive Work Lights



OPS-10006
Foldable Underhood Work Light

Unit of measure: Each

- AC charger included

Batteries Included/Not Included: Included
Battery Type: Rechargeable
Lamp Type: LED
Max. Brightness: 1400 Lumens
Mounting Type: Hook
Telescoping: 47" - 79"
Run Time: 3.5 hrs. on Full
Charge Time: 5 hrs.
Folded Size: 24.5"
Weight: 3.4 lbs.



OPS-10007
Foldable/Twist Work Light

Unit of measure: Each

- Strong magnetic base
- Charger included

Batteries Included/Not Included: Included
Battery Type: Rechargeable
Lamp Type: LED
Max. Brightness: 350 Lumens
Mounting Type: Magnetic
Run Time: 4 hrs.
Rated Grade: IP54
Folded Length: 7-1/2"
Overall Length: 13"
Weight: 11 oz.



OPS-10008
Slim Light

Unit of measure: Each

- Long hold switch to activate dimmer function
- Charger included

Batteries Included/Not Included: Included
Battery Type: Rechargeable
Lamp Type: LED
Max. Brightness: 500 Lumens
Mounting Type: Hook/Magnetic
Run Time: 3 hrs.
Charge Time: 3 hrs.
Rated Grade: IP65



OPS-10009
Work Light

Unit of measure: Each

- Long press for dimmer function
- Charger included

Batteries Included/Not Included: Included
Battery Type: Rechargeable
Lamp Type: LED
Max. Brightness: 300 Lumens
Mounting Type: Neck Light
Run Time: 3 hrs.
Charge Time: 3 hrs.
Rated Grade: IP54
Weight: 0.4 lbs.

Basic Plastic Cable Ties



Cable Ties

12 options

- Manufactured from Dupont ™ Zytel® 101F and Ascend ™ Vydyne® 21SPF
- Ideal use in temperatures ranging from -20° C to 80°C

Manufacturer's Warranty: 1 Year Limited

ITEM #	LENGTH	TENSILE STRENGTH	COLOUR	BUNDLE DIA. MIN"-MAX"	UNIT
OPS-10010	4"	18 lbs.	Natural	1/16 - 7/8	Pack of 1000
OPS-10011	4"	18 lbs.	Black	1/16 - 7/8	Pack of 1000
OPS-10012	6"	40 lbs.	Natural	1/16 - 1 1/4	Pack of 1000
OPS-10013	6"	40 lbs.	Black	1/16 - 1 1/4	Pack of 1000
OPS-10014	8"	50 lbs.	Natural	1/16 - 1 3/4	Pack of 1000
OPS-10015	8"	50 lbs.	Black	1/16 - 1 3/4	Pack of 1000
OPS-10016	11"	50 lbs.	Natural	1/16 - 3	Pack of 1000
OPS-10017	11"	50 lbs.	Black	1/16 - 3	Pack of 1000
OPS-10018	15-1/2"	120 lbs.	Natural	1/16 - 4	Pack of 100
OPS-10019	15-1/2"	120 lbs.	Black	1/16 - 4	Pack of 100
OPS-10020	24"	175 lbs.	Natural	3/16 - 7	Pack of 100
OPS-10021	24"	175 lbs.	Black	1/16 - 7	Pack of 100



Extreme Cold-Resistant Cable Ties

3 options · Unit of measure: Pack of 100

- Versatile solution for organizing and fastening cables, tubing, or parts in any environment
- Weather-resistant and functional at temperatures down to -40°C
- Simple to use with a clean, professional finish on every job
- Minimum installation temperature of 0 degrees required

ITEM #	LENGTH
OPS-10022	8"
OPS-10023	12"
OPS-10024	15"



Re-Usable Cable Tie

2 options · Unit of measure: Pack of 100

- 50 lb tensile strength for reliable holding power
- Ideal for temporary bundling or fastening tasks
- Features a quick-release mechanism for fast removal
- Can be reused multiple times without losing grip
- Constructed from durable Nylon 6/6 material

Tensile Strength: 50 lbs. **Colour:** Black

ITEM #	LENGTH
OPS-10025	8"
OPS-10026	14"



OPS-10027

Screw-In Cable Tie

Unit of measure: Pack of 100

- Mounting base attaches securely using standard #10 screws
- Screw-mount design provides strong grip with easy installation and dependable hold
- Available in multiple lengths and tensile strengths to suit different requirements and uses

Length: 8" **Colour:** Black
Tensile Strength: 50 lbs.



Steel Barb Cable Ties

3 options · Unit of measure: Pack of 100

- Delivers a strong, reliable hold that stays secure for everyday cable management and organization projects

Colour: Black

ITEM #	LENGTH	TENSILE STRENGTH
OPS-10028	6"	18 lbs.
OPS-10029	8"	40 lbs.
OPS-10030	14-1/2"	50 lbs.

Cable Tie Sets

Cable Tie Set

2 options

- Ideal use in temperatures ranging from -20° C to 80°C

Manufacturer's Warranty: 1 Year Limited

ITEM #	INCLUDES	UNIT
OPS-10031	400 x OPS-10012; 400 x OPS-10014 & 200 x OPS-10016	Pack of 1000
OPS-10032	50 x OPS-10018 & 50 x OPS-10020	Pack of 100

Dock Light Parts & Accessories



OPS-10033


7000 Lumen 50 W Docking Light Head

Unit of measure: Each

- Built-in on/off switch
- IP65 rated
- ETL & cETL cetified

Power: 50 W
Voltage: AC100 - 277V
Hertz: 50-60 Hz
Beam Angle: 30°
CRI: 70+
Cord Length: 1'
Rated Lifetime: > 50,000 Hours
Dimensions: 8.6" x 6.4" x 2.8"

Drive-Over Cable Protectors



Polyurethane Cable Protector

2 options · Unit of measure: Each

- Protect your cables or hoses from vehicle and pedestrian traffic
- High-visibility yellow lid features added tabs for a more secure connection between base and lid
- Heavy-duty polyurethane base with LDPE lid for indoor or outdoor use
- Multiple units can be interconnected
- Built-in handle for easy carrying

Length: 35.43"
Width: 19.69"
Colour: Yellow/Black

ITEM #	NO. OF CHANNELS	HEIGHT	CHANNEL WIDTH	CHANNEL HEIGHT	WEIGHT	BEARING WEIGHT
OPS-10034	3	3"	2.17"	2.17"	10 kg	25 Tons
OPS-10035	5	2"	1.38"	1.38"	8.7 kg	20 Tons

Exit Signs



OPS-10036
Exit Sign

Unit of measure: Each

- New easy click design allows for fast installation
- Single face or double face orientation
- Various mounting orientation (wall, side, ceiling)
- Ideal for use in offices, schools and warehouses

Housing Material: Steel
Backlight Bulb Type: LED
Length: 12-1/5"
Width: 7-1/2"
Battery Operated / Hardwired: Battery Operated/Hardwired
Language: English
Battery: Ni-Cd 3.6V 1000mAH
Emergency Battery Duration: 2 Hours
Manufacturer's Warranty: 1 Year Limited



OPS-10037
Exit Sign with Security Lights

Unit of measure: Each

- New easy click design allows for fast installation
- Single face or double face orientation
- Various mounting orientation (wall, side, ceiling)
- Ideal for use in offices, schools and warehouses

Housing Material: Steel
Backlight Bulb Type: LED
Length: 12-1/10"
Width: 11"
Battery Operated / Hardwired: Battery Operated/Hardwired
Language: English
Battery: Lead-Acid Battery (6V 6Ah)
Emergency Battery Duration: 2 Hours
Manufacturer's Warranty: 1 Year Limited




OPS-10038
Running Man Sign with Security Lights

Unit of measure: Each

- New easy click design allows for fast installation
- Single face or double face orientation
- Various mounting orientation (wall, side, ceiling)
- Ideal for use in offices, schools and warehouses
- Comes with 3 pictogram panels (right arrow, left arrow, no arrow)

Housing Material: Steel
Backlight Bulb Type: LED
Length: 12-1/10"
Width: 11"
Battery Operated / Hardwired: Battery Operated/Hardwired
Language: Pictogram
Battery: Lead-Acid Battery (6V 6Ah)
Emergency Battery Duration: 2 Hours
Manufacturer's Warranty: 1 Year Limited

Extension Cord Reels



OPS-10039
Extension Reel

Unit of measure: Each

- Retractable, triple outlet extension reel
- Built-in circuit breaker helps prevent power overloads, reducing the risk of electrical fires and equipment damage

Cord Length: 25'
Gauge (AWG): 14/3
Amps: 13 A
No. of Conductors: 3
Trade Designation: SJT



OPS-10040

Wind-Up Extension Cord

Unit of measure: Each

- 4 Grounded outlets
- Built-in resettable circuit breaker
- Wind-up the cord by manually rotating the wheel

Cord Length: 25'
Gauge (AWG): 16/3
Amps: 10 A
Trade Designation: SJT
Wattage: 1250 W

Plug & Outlet NEMA Style: 5-15
Industry Designation: SJT
Number of Prongs: 3
Overall Dimensions: 8-1/4" x 10-3/4" x 2-3/4"
Manufacturer's Warranty: 1 Year Limited

Extension Cords



Extension Cord

4 options · Unit of measure: Each

- Designed for light industrial, contractor and home use
- Durable SJTW jacket protects against ultraviolet rays, chemicals and moisture
- Extremely flexible jacket
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor STJW, 125 V grounding

Type: Indoor/Outdoor
Gauge (AWG): 16/3
Amps: 13 A
Colour: Orange
Voltage: 125 V
Wattage: 1625 W

No. of Outlets: 1
Trade Designation: SJTW
Min. Temperature: -40°C (-40°F)
Max. Temperature: 60°C (140°F)
Manufacturer's Warranty: 1 Year Limited

ITEM #	LENGTH
OPS-10041	10'
OPS-10042	15'
OPS-10043	25'
OPS-10044	50'



OPS-10045

Extension Power Adapter

Unit of measure: Each

- Designed to give professional contractors and industrial personnel maximum flexibility for portable power needs at the job site
- Enables the use of 3 power tools from one outlet on a 12/3 or larger extension cord, a generator or a temporary power box
- Meets OSHA requirements for use on job sites and have solid molded-on vinyl connectors for high resistance to breakage and abuse
- Water-resistant, flame-resistant, and abrasion resistant
- Features nickel-coated brass blades for corrosion resistance

Type: Outdoor
Length: 2'
Gauge (AWG): 12/3
Amps: 15 A
Voltage: 125 V
Wattage: 1875 W

No. of Outlets: 3
Trade Designation: STOW
Min. Temperature: -40 °C (-40°F)
Max. Temperature: 60 °C (140°F)
Plug Type: Grounded
Connector: Grounded



Industrial Extension Cord

2 options · Unit of measure: Each

- Ideal for use in harsh winter environments or hot summer conditions without becoming brittle, stiff, or difficult to manage
- Remains highly flexible in extreme weather conditions
- Designed to resist kinking and lays flat without coiling
- Includes a lighted plug
- Suitable for both indoor and outdoor use
- Equipped with a grounded plug for added safety
- Water-resistant and flame-retardant for enhanced durability and protection
- UL listed

Type: All-Weather
Gauge (AWG): 10/3
Amps: 15 A
Colour: Neon Green
Voltage: 125 V
Wattage: 1875 W
No. of Outlets: 1
Trade Designation: SJTW
Min. Temperature: -40°C (-40°F)
Max. Temperature: 75°C (167°F)

ITEM #	LENGTH
OPS-10046	50'
OPS-10047	100'



TPE-Rubber Extension Cord With Light Indicator

2 options · Unit of measure: Each

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJEOW, 300 V grounding

Type: All-Weather
Length: 25'
Amps: 15 A
Colour: Blue/Orange
Voltage: 300 V
Wattage: 1875 W
No. of Outlets: 1
Trade Designation: SJEOW
Min. Temperature: -50°C (-58°F)
Max. Temperature: 105°C (221°F)
Manufacturer's Warranty: 1 Year Limited

ITEM #	GAUGE (AWG)
OPS-10048	14/3
OPS-10051	12/3



TPE-Rubber Extension Cord With Light Indicator

2 options · Unit of measure: Each

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJEOW, 300 V grounding

Type: All-Weather
Amps: 15 A
Colour: Blue/Orange
Voltage: 300 V
Wattage: 1875 W
No. of Outlets: 1
Trade Designation: SJEOW
Min. Temperature: -50°C (-58°F)
Max. Temperature: 105°C (221°F)
Manufacturer's Warranty: 1 Year Limited

ITEM #	LENGTH	GAUGE (AWG)
OPS-10049	50'	14/3
OPS-10053	100'	12/3



OPS-10050

TPE-Rubber Extension Cord With Light Indicator

Unit of measure: Each

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJEOW, 300 V grounding

Type: All-Weather
Length: 100'
Gauge (AWG): 14/3
Amps: 13 A
Colour: Blue/Orange
Voltage: 300 V
Wattage: 1625 W
No. of Outlets: 1
Trade Designation: SJEOW
Min. Temperature: -50°C (-58°F)
Max. Temperature: 105°C (221°F)
Manufacturer's Warranty: 1 Year Limited



OPS-10052

TPE-Rubber Extension Cord With Light Indicator

Unit of measure: Each

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJEOW, 300 V grounding

Type: All-Weather
Length: 50'
Gauge (AWG): 12/3
Amps: 15 A
Colour: Blue/Orange
Voltage: 300 V
Wattage: 1875 W
No. of Outlets: 1
Trade Designation: SJEOW
Min. Temperature: -50°C (-58°F)
Max. Temperature: 105°C (221°F)
Manufacturer's Warranty: 1 Year Limited



TPE-Rubber Extension Cord with Light Indicator

2 options · Unit of measure: Each

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJEOW, 300 V grounding

Type: All-Weather
Gauge (AWG): 14/3
Amps: 15 A
Colour: Blue/Orange
Voltage: 300 V
Wattage: 1875 W
No. of Outlets: 3
Trade Designation: SJEOW
Min. Temperature: -50°C (-58°F)
Max. Temperature: 105°C (221°F)
Manufacturer's Warranty: 1 Year Limited

ITEM #	LENGTH
OPS-10054	25'
OPS-10055	50'



OPS-10056

TPE-Rubber Extension Cord with Light Indicator

Unit of measure: Each

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJEOW, 300 V grounding

Type: All-Weather
Length: 100'
Gauge (AWG): 14/3
Amps: 13 A
Colour: Blue/Orange
Voltage: 300 V
Wattage: 1625 W
No. of Outlets: 3
Trade Designation: SJEOW
Min. Temperature: -50°C (-58°F)
Max. Temperature: 105°C (221°F)
Manufacturer's Warranty: 1 Year Limited



TPE-Rubber Extension Cord with Light Indicator

3 options · Unit of measure: Each

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJEOW, 300 V grounding

Type: All-Weather
Gauge (AWG): 12/3
Amps: 15 A
Colour: Blue/Orange
Voltage: 300 V
Wattage: 1875 W
No. of Outlets: 3
Trade Designation: SJEOW
Min. Temperature: -50°C (-58°F)
Max. Temperature: 105°C (221°F)
Manufacturer's Warranty: 1 Year Limited

ITEM #	LENGTH
OPS-10057	25'
OPS-10058	50'
OPS-10059	100'



Vinyl Extension Cord

2 options · Unit of measure: Each

- Designed for industrial and contractor use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJTW, 300 V grounding

Type: Outdoor
Gauge (AWG): 14/3
Amps: 15 A
Voltage: 300 V
Wattage: 1875 W

Trade Designation: SJTW
Min. Temperature: -40°C (-40°F)
Max. Temperature: 60°C (140°F)
Manufacturer's Warranty: 1 Year Limited

ITEM #	LENGTH	COLOUR	NO. OF OUTLETS
OPS-10060	25'	Orange	1
OPS-10067	50'	Red	3



Vinyl Extension Cord

2 options · Unit of measure: Each

- Heavy-Duty
- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals and moisture and provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJTW, 300 V grounding

Type: Outdoor
Gauge (AWG): 14/3
Colour: Orange
Voltage: 300 V
No. of Outlets: 1

Trade Designation: SJTW
Min. Temperature: -40°C (-40°F)
Max. Temperature: 60°C (140°F)
Manufacturer's Warranty: 1 Year Limited

ITEM #	LENGTH	AMPS	WATTAGE
OPS-10061	50'	15 A	1875 W
OPS-10062	100'	13 A	1625 W



Vinyl Extension Cord

3 options · Unit of measure: Each

- Extra Heavy-Duty
- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals and moisture and provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJTW, 300 V grounding

Type: Outdoor
Gauge (AWG): 12/3
Amps: 15 A
Colour: Yellow
Voltage: 300 V
Wattage: 1875 W

No. of Outlets: 1
Trade Designation: SJTW
Min. Temperature: -40°C (-40°F)
Max. Temperature: 60°C (140°F)
Manufacturer's Warranty: 1 Year Limited

ITEM #	LENGTH
OPS-10063	25'
OPS-10064	50'
OPS-10065	100'



OPS-10066

Vinyl Extension Cord

Unit of measure: Each

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals and moisture
- Vinyl jacket provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJTW, 300 V grounding

Type: Outdoor
Length: 25'
Gauge (AWG): 14/3
Amps: 15 A
Colour: Red
Voltage: 300 V
Wattage: 1875 W
No. of Outlets: 3
Trade Designation: SJTW
Min. Temperature: -40°C (-40°F)
Max. Temperature: 60°C (140°F)
Manufacturer's Warranty: 1 Year Limited



Vinyl Extension Cord

2 options · Unit of measure: Each

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals and moisture
- Vinyl jacket provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJTW, 300 V grounding

Type: Outdoor
Length: 100'
Colour: Red
Voltage: 300 V
No. of Outlets: 3
Trade Designation: SJTW
Min. Temperature: -40°C (-40°F)
Max. Temperature: 60°C (140°F)
Manufacturer's Warranty: 1 Year Limited

ITEM #	GAUGE (AWG)	AMPS	WATTAGE
OPS-10068	14/3	13 A	1625 W
OPS-10071	12/3	15 A	1875 W



Vinyl Extension Cord

2 options · Unit of measure: Each

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals and moisture
- Vinyl jacket provides added flexibility
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJTW, 300 V grounding

Type: Outdoor
Gauge (AWG): 12/3
Amps: 15 A
Colour: Red
Voltage: 300 V
Wattage: 1875 W
No. of Outlets: 3
Trade Designation: SJTW
Min. Temperature: -40°C (-40°F)
Max. Temperature: 60°C (140°F)
Manufacturer's Warranty: 1 Year Limited

ITEM #	LENGTH
OPS-10069	25'
OPS-10070	50'



Vinyl Extension Cord with Light Indicator

6 options · Unit of measure: Each

- Designed for industrial and contractor use
- Vinyl jacket protects against rough use, chemicals and moisture
- Ultra flexible cord
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- Water resistant and flame retardant
- 3-Conductor SJTOW, 300 V grounding, oil resistant

Type: Outdoor
Gauge (AWG): 12/3
Amps: 15 A
Colour: Yellow
Voltage: 300 V
Wattage: 1875 W
Trade Designation: SJTOW
Min. Temperature: -40°C (-40°F)
Max. Temperature: 60°C (140°F)
Manufacturer's Warranty: 1 Year Limited

ITEM #	LENGTH	NO. OF OUTLETS
OPS-10072	25'	1
OPS-10073	50'	1
OPS-10074	100'	1
OPS-10075	25'	3
OPS-10076	50'	3
OPS-10077	100'	3



OPS-10078

W-Style Power Adapter

Unit of measure: Each

- Designed to give professional contractors and industrial personnel maximum flexibility for portable power needs at the job site
- This "W" adapter enables 3 tools to be powered from one 15 amp receptacle
- Made to meet OSHA requirements for use on job sites and have solid molded-on vinyl connectors for high resistance to breakage and abuse

Type: Outdoor
Length: 2'
Gauge (AWG): 12/3
Amps: 15 A
Voltage: 125 V
Wattage: 1875 W
No. of Outlets: 3
Trade Designation: STOW
Min. Temperature: -40 °C (-40°F)
Max. Temperature: 60 °C (140°F)
Plug Type: Grounded
Connector: Grounded

Extension Plug Connectors



OPS-10079

PVC Grounding Connector

Unit of measure: Each

- Moisture and chemical resistant plastic body
- Ideal for indoor and outdoor use

Nema Configuration: 5-15R
Body Material: Plastic
Amperage: 15A
Voltage: 125V
Cord Diameter: 0.245" - 0.655"
Wire Gauge: 16/3 to 14/3 cords
Colour: Yellow
Manufacturer's Warranty: 1 Year Limited

Extension Plugs



OPS-10080

PVC Grounding Plug

Unit of measure: Each

- Moisture and chemical resistant plastic body
- Ideal for indoor and outdoor use

Amps: 15 A
Nema Configuration: 5-15P
AC Voltage: 125 V
Body Material: Plastic
Amperage: 15A

Voltage: 125V
Cord Diameter: 0.245" - 0.655"
Wire Gauge: 16/3 to 14/3 cords
Colour: Yellow
Manufacturer's Warranty: 1 Year Limited

Hand-Held Flashlight



AFL100 Flashlight

2 options · Unit of measure: Each

- Super bright LED bulb
- Polypropylene body resists grease and chemicals
- Shatterproof lens
- Ribbed non-slip barrel
- Hi-Viz yellow colour for easy visibility
- Batteries not included

Lamp Type: LED
Body Material: Plastic
Body Colour: Yellow

Batteries Included/Not Included: Not Included
Manufacturer's Warranty: 1 Year Limited

ITEM #	LUMENS (HIGH)	BATTERY TYPE	DESCRIPTION
OPS-10081	28	AA	Flashlight, 2 AA-cells
OPS-10082	35	D	Flashlight, 2 D-cells



OPS-10083

AFL200 Mini Flashlight

Unit of measure: Each

- Nine ultra bright LED lights
- High strength aluminum casing
- On/Off switch
- Lightweight design
- Rugged impact resistant housing
- Includes wrist strap and three AAA alkaline batteries

Lamp Type: LED
Lumens (High): 25
Body Material: Aluminum
Body Colour: Black

Battery Type: AAA
Batteries Included/Not Included: Included
Manufacturer's Warranty: 1 Year Limited



OPS-10084

IP67 Flashlight

Unit of measure: Each

- Tail push button
- Working modes include single click for 40%, 15%, 3% and off, long hold for 100% brightness, and double click for strobe effect
- Comes with Type C USB cable only (AC charger not included)
- Flashlight bag not included

Lamp Type: LED
Lumens (High): 2000
Lumens (Low): 800
Run Time Hrs. (High): 5
Battery Type: Rechargeable
Batteries Included/Not Included: Included
Recharge Time: Approx. 5 Hours
Size: 5-1/2" x 1-1/2" (138 x 37 mm)



IPX4 Flashlight

2 options · Unit of measure: Each

- IPX4 rating

Batteries Included/Not Included: Not Included

ITEM #	LUMENS (HIGH)	RUN TIME HRS. (HIGH)	BODY MATERIAL	BATTERY TYPE	BEAM DISTANCE (HIGH)	WEIGHT	FINISH	RUN TIME HRS. (LOW)	WORKING MODES
OPS-10085	100	10	Aluminum	AA	100 m	58 g	Anodized	—	—
OPS-10086	500	1.5	—	AAA	—	111 g (0.24 lbs.)	—	20	High, Low, Strobe, Off



OPS-10087

IPX7 Flashlight

Unit of measure: Each

- Requires 2 AA batteries
- Anodized finish
- Features a tailcap switch with settings for 100%, 50%, and off
- Slide head to focus
- Removable clip
- Flashlight bag not included
- Performs brightness of 250 lumens
- Light range up to 150 meters
- Works consecutive 5 hours

Lamp Type: LED
Lumens (High): 250
Run Time Hrs. (High): 5
Body Material: Aluminum
Battery Type: AA
Batteries Included/Not Included: Included
Beam Distance (High): 150 m
Weight: 96 g
Finish: Anodized



OPS-10088
Pen Light with Pocket Clip
Unit of measure: Each

- Requires 3 AAA batteries (not included)
- Flashlight bag not included

Lamp Type: LED
Lumens (High): 80
Battery Type: AAA
Batteries Included/Not Included: Not Included
Working Modes: Top Light, Front Light, Off
Length: 6.7" (170 mm)
Weight: 1.2 oz. (35 g)

Hand-Held Work Lights



OPS-10089
Industrial Work Light
Unit of measure: Each

- Rugged impact resistant housing
- On/Off switch handle
- Certified for sale in Canada by an accredited certification body
- Lightweight design
- Grounded cord
- Includes: Hanging hook and electric outlet
- Can be used with incandescent and LED light bulbs (LED bulb sold separately)

Lamp Type: Incandescent
Wattage: 75 W
Light Capacity (watts): 75
Cord Length': 25
Includes: Hanging hook; Electric outlet
Manufacturer's Warranty: 1 Year Limited



OPS-10090
Work Light with 15' Power Cord & 16/3 SJTOW
Unit of measure: Each

- Top hanging hook, swivels 360° and folds down when not in use
- LEDs remain cool
- Grounded outlet
- Magnetic

Lamp Type: LED
Lumens: 1600
Wattage: 14 W
Cord Length: 15'
Outlet Rating: 1440 W, 120 V, 12 A, AC 1.2 m

Headlamps



OPS-10091
Headlamp
Unit of measure: Each

- Emits a light of 350 lumens on high for up to 2 hours, and 15 hours when set to low at 40 lumens
- IPX7 Waterproof rating (1m, 30min)
- Battery charge light indicator on the side
- 2m impact resistance
- Adjustable headband
- Includes: Headlamp, Micro-USB recharging cable, Helmet clips

Lamp Type: LED
Lumens (High): 350
Run Time Hrs. (High): 2
Lamp Material: Rubber
Battery Type: Rechargeable
Body Colour: Black
Beam Distance (High): 110 m
Batteries Included/Not Included: Included
Light Colour: White
Includes: Headlamp; Micro-USB recharging cable; Helmet clips
Manufacturer's Warranty: 1 Year Limited



OPS-10092

Magnetic Headlamp

Unit of measure: Each

- Long press to turn on
- Comes with 1 piece type C USB cable

Lamp Type: LED
Lumens (High): 1100
Run Time Hrs. (High): 4.5
Battery Type: Rechargeable
Beam Distance (High): 100 m
Batteries Included/Not Included: Included
Finish: Anodized
Size: 25.5 mm x 91.7 mm
Weight: 135 g



OPS-10093

Sensor Headlamp with 6 Modes

Unit of measure: Each

- Lightweight and compact
- Features 6 lighting modes
- Super bright LED
- Adjustable headband
- Shockproof rubber coating
- Batteries sold separately

Lamp Type: LED
Lumens (High): 200
Battery Type: AAA
Batteries Included/Not Included: Not Included
Light Colour: Red, White & Green
Function: 3W Low, 3W High, White LED Low, White LED High
Dimensions: 63 x 45 x 39 mm
Weight: 53 g

Miniature Batteries



OPS-10094

377BP Silver Oxide Batteries

Unit of measure: Pack of 2

Voltage: 1.55 V



OPS-10095

CR2032 Lithium Battery

Unit of measure: Pack of 5

Voltage: 3 V



OPS-10096
LR44 Alkaline Batteries
Unit of measure: Pack of 2

Voltage: 1.5 V

Pen Light



OPS-10097
Cree® Penlight
Unit of measure: Each

- High-quality Cree® LED beam is very bright
- High-quality penlight is extremely durable all while being lightweight to alleviate wrist fatigue
- Aluminum body is corrosion and rust-resistant
- Push button to switch on and off
- Attaches securely to pockets, belts and briefcases with convenient clip
- Penlight is ideal for various applications such as household work, automobile maintenance and recreational activities

Lamp Type: LED
Lumens (High): 90
Run Time Hrs. (High): 3
Body Material: Aluminum
Battery Type: AAA
Body Colour: Black
Beam Distance (High): 70 m
Batteries Included/Not Included: Included
Light Colour: White
Manufacturer's Warranty: 1 Year Limited

Portable Work Lights



OPS-10098
Portable Work Light
Unit of measure: Each

- Heat resistant tempered glass face
- Adjustable tilting head
- Halogen bulb included
- IP54 rating for weather and dust resistance
- Certified for sale in Canada by an accredited certification body

Lamp Type: Halogen
Lumens: 8000
Wattage: 500 W
Housing Material: Steel
Manufacturer's Warranty: 1 Year Limited



OPS-10099
Portable Work Light
Unit of measure: Each

- Adjustable tilting head
- LED bulb included
- Certified for sale in Canada by an accredited certification body
- IP65 rating for weather and dust resistance

Lamp Type: LED
Lumens: 2500
Wattage: 20 W
Housing Material: Aluminum
Manufacturer's Warranty: 1 Year Limited



Twin-Head Work Light

2 options · Unit of measure: Each

- Certified for sale in Canada by an accredited certification body

Manufacturer's Warranty: 1 Year Limited

ITEM #	LAMP TYPE	LUMENS	WATTAGE	HOUSING MATERIAL	VOLTAGE
OPS-10100	Halogen	16000	500 W	Steel	—
OPS-10101	LED	4800	40 W	Aluminum	120 V

Single Swing Dock Lights



OPS-10102


Dock Light

Unit of measure: Each

- Built-in on-off switch
- Durable stainless steel cage for better protection of the light
- Bracket mounted for easy installation
- Arm sections are adjustable in all directions
- Features an adjustable screw to help direct the light where you need it
- Ideal for use in shipping/receiving docks, work lighting, spot lighting, and other similar applications

Extended Arm Length: 40"
Lamp Type: LED
Wattage: 50 W
Head Type: Metal
Lumens: 7000
Manufacturer's Warranty: 1 Year Limited

Stainless Cable Ties



Metal Detectable Cable Ties

3 options · Unit of measure: Pack of 100

- Metal particles integrated within both the head and strap allow easy detection by X-ray and metal detection systems
- Standard blue colour enhances visibility and helps prevent product contamination
- Built for superior durability, precision, and consistent performance
- Developed for use in food, beverage, and pharmaceutical production, meeting HACCP safety and hygiene requirements
- Complies with RoHS safety regulations

Width: 0.3"
Tensile Strength: 120 lbs.

ITEM #	LENGTH
OPS-10103	6"
OPS-10104	8"
OPS-10105	15"

String Light Systems



OPS-10106
LED String Work Lights

Unit of measure: Each

- Each panel light outputs up to 1000 lumens
- LED bulbs built-in, no replacement bulbs required
- The integrated LED lights are designed to last for 30,000 hours
- Low power consumption allows 12 additional sets to be linked together
- Ideal for construction sites, indoor & outdoor use
- Comes with optional carabiners

Cord Length: 50'
Housing Material: Plastic
Wire Gauge: 16/2
Number of Lights: 5
Light Temperature: 5000K
Environmental Rating: IP55
Wattage Per Panel: 10W
Lumens Per Panel: 1000
Distance Between Panels: 8-5/6'
Manufacturer's Warranty: 1 Year Limited

Surge Protector Strips



OPS-10107
Surge Suppressor

Unit of measure: Each

- Lighted on/off switch with built-in circuit breaker
- Protects against damage caused by power spikes
- Ideal for multiple electronic devices

No. of Outlets: 6
Cord Length: 3'
Rated Joules: 200 J
Amps: 15 A
Wattage: 1875 W
Voltage: 125 V
Manufacturer's Warranty: 1 Year Limited



OPS-10108
USB Charging Surge Protector

Unit of measure: Each

- USB Power Strip will protect devices from power surges and spikes
- Protected mode indicator light
- Lighted ON/OFF switch

No. of Outlets: 6
Cord Length: 6'
Rated Joules: 1200 J
Amps: 15 Amps
Wattage: 1875 W
Voltage: 125 V
No. of USB Ports: 2
USB Charging Ports: 2.1 Amp
Housing Material: ABS Plastic
Colour: White
Manufacturer's Warranty: 1 Year Limited



OPS-10109
Workshop Surge Protector Power Strip

Unit of measure: Each

- Features cord wrap and surge protector to protect your devices from an overload
- Lighted on/off switch
- Keyhole slots on the back of the unit allow the model to be mounted under a desk, on walls or other locations
- Indoor use only
- Features 5 standard outlets and 3 wide space outlets

No. of Outlets: 8
Cord Length: 6'
Rated Joules: 1350 J
Amps: 15 Amps
Wattage: 1875 W
Voltage: 125 V
Housing Material: Metal
Colour: Black/Yellow
Manufacturer's Warranty: 1 Year Limited

Task & Work Lighting Parts & Accessories



OPS-10110

Replacement Bulb for Halogen Work Lights

Unit of measure: Each

Base Type: Double ended
Lamp: Halogen T3, 118 mm
Lamp Life: 1400 hours

Voltage: 130 V
Wattage: 500 W
Manufacturer's Warranty: 1 Year Limited