KRONOS INDUSTRIES

PRODUCT CATALOG

Material Handling & Storage

3,060 items · Item numbers OPS-10518 to OPS-13577

TO ORDER OR REQUEST A QUOTE

info@kronosindustries.ca

Please quote the item number (OPS-#####)

Acid & Corrosive Cabinets



Corrosive Liquids Cabinet

2 options · Unit of measure: Each

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Includes two polyethylene trays
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids

Capacity: 22 gal.
Width: 35"
Depth: 22"
Height: 35"
No. of Shelves: 1
No. of Doors: 2

ITEM #	DOOR TYPE	STANDARD(S) MET	MANUFACTURER'S WARRANTY
OPS-10518	Manual	NFPA/OSHA/FM	10 Years Limited
OPS-10521	Self-Closing	FM/NFPA/OSHA	10 Years



Corrosive Liquids Cabinet

2 options · Unit of measure: Each

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Includes two polyethylene trays
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids

Capacity: 30 gal.
Width: 43"
Depth: 18"
Height: 44"
No. of Shelves: 1
No. of Doors: 2

ITEM #	DOOR TYPE	STANDARD(S) MET	MANUFACTURER'S WARRANTY
OPS-10519	Manual	NFPA/OSHA/FM	10 Years Limited
OPS-10522	Self-Closing	FM/NFPA/OSHA	10 Years



Corrosive Liquids Cabinet

2 options · Unit of measure: Each

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Includes two polyethylene trays
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids

Capacity: 45 gal.
Width: 43"
Depth: 18"
Height: 65"
No. of Shelves: 2
No. of Doors: 2

ITEM #	DOOR TYPE	STANDARD(S) MET	MANUFACTURER'S WARRANTY
OPS-10520	Manual	NFPA/OSHA/FM	10 Years Limited
OPS-10523	Self-Closing	FM/NFPA/OSHA	10 Years

All-Purpose Shop Desks



OPS-10524

Cabinet Style Shop Desk

Unit of measure: Each

- Durable carbon steel construction
- Same features as the open floor style shop desk, with an added double door locking cabinet
- Four-compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Grey enamel finish
- Ships knocked down

Material: Steel
Width: 34-1/2"
Depth: 30"
Height: 53"
Colour: Grey
Manufacturer's Warranty: 1 Year Limited



OPS-10525

Open Floor Style Shop Desk

Unit of measure: Each

- Durable carbon steel construction
- Ideal for receiving/shipping clerks, watchmen and shop foremen
- Four-compartment organizer and slightly sloped 43" height writing surface
- Optional caster kit to convert to mobile unit
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Ships knocked down

Material: Steel
Width: 34-1/2"
Depth: 30"
Height: 53"
Colour: Grey
Manufacturer's Warranty: 1 Year Limited

All-Welded Workbenches



Extra Heavy-Duty Workbenches - All-Welded Benches

4 options · Unit of measure: Each

- All-welded construction features a wood-filled 3/16" steel top with 11 gauge steel legs and stringers
- Standard bolt-down footplates
- Overall height is 34"
- Capacity based on evenly distributed weight
- Durable industrial blue polyurethane finish

Work Surface: Steel
Width: 72"
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	DEPTH	WEIGHT	STYLE	CONFIGURATION
OPS-10526	5000 lbs.	30"	290 lbs.	—	—
OPS-10527	5000 lbs.	36"	295 lbs.	—	—
OPS-10528	3500 lbs.	30"	209 lbs.	Mobile	Top & Legs Only
OPS-10529	3500 lbs.	36"	360 lbs.	Mobile	Top & Legs Only

Aluminum Deck Dollies



Aluminum Deck Dollies

3 options · Unit of measure: Each

- 3/8" aluminum treadplate construction, countersunk bolts
- 4" resilient non-marking casters

Capacity: 1200 lbs.
Height: 6"
Wheel Material: Rubber
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH	WEIGHT	DECK DIMENSIONS
OPS-10530	18"	18"	20.2 lbs.	18" W x 18" L
OPS-10531	18"	24"	25 lbs.	18" W x 24" L
OPS-10532	24"	24"	29 lbs.	—

Aluminum Platform Trucks



Aluminum Platform Truck


21 options · Unit of measure: Each

- 40% lighter on average, than steel or wood-and-steel platform trucks
- Corrosion resistant for extra long life
- Box frame made of high strength all-welded aluminum channel
- Corner sockets at both ends allow handles to be used on either end of the truck
- Rubber corner bumpers prevent damage to walls and furniture
- Wide variety of casters to suit any application

Caster Placement: Corner Standard
Deck Type: Tread Plate
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	HANDLE HEIGHT	CAPACITY	WHEEL DIAMETER	WHEEL MATERIAL	WEIGHT
OPS-10533	24"	36"	34"	1400 lbs.	8"	Pneumatic	55 lbs.
OPS-10534	24"	48"	34"	1400 lbs.	8"	Pneumatic	60 lbs.
OPS-10535	30"	60"	34"	1400 lbs.	8"	Pneumatic	74 lbs.
OPS-10536	24"	36"	36"	1600 lbs.	10"	Pneumatic	60 lbs.
OPS-10537	24"	48"	36"	1600 lbs.	10"	Pneumatic	65 lbs.
OPS-10538	30"	60"	36"	1600 lbs.	10"	Pneumatic	80 lbs.
OPS-10539	24"	36"	34"	1100 lbs.	8"	Flat Free	57 lbs.
OPS-10540	24"	48"	34"	1100 lbs.	8"	Flat Free	62 lbs.
OPS-10541	30"	60"	34"	1100 lbs.	8"	Flat Free	76 lbs.
OPS-10542	24"	36"	36"	1200 lbs.	10"	Flat Free	62 lbs.
OPS-10543	24"	48"	36"	1200 lbs.	10"	Flat Free	67 lbs.
OPS-10544	30"	60"	36"	1200 lbs.	10"	Flat Free	81 lbs.
OPS-10545	24"	36"	34"	2000 lbs.	8"	Mold-on Rubber	66 lbs.
OPS-10546	24"	48"	34"	2000 lbs.	8"	Mold-on Rubber	71 lbs.
OPS-10547	30"	60"	34"	2000 lbs.	8"	Mold-on Rubber	85 lbs.
OPS-10548	24"	36"	32"	3400 lbs.	6"	Polyurethane	51 lbs.
OPS-10549	24"	48"	32"	3400 lbs.	6"	Polyurethane	56 lbs.
OPS-10550	30"	60"	32"	3400 lbs.	6"	Polyurethane	70 lbs.
OPS-10551	24"	36"	34"	4000 lbs.	8"	Polyurethane	56 lbs.
OPS-10552	24"	48"	34"	4000 lbs.	8"	Polyurethane	61 lbs.
OPS-10553	30"	60"	34"	4000 lbs.	8"	Polyurethane	75 lbs.

Appliance Hand Trucks



OPS-10554
Appliance Truck

Unit of measure: Each

- Vinyl frontal protection prevents damage to appliances
- Easily move large appliances
- Continuous stair climbers for easy ascending/descending
- 8" diameter solid rubber wheels
- All-welded industrial construction

Frame Material: Steel
Nose Plate Dimensions: 24" W x 5" D
Capacity: 550 lbs.
Overall Height: 59"
Overall Width: 17"
Handle Type: Continuous Handle
Wheel Material: Solid Rubber
Wheel Size: 8"H x 2" W
Colour: Red / Black
Steel Nose Plate ga.: 10
Steel Tubing ga.: 14
Weight: 44 lbs.
Manufacturer's Warranty: 1 Year Limited



Industrial Appliance Truck

2 options · Unit of measure: Each

- Vinyl bumpers on face of truck to prevent damage to appliances
- Heavy-duty continuous stair climbers for easy climbing/descending
- Ratchet mechanism for easy fastening of loads
- Stair climber weight capacity of 250 lbs

Frame Material: Steel
Nose Plate Dimensions: 24" W x 5" D
Overall Width: 24"
Handle Type: Continuous Handle
Wheel Material: Solid Rubber
Wheel Size: 8" H x 1.5" W
Colour: Red/Black
Steel Nose Plate ga.: 8
Steel Tubing ga.: 8
Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	OVERALL HEIGHT	WEIGHT	OVERALL DIMENSIONS
OPS-10555	550 lbs.	59"	46 lbs.	14 1/2"L x 24"W x 59"H
OPS-10556	850 lbs.	66"	65 lbs.	14 1/2" L x 24" W x 66" H

Bar Cradle Trucks



OPS-10557

Bar Cradle Truck

Unit of measure: Each

- Designed for efficient handling of long material
- Tilt design allows truck to turn within its own radius
- Cradle design facilitates loading and unloading
- Two 12" phenolic wheels and two 6" swivel phenolic casters
- Durable industrial blue polyurethane finish

Overall Height: 29"
Overall Length: 60"
Overall Width: 28"
Capacity: 5000 lbs.
Wheel Diameter: 6"
Wheel Material: Phenolic
No. of Cradles: 2
Weight: 215 lbs.
Manufacturer's Warranty: 1 Year Limited



Bar Cradle Truck

2 options · Unit of measure: Each

- Designed for efficient handling of long material
- Tilt design allows truck to turn within its own radius
- Cradle design facilitates loading and unloading
- Two 12" phenolic wheels and two 6" swivel phenolic casters
- Durable industrial blue polyurethane finish

Overall Height: 29"
Overall Width: 28"
Capacity: 5000 lbs.
Wheel Diameter: 6"
Wheel Material: Phenolic
No. of Cradles: 3
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL LENGTH	WEIGHT
OPS-10558	96"	300 lbs.
OPS-10559	120"	365 lbs.



Pipe & Bar Cradle Truck

3 options · Unit of measure: Each

- All-welded steel construction, ready to use
- Raised ergonomic bed height of 20" is ideal for shop environment
- Cradle is 19-1/2"W x 14"H
- 6" heavy-duty swivel casters allow for greater maneuverability in tight spaces and can turn on their axes
- Single units are ideal for shorter loads and must be centered on the truck; multiple units can be combined for greater capacity and to support longer loads
- Recessed side decks allow for loading and unloading with a lift truck
- Durable industrial blue polyurethane finish

Overall Height: 34"
Overall Width: 24"
Capacity: 2500 lbs.
Wheel Material: Polyurethane
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL LENGTH	WEIGHT
OPS-10560	24"	93 lbs.
OPS-10561	36"	104 lbs.
OPS-10562	48"	113 lbs.

Base For Metal Lockers



OPS-10563

Raised Base

Unit of measure: Each

- Prevents liquids from entering the locker
- Raises locker 4" off the ground

No. of Banks: 1
Type: Recessed
Overall Depth: 18"
Overall Width: 12"
Overall Height: 4"
Colour: Grey
Material: Steel
Manufacturer's Warranty: 1 Year Limited

Bin Rack Parts & Accessories




OPS-10564

Stationary Bin Racks - Accessories for Louvered Panels

Unit of measure: Each

Hook Length: 6"
Manufacturer's Warranty: 1 Year Limited



Stationary Bin Racks - Accessories for Louvered Panels

2 options · Unit of measure: Each

Hook Length: 12"

Manufacturer's Warranty: 1 Year Limited

ITEM #	SHIP WEIGHT
OPS-10565	0.9 lb
OPS-10567	1.1 lb



OPS-10566

Stationary Bin Racks - Accessories for Louvered Panels

Unit of measure: Each

Hook Length: 6"

Manufacturer's Warranty: 1 Year Limited

Bin Support Racks



OPS-10568


Louvered Bench Racks - Rack Only

Unit of measure: Each

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Designed to be permanently installed on a 72" wide workbench
- Constructed of 1 1/4" square tube frame
- Capacity is based on evenly distributed weight
- Durable industrial blue polyurethane finish
- RACK ONLY

Height: 40"
Depth: 15"
Width: 72"
No. of Bins: 0

Rack Type: Bolt-on
Weight: 95 lbs.
Manufacturer's Warranty: 1 Year Limited



Louvered Rack with Bins

5 options · Unit of measure: Each

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Durable industrial blue polyurethane finish

Bin Colour: Blue

Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	DEPTH	WIDTH	NO. OF BINS	BIN DIMENSIONS	INCLUDES
OPS-10569	22"	8-1/4"	36"	32	5-3/8" x 4-1/8" x 3"	(32) Bins (OPS-12192)
OPS-10572	22"	8-1/4"	36"	32	7-3/8" x 4-1/8" x 3"	(32) Bins (OPS-12197)
OPS-10575	22"	36"	8-1/4"	18	10-7/8" x 5-1/2" x 5"	(18) Bins (OPS-12202)
OPS-10578	40"	15"	72"	144	7-3/8" x 4-1/8" x 3"	(144) Bins (OPS-12197)
OPS-10584	40"	15"	72"	36	14-3/4" x 8-1/4" x 7"	(36) Bins (OPS-12217)



Louvered Rack with Bins

2 options · Unit of measure: Each

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Durable industrial blue polyurethane finish
- Free standing unit made of 1" square tube frame
- May be placed on any flat surface near a worksite without the need for bolts or fasteners

Height: 22"
Depth: 8-1/4"
Width: 36"

No. of Bins: 32
Bin Colour: Red
Manufacturer's Warranty: 1 Year Limited

ITEM #	BIN DIMENSIONS	INCLUDES
OPS-10570	5-3/8" x 4-1/8" x 3"	(32) Bins (OPS-12194)
OPS-10573	7-3/8" x 4-1/8" x 3"	(32) Bins (OPS-12199)



Louvered Rack with Bins

6 options · Unit of measure: Each

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Durable industrial blue polyurethane finish

Bin Colour: Yellow

Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	DEPTH	WIDTH	NO. OF BINS	BIN DIMENSIONS	INCLUDES
OPS-10571	22"	8-1/4"	36"	32	5-3/8" x 4-1/8" x 3"	(32) Bins (OPS-12195)
OPS-10574	22"	8-1/4"	36"	32	7-3/8" x 4-1/8" x 3"	(32) Bins (OPS-12200)
OPS-10577	22"	8-1/4"	36"	18	10-7/8" x 5-1/2" x 5"	(18) Bins (OPS-12205)
OPS-10580	40"	15"	72"	144	7-3/8" x 4-1/8" x 3"	(144) Bins (OPS-12200)
OPS-10583	40"	15"	72"	72	10-7/8" x 5-1/2" x 5"	(72) Bins (OPS-12205)
OPS-10586	40"	15"	72"	36	14-3/4" x 8-1/4" x 7"	(36) Bins (OPS-12220)



Louvered Rack with Bins


2 options · Unit of measure: Each

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Durable industrial blue polyurethane finish

Bin Colour: Red

Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	DEPTH	WIDTH	NO. OF BINS	BIN DIMENSIONS	INCLUDES
OPS-10576	22"	8-1/4"	36"	18	10-7/8" x 5-1/2" x 5"	(18) Bins (OPS-12204)
OPS-10579	40"	15"	72"	144	7-3/8" x 4-1/8" x 3"	(144) Bins (OPS-12199)



OPS-10581

Louvered Rack with Bins

Unit of measure: Each

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Designed to be permanently installed on a 72" wide workbench
- Constructed of 1-1/4" square tube frame
- Capacity is based on evenly distributed weight
- Durable industrial blue polyurethane finish
- Includes: (72) Bins (OPS-12202)

Height: 40"
Depth: 15"
Width: 72"
No. of Bins: 72

Bin Colour: Blue
Bin Dimensions: 10-7/8" x 5-1/2" x 5"
Includes: (72) Bins (OPS-12202)
Manufacturer's Warranty: 1 Year Limited



Louvered Rack with Bins

2 options · Unit of measure: Each

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Designed to be permanently installed on a 72" wide workbench
- Constructed of 1-1/4" square tube frame
- Capacity is based on evenly distributed weight
- Durable industrial blue polyurethane finish

Height: 40"
Depth: 15"
Width: 72"

Bin Colour: Red
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF BINS	BIN DIMENSIONS	INCLUDES
OPS-10582	72	10-7/8" x 5-1/2" x 5"	(72) Bins (OPS-12204)
OPS-10585	36	14-3/4" x 8-1/4" x 7"	(36) Bins (OPS-12219)



OPS-10587

Louvered Rack with Bins

Unit of measure: Each

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Durable industrial blue polyurethane finish
- Free standing unit made of 1" square tube frame
- May be placed on any flat surface near a worksite without the need for bolts or fasteners
- Includes: (32) Bins (OPS-12193)

Height: 22"
Depth: 8-1/4"
Width: 36"
No. of Bins: 32

Bin Colour: Green
Bin Dimensions: 5-3/8" x 4-1/8" x 3"
Includes: (32) Bins (OPS-12193)
Manufacturer's Warranty: 1 Year Limited



OPS-10588

Louvered Rack with Bins

Unit of measure: Each

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Durable industrial blue polyurethane finish
- Free standing unit made of 1" square tube frame
- May be placed on any flat surface near a worksite without the need for bolts or fasteners
- Includes: (32) Bins (OPS-12198)

Height: 22"
Depth: 8-1/4"
Width: 36"
No. of Bins: 32

Bin Colour: Green
Bin Dimensions: 7-3/8" x 4-1/8" x 3"
Includes: (32) Bins (OPS-12198)
Manufacturer's Warranty: 1 Year Limited



Louvered Rack with Bins

2 options · Unit of measure: Each

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Durable industrial blue polyurethane finish

Bin Colour: Green

Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	DEPTH	WIDTH	NO. OF BINS	BIN DIMENSIONS	INCLUDES
OPS-10589	22"	8-1/4"	36"	18	10-7/8" x 5-1/2" x 5"	(18) Bins (OPS-12203)
OPS-10590	40"	15"	72"	144	7-3/8" x 4-1/8" x 3"	(144) Bins (OPS-12198)



Louvered Rack with Bins


2 options · Unit of measure: Each

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Designed to be permanently installed on a 72" wide workbench
- Constructed of 1-1/4" square tube frame
- Capacity is based on evenly distributed weight
- Durable industrial blue polyurethane finish

Height: 40"
Depth: 15"
Width: 72"

Bin Colour: Green
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF BINS	BIN DIMENSIONS	INCLUDES
OPS-10591	72	10-7/8" x 5-1/2" x 5"	(72) Bins (OPS-12203)
OPS-10592	36	14-3/4" x 8-1/4" x 7"	(36) Bins (OPS-12218)



OPS-10593

Metal Louvered Panel Bin Support Rack

Unit of measure: Each

- Louvered bin panels can be wall-mounted, attached to back of shelving, mounted on benches, carts, inside cabinets, fastened to slotted angle components or used for service truck interiors
- Bins are easily removed, refilled and replaced
- Each heavy-duty panel is 16-gauge cold-rolled steel
- Slotted holes 3/4" L x 3/8" W at 6" centres simplify installation
- Industrial grey powder coated
- Installation Note: Panels must be securely fastened to materials of adequate load bearing strength
- Each panel must be secured vertically at the centre

Height: 19"
Depth: 1/8"
Width: 18"
No. of Bins: 16

Panel Size W" x H": 18 x 19
Weight: 6 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10594

Metal Louvered Panel Bin Support Rack

Unit of measure: Each

- Louvered bin panels can be wall-mounted, attached to back of shelving, mounted on benches, carts, inside cabinets, fastened to slotted angle components or used for service truck interiors
- Bins are easily removed, refilled and replaced
- Each heavy-duty panel is 16-gauge cold-rolled steel
- Slotted holes 3/4" L x 3/8" W at 6" centres simplify installation
- Industrial grey powder coated
- Installation Note: Panels must be securely fastened to materials of adequate load bearing strength
- Each panel must be secured vertically at the centre

Height: 19"
Depth: 1/8"
Width: 36"
No. of Bins: 32

Panel Size W" x H": 36 x 19
Weight: 12 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10595

Mobile Bin Racks - Double Sided

Unit of measure: Each

- Ideal for transportation of small parts
- All-welded mobile bin rack
- Durable industrial blue polyurethane finish
- Includes bolted-on 5" non-marking casters and six louvered panels
- Capacity: 1000 lbs.
- Rack only

Height: 67-1/2"
Depth: 24"
Width: 36"
No. of Bins: 0

Rack Type: Double
Weight: 120 lbs.
Manufacturer's Warranty: 1 Year Limited

Bollard Covers



Polyethylene Bollard Cover

4 options · Unit of measure: Each

- Enhance and protect the appearance of your steel bollards
- Reduce maintenance; avoid scraping and painting each spring
- Constructed of 1/8" UV stable polyethylene for durability
- Easy installation with included polyurethane foam strips (Qty: 2)
- Colour: Safety yellow with reflective red tape or high visibility red with white reflective tape, for great visibility day or night

Colour: Yellow/Red
Material: HDPE

Manufacturer's Warranty: 1-year warranty against fading and cracking

ITEM #	FITS BOLLARD LENGTH	FITS BOLLARD DIAMETER	OUTSIDE DIAMETER
OPS-10596	52"	4-1/2"	5"
OPS-10597	64"	4-1/2"	4.95"
OPS-10598	52"	6-5/8"	7"
OPS-10599	60"	6-5/8"	7.35"

Bollards



Product range

2 options · Unit of measure: Each

Colour: Yellow
Material: Steel

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	WEIGHT	STEEL THICKNESS	BASE PLATE THICKNESS	BASE PLATE DIMENSIONS
OPS-10600	Bollard	4-1/2"	4-1/2"	36"	22 lbs.	1/8"	1/4"	8" x 8"
OPS-10607	Safety Bollard	5-1/2"	5-1/2"	42"	—	—	—	—




Bollard

2 options · Unit of measure: Each

- Bollards can be used to protect work areas, racking and personnel both indoors and outdoors
- Black plastic caps are removable
- Includes pre-drilled mounting holes
- Powder coat paint finish

Overall Length: 4-1/2"
Overall Width: 4-1/2"
Colour: Yellow
Material: Steel
Manufacturer's Warranty: 1 Year Limited
Steel Thickness: 1/8"
Base Plate Thickness: 1/4"
Base Plate Dimensions: 8" x 8"

ITEM #	OVERALL HEIGHT	WEIGHT
OPS-10601	42"	26 lbs.
OPS-10602	48"	29 lbs.



Heavy-Duty Bollards

3 options · Unit of measure: Each

- Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coated finish

Overall Length: 4"
Overall Width: 4"
Colour: Yellow
Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL HEIGHT	WEIGHT
OPS-10603	24"	30 lbs.
OPS-10604	48"	50 lbs.
OPS-10605	36"	40 lbs.



OPS-10606
Safety Bollard

Unit of measure: Each

- Ideal for indoor or outdoor use
- Protect personnel, work areas, equipment, racking, and more

Overall Length: 5-1/2"
Overall Width: 5-1/2"
Overall Height: 36"
Colour: Yellow
Material: Steel
Manufacturer's Warranty: 1 Year Limited

Bottle Trigger Sprayers



OPS-10608

Trigger Sprayers

Unit of measure: Each

- All sprayers adjustable to provide fine mist to a steady stream
- Dip tubes available in two lengths and come equipped with filter screen

Dip Tube Length: 8"
Description: Multi Purpose Sprayer 8" Dip Tube Red/White
Manufacturer's Warranty: 1 Year Limited



OPS-10609

Trigger Sprayers

Unit of measure: Each

- All sprayers adjustable to provide fine mist to a steady stream
- Dip tubes available in two lengths and come equipped with filter screen

Dip Tube Length: 9"
Description: Large Multi-Purpose Sprayer 9" Dip Tube Blue/White
Manufacturer's Warranty: 1 Year Limited

Box Trucks



Easy Access Box Truck

2 options · Unit of measure: Each

- Drop-style side wall allows for easy loading and unloading

Bin Material: Polyethylene
Caster Placement: Corner Standard
Bin Colour: Grey
Base Type: Plywood
Manufacturer's Warranty: 1 Year Limited

ITEM #	VOLUME CAPACITY	WEIGHT CAPACITY	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	CASTER TYPE
OPS-10610	22 cu. ft.	1000 lbs.	45-3/4"	31-1/4"	37-3/4"	4" Non-Marking Blue Rubber
OPS-10611	24 cu. ft.	1200 lbs.	63"	34-1/4"	38-1/2"	5" Non-Marking Blue Rubber



Straight Wall Box Truck

3 options · Unit of measure: Each

- Seamless durable 100% polyethylene bins
- Leakproof and easy to clean
- Bins are mounted on a 3/4" treated plywood undercarriage
- Includes 2 swivel and 2 rigid casters
- Capacity is based on evenly distributed weight

Weight Capacity: 600 lbs.
Bin Material: White Polyethylene
Caster Placement: Corner Standard
Bin Colour: White
Base Type: Plywood
Manufacturer's Warranty: 1 Year Limited

ITEM #	VOLUME CAPACITY	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	CASTER TYPE
OPS-10612	14 cu. ft.	46"	28"	31"	4" Non-Marking Blue Rubber
OPS-10614	22 cu. ft.	57"	34"	33"	5" Non-Marking Blue Rubber
OPS-10616	25 cu. Ft.	51"	33"	39"	5" Non-Marking Blue Rubber



Straight Wall Box Truck

3 options · Unit of measure: Each

- Seamless durable 100% polyethylene bins
- Leakproof and easy to clean
- Bins are mounted on an all-welded steel chassis with a durable industrial blue polyurethane finish
- Includes 2 swivel and 2 rigid casters
- Capacity is based on evenly distributed weight

Weight Capacity: 1000 lbs.
Bin Material: White Polyethylene
Caster Placement: Corner Standard
Bin Colour: White
Base Type: Steel Chassis
Manufacturer's Warranty: 1 Year Limited

ITEM #	VOLUME CAPACITY	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	CASTER TYPE
OPS-10613	14 cu. ft.	46"	28"	31"	4" Non-Marking Blue Rubber
OPS-10615	22 cu. ft.	57"	34"	33"	5" Sandwich
OPS-10617	25 cu. Ft.	51"	33"	39"	5" Sandwich



Tapered Wall Box Truck

3 options · Unit of measure: Each

- Seamless durable 100% polyethylene bins
- Leakproof and easy to clean
- Bins are mounted on a 3/4" treated plywood undercarriage
- Includes 2 swivel and 2 rigid casters
- Capacity is based on evenly distributed weight
- Stackable for storage

Weight Capacity: 500 lbs.
Bin Material: Polyethylene
Caster Placement: Corner Standard
Caster Type: 3" Polyolefin
Bin Colour: Black
Base Type: Plywood
Manufacturer's Warranty: 1 Year Limited

ITEM #	VOLUME CAPACITY	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT
OPS-10618	9 cu. ft.	37"	26"	30"
OPS-10620	12 cu. ft.	39"	27"	30"
OPS-10622	16 cu. ft.	43"	30"	33"



Tapered Wall Box Truck

3 options · Unit of measure: Each

- Seamless durable 100% polyethylene bins
- Leakproof and easy to clean
- Bins are mounted on an all-welded steel chassis with a durable industrial blue polyurethane finish
- Includes 2 swivel and 2 ridgid casters
- Capacity is based on evenly distributed weight
- Stackable for storage

Weight Capacity: 800 lbs.
Bin Material: Polyethylene
Caster Placement: Corner Standard
Caster Type: 3" Polyolefin
Bin Colour: Black
Base Type: Steel Chassis
Manufacturer's Warranty: 1 Year Limited

ITEM #	VOLUME CAPACITY	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT
OPS-10619	9 cu. ft.	37"	26"	30"
OPS-10621	12 cu. ft.	39"	27"	30"
OPS-10623	16 cu. ft.	43"	30"	33"



Tapered Wall Box Truck

4 options · Unit of measure: Each

- Seamless durable 100% polyethylene bins
- Leakproof and easy to clean
- Bins are mounted on a 3/4" treated plywood undercarriage
- Includes 2 swivel and 2 rigid casters
- Capacity is based on evenly distributed weight
- Stackable for storage

Weight Capacity: 600 lbs.
Bin Material: White Polyethylene
Caster Placement: Corner Standard
Caster Type: 4" Non-Marking Blue Rubber
Bin Colour: White
Base Type: Plywood
Manufacturer's Warranty: 1 Year Limited

ITEM #	VOLUME CAPACITY	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT
OPS-10624	7 cu. ft.	33"	20"	29"
OPS-10626	9 cu. ft.	37"	26"	31"
OPS-10628	12 cu. ft.	39"	27"	31"
OPS-10630	16 cu. ft.	43"	30"	34"



Tapered Wall Box Truck

4 options · Unit of measure: Each

- Seamless durable 100% polyethylene bins
- Leakproof and easy to clean
- Bins are mounted on an all-welded steel chassis with a durable industrial blue polyurethane finish
- Includes 2 swivel and 2 rigid casters
- Capacity is based on evenly distributed weight
- Stackable for storage

Weight Capacity: 1000 lbs.
Bin Material: White Polyethylene
Caster Placement: Corner Standard
Caster Type: 4" Non-Marking Blue Rubber
Bin Colour: White
Base Type: Steel Chassis
Manufacturer's Warranty: 1 Year Limited

ITEM #	VOLUME CAPACITY	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT
OPS-10625	7 cu. ft.	33"	20"	29"
OPS-10627	9 cu. ft.	37"	26"	31"
OPS-10629	12 cu. ft.	39"	27"	31"
OPS-10631	16 cu. ft.	43"	30"	34"



Wire Mesh Box Truck

6 options · Unit of measure: Each

- Rugged all-welded 1 1/2" angle iron construction and 2" x 2" wire mesh, ready to use
- Contain and transport small bulk parts or materials in your plant or warehouse
- Includes: 2 rigid and 2 swivel 5" non-marking bolted-on rubber casters
- Durable industrial blue polyurethane finish

Weight Capacity: 1200 lbs.
Bin Material: Steel
Overall Height: 31.5"
Caster Placement: Corner Standard
Inside Wall Height: 24"
Handle Height: 30"
Manufacturer's Warranty: 1 Year Limited

ITEM #	VOLUME CAPACITY	OVERALL LENGTH	OVERALL WIDTH	BASE LENGTH	BASE WIDTH	WEIGHT
OPS-10632	12 cu. ft.	39"	24"	36"	24"	62 lbs.
OPS-10633	25 cu. Ft.	63"	30"	60"	30"	95 lbs.
OPS-10634	16 cu. ft.	51"	24"	48"	24"	75 lbs.
OPS-10635	20 cu. ft.	63"	24"	60"	24"	85 lbs.
OPS-10636	20 cu. ft.	51"	30"	48"	30"	86 lbs.
OPS-10637	30 cu. ft.	75"	30"	72"	30"	107 lbs.

Brake Pallet Trucks



OPS-10638

Heavy-Duty Brake Pallet Truck

Unit of measure: Each

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Constructed with a hand brake

Fork Length: 48"
Frame Width: 27"
Capacity: 5500 lbs.
Frame Material: Steel
Fork Width: 6.25"
Raised Height: 7.75"
Lowered Height: 2.9"
Colour: Orange
Manufacturer's Warranty: 2 Years Limited

Cabinet Parts & Accessories



Threaded Rod

2 options · Unit of measure: Each

Thread Size: 3/8"-16
Manufacturer's Warranty: 1 Year Limited

ITEM #	WEIGHT	LENGTH
OPS-10639	0.5 lbs.	14"
OPS-10640	0.8 lbs.	25"

Can Tippers



OPS-10641

Can Tipper

Unit of measure: Each

- Handles 5-gallon round pails
- Safety lever holds container in place

Capacity: 5 US gal. (4.16 Imperial Gal.)
Lifting Capacity: 75 lbs./34 kg.
Dispensing Height: 11-1/2"
Weight: 12 lbs.
Manufacturer's Warranty: 1 Year Limited

Carbine Snap Hooks



Stainless Steel Snap Hook

4 options · Unit of measure: Each

- Multi-purpose connector
- Working load limit (WLL) stamped on each piece
- Not approved for climbing applications
- Made of 316 Stainless Steel

Manufacturer's Warranty: 1 Year Limited

ITEM #	WORKING LOAD LIMIT	SIZE	EYE	LENGTH	MATERIAL
OPS-10642	220 lbs (0.11 tons)	3/16"	5/16"	2"	—
OPS-10643	260 lbs (0.13 tons)	1/4"	3/8"	2-3/8"	Made of 316 Stainless Steel
OPS-10644	500 lbs (0.25 tons)	5/16"	1/2"	3-3/16"	Made of 316 Stainless Steel
OPS-10645	770 lbs (0.385 tons)	3/8"	5/8"	3-15/16"	Made of 316 Stainless Steel



Zinc Plated Snap Hook

2 options · Unit of measure: Each

- Multi-purpose connector
- Not approved for climbing applications

Manufacturer's Warranty: 1 Year Limited

ITEM #	WORKING LOAD LIMIT	SIZE	EYE	LENGTH
OPS-10646	220 lbs (0.11 tons)	3/16"	5/16"	2"
OPS-10647	500 lbs (0.25 tons)	5/16"	1/2"	3-3/16"

Carousel Parts Cabinets



Heavy-Duty Industrial Carousel Drawer Cabinet

2 options · Unit of measure: Each

- All-welded 11-gauge steel base
- Durable industrial grey enamel finish
- Rotational base allows for 800-lb. capacity

Height: 48"
Width: 27"
Depth: 27"
Colour: Grey

Material: Steel
Type: 3 TIER CABINETS KITS
Bin Dimensions: 3-1/2" W x 8-5/8" D x 2-3/16" H
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF DRAWERS	WEIGHT
OPS-10648	192	392 lbs.
OPS-10649	240	407 lbs.



Heavy-Duty Industrial Carousel Drawer Cabinet

2 options · Unit of measure: Each

- All-welded 11-gauge steel base
- Durable industrial grey enamel finish
- Rotational base allows for 800-lb. capacity

Height: 80"
Width: 27"
Depth: 27"
Colour: Grey

Material: Steel
Type: 3 TIER CABINETS KITS
Bin Dimensions: 3-1/2" W x 8-5/8" D x 2-3/16" H
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF DRAWERS	WEIGHT
OPS-10650	384	497 lbs.
OPS-10651	480	600 lbs.



Heavy-Duty Industrial Carousel Drawer Cabinets

2 options · Unit of measure: Each


- Create your customized carousel cabinet
- Each level accommodates 4 parts cabinets with same height
- For a multiple tier cabinet (maximum 3 tiers), you require add-on-shelves and threaded rods as per the following: 1 add-on-shelf model OPS-10653 for each level of cabinets 14" rod required for each level of OPS-12145 or OPS-12143 cabinets 25" rod required for each level of OPS-12140 or OPS-12147 cabinets
- Rotational base allows for 800-lb. capacity
- All-welded 11-gauge steel base
- Durable industrial grey polyurethane finish

Width: 27-1/2"
Depth: 27-1/2"
Colour: Grey

Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WEIGHT
OPS-10652	4"	80 lbs.
OPS-10653	1"	18 lbs.

Carpet Ends Dollies




Carpeted Ends Hardwood Dolly

8 options · Unit of measure: Each

- Kiln dried
- Countersunk bolts prevent scratches
- Rounded edges and handles facilitate storage and movability
- Non-marking casters
- Shipped knocked down

Frame Material: Wood
Height: 7"
Wood thickness: 7/8"
Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	DECK DIMENSIONS	WHEEL MATERIAL	CASTER SIZE
OPS-10654	900 lbs.	18" W x 24" L	Polyolefin	3"
OPS-10655	900 lbs.	18" W x 30" L	Polyolefin	3"
OPS-10656	900 lbs.	18" W x 24" L	Polyurethane	3"
OPS-10657	900 lbs.	18" W x 30" L	Polyurethane	3"
OPS-10658	1000 lbs.	18" W x 24" L	Polyolefin	4"
OPS-10659	1000 lbs.	18" W x 30" L	Polyolefin	4"
OPS-10660	1400 lbs.	18" W x 24" L	Rubber	4"
OPS-10661	1400 lbs.	18" W x 30" L	Rubber	4"



Carpeted Ends Hardwood Dolly Frame

4 options · Unit of measure: Each

- Kiln-dried
- Accommodates caster plates up to 4 mm thick
- Casters sold separately

Frame Material: Wood
Capacity: 900 lbs.
Height: 2"
Wheel Material: Not Included
Handle Size: 1" x 4-1/2"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK DIMENSIONS	BOLT PATTERN	WEIGHT
OPS-10662	18" W x 24" L	2" x 3"	6.8 lbs.
OPS-10663	18" W x 30" L	2" x 3"	7 lbs.
OPS-10664	18" W x 24" L	2-1/2" x 3-1/4"	6 lbs.
OPS-10665	18" W x 20" L	2-1/2" x 3-1/4"	5.7 lbs.



OPS-10666

Moving Kit

Unit of measure: Each

- Kit includes all the essential moving supplies
- Carpeted end dolly helps protect items during moving
- Heavy-duty tape dispenser constructed of steel and a high-impact plastic frame
- Moving blanket, made from cotton and polyester, protects from scratches while providing extra cushioning
- Includes: 3 rolls of box sealing tape, 1 heavy-duty tape dispenser, 2 premium moving blankets and 1 carpeted ends hardwood dolly

Frame Material: Wood
Capacity: 1000 lbs.
Deck Dimensions: 18" W x 30" L
Height: 7"
Wheel Material: Polyolefin
Tape Colour: Clear
Tape Dimensions: 72 mm (3") W x 66 m (216') L
Moving Blanket Dimensions: 72" W x 80" L
Moving Blanket Colour: Dark Blue and Light Blue
Manufacturer's Warranty: 1 Year Limited

Carton Racks



OPS-10667
Double Tier Carton Rack

Unit of measure: Each

- All-welded steel construction, ready to use
- 20" high dividers on the bottom with 10 1/2" space between the dividers
- 14" high dividers on the top with 8 1/2" space between the dividers
- Durable industrial blue polyurethane finish

Height: 58-1/2"
Width: 48"
Depth: 18"

Overall Capacity: 600 lbs.
Storage levels: 2
Manufacturer's Warranty: 1 Year Limited



OPS-10668
Single Tier Carton Rack

Unit of measure: Each

- All-welded steel construction, ready to use
- 20" high dividers with 10 1/2" space between the dividers
- Durable industrial blue polyurethane finish

Height: 22"
Width: 48"
Depth: 18"

Overall Capacity: 600 lbs.
Storage levels: 1
Manufacturer's Warranty: 1 Year Limited

Chrome Wire Shelf Units



Product range

18 options · Unit of measure: Each

- Post's circular grooves combined with tapered plastic split sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Assembly required

Kit Type: Starter
No. of Shelves: 4

Height: 63"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	SHELF CAPACITY	OVERALL CAPACITY	WIDTH	DEPTH	WEIGHT
OPS-10669	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	18"	48 lbs.
OPS-10671	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	18"	58 lbs.
OPS-10673	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	18"	71 lbs.
OPS-10675	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	18"	75 lbs.
OPS-10677	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	24"	56 lbs.
OPS-10679	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	24"	70 lbs.
OPS-10681	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	24"	83 lbs.
OPS-10683	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	24"	101 lbs.
OPS-10717	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	14"	42.6 lbs.
OPS-10719	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	14"	49 lbs.
OPS-10721	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	14"	64.75 lbs.
OPS-10723	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	14"	71.5 lbs.
OPS-10733	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	30"	14"	38.6 lbs.
OPS-10841	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	36"	14"	—

ITEM #	PRODUCT (cont.)	SHELF CAPACITY	OVERALL CAPACITY	WIDTH	DEPTH	WEIGHT
OPS-10843	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	36"	18"	—
OPS-10845	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	48"	18"	—
OPS-10847	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	48"	24"	—
OPS-10849	Standard-Duty Chromate Wire Shelving	400 lbs.	1000 lbs	72"	24"	—



Product range

18 options · Unit of measure: Each

- Post's circular grooves combined with tapered plastic split sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Assembly required

Kit Type: Add-On
No. of Shelves: 4
Height: 63"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	SHELF CAPACITY	OVERALL CAPACITY	WIDTH	DEPTH	WEIGHT	NOTE
OPS-10670	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	18"	41.6 lbs.	—
OPS-10672	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	18"	53.5 lbs.	—
OPS-10674	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	18"	65 lbs.	—
OPS-10676	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	18"	68 lbs.	—
OPS-10678	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	24"	49 lbs.	—
OPS-10680	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	24"	63 lbs.	—
OPS-10682	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	24"	77 lbs.	—
OPS-10684	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	24"	95 lbs.	—
OPS-10718	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	14"	35.5 lbs.	—
OPS-10720	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	14"	42 lbs.	—
OPS-10722	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	14"	57.75 lbs.	—
OPS-10724	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	14"	64.4 lbs.	—
OPS-10734	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	30"	14"	31.9 lbs.	Evenly distributed weight
OPS-10842	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	36"	14"	—	—
OPS-10844	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	36"	18"	—	—
OPS-10846	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	48"	18"	—	—
OPS-10848	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	48"	24"	—	—
OPS-10850	Standard-Duty Chromate Wire Shelving	400 lbs.	1000 lbs	72"	24"	—	—



Product range


26 options · Unit of measure: Each

- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Assembly required

Kit Type: Starter
No. of Shelves: 5

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	SHELF CAPACITY	OVERALL CAPACITY	WIDTH	DEPTH	HEIGHT	WEIGHT
OPS-10685	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	18"	74"	58 lbs.
OPS-10687	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	18"	74"	65 lbs.
OPS-10689	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	18"	74"	88 lbs.
OPS-10691	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	18"	74"	92 lbs.
OPS-10693	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	24"	74"	68 lbs.
OPS-10695	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	24"	74"	85 lbs.
OPS-10697	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	24"	74"	103 lbs.
OPS-10699	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	24"	74"	125 lbs.
OPS-10701	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	18"	86"	62 lbs.
OPS-10703	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	18"	86"	69 lbs.
OPS-10705	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	18"	86"	91.5 lbs.
OPS-10707	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	18"	86"	96 lbs.
OPS-10709	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	24"	86"	74 lbs.
OPS-10711	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	24"	86"	90 lbs.
OPS-10713	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	24"	86"	107 lbs.
OPS-10715	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	24"	86"	129 lbs.
OPS-10725	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	14"	74"	51 lbs.
OPS-10727	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	14"	74"	59 lbs.
OPS-10729	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	14"	74"	78.78 lbs.
OPS-10731	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	14"	74"	87.3 lbs.
OPS-10735	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	30"	14"	74"	46.4 lbs.
OPS-10851	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	36"	14"	74"	—
OPS-10853	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	36"	18"	74"	—
OPS-10855	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	48"	18"	74"	—
OPS-10857	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	48"	24"	74"	—
OPS-10859	Standard-Duty Chromate Wire Shelving	400 lbs.	1000 lbs	72"	24"	74"	—



Product range

26 options · Unit of measure: Each

- Post's circular grooves combined with tapered plastic split sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Assembly required

Kit Type: Add-On
No. of Shelves: 5
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	SHELF CAPACITY	OVERALL CAPACITY	WIDTH	DEPTH	HEIGHT	WEIGHT
OPS-10686	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	18"	74"	51 lbs.
OPS-10688	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	18"	74"	58 lbs.
OPS-10690	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	18"	74"	80 lbs.
OPS-10692	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	18"	74"	85 lbs.
OPS-10694	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	24"	74"	61 lbs.
OPS-10696	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	24"	74"	78 lbs.
OPS-10698	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	24"	74"	95 lbs.
OPS-10700	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	24"	74"	118 lbs.
OPS-10702	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	18"	86"	53 lbs.
OPS-10704	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	18"	86"	60 lbs.
OPS-10706	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	18"	86"	82 lbs.
OPS-10708	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	18"	86"	87 lbs.
OPS-10710	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	24"	86"	65 lbs.
OPS-10712	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	24"	86"	80 lbs.
OPS-10714	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	24"	86"	97 lbs.
OPS-10716	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	24"	86"	120 lbs.
OPS-10726	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	36"	14"	74"	43.46 lbs.
OPS-10728	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	48"	14"	74"	42.8 lbs.
OPS-10730	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	60"	14"	74"	71 lbs.
OPS-10732	Heavy-Duty Chromate Wire Shelving	600 lbs.	2000 lbs.	72"	14"	74"	79.5 lbs.
OPS-10736	Heavy-Duty Chromate Wire Shelving	800 lbs.	2000 lbs.	30"	14"	74"	39.1 lbs.
OPS-10852	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	36"	14"	74"	—
OPS-10854	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	36"	18"	74"	—
OPS-10856	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	48"	18"	74"	—
OPS-10858	Standard-Duty Chromate Wire Shelving	500 lbs.	1000 lbs	48"	24"	74"	—
OPS-10860	Standard-Duty Chromate Wire Shelving	400 lbs.	1000 lbs	72"	24"	74"	—



Heavy-Duty Chromate Wire Shelving

48 options · Unit of measure: Each


- Heavy-gauge shelves with open wire design minimize dust, improve air circulation and provide greater visibility of stored items
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000-lb.
- Capacity is based on evenly distributed weight
- Assembly required
- NSF certified

Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.

Manufacturer's Warranty: 1 Year Limited

ITEM #	KIT TYPE	NO. OF SHELVES	WIDTH	DEPTH	HEIGHT
OPS-10737	Starter	4	30"	14"	54"
OPS-10738	Add-On	4	30"	14"	54"
OPS-10739	Starter	4	36"	14"	54"
OPS-10740	Add-On	4	36"	14"	54"
OPS-10741	Starter	4	48"	14"	54"
OPS-10742	Add-On	4	48"	14"	54"
OPS-10743	Starter	4	30"	18"	54"
OPS-10744	Add-On	4	30"	18"	54"
OPS-10745	Starter	4	36"	18"	54"
OPS-10746	Add-On	4	36"	18"	54"
OPS-10747	Starter	4	48"	18"	54"
OPS-10748	Add-On	4	48"	18"	54"
OPS-10749	Starter	4	60"	18"	54"
OPS-10750	Add-On	4	60"	18"	54"
OPS-10751	Starter	4	72"	18"	54"
OPS-10752	Add-On	4	72"	18"	54"
OPS-10753	Starter	4	36"	24"	54"
OPS-10754	Add-On	4	36"	24"	54"
OPS-10755	Starter	4	48"	24"	54"
OPS-10756	Add-On	4	48"	24"	54"
OPS-10757	Starter	4	60"	24"	54"
OPS-10758	Add-On	4	60"	24"	54"
OPS-10759	Starter	4	72"	24"	54"
OPS-10760	Add-On	4	72"	24"	54"
OPS-10761	Starter	3	30"	14"	33"
OPS-10762	Add-On	3	30"	14"	33"
OPS-10763	Starter	3	36"	14"	33"
OPS-10764	Add-On	3	36"	14"	33"
OPS-10765	Starter	3	48"	14"	33"
OPS-10766	Add-On	3	48"	14"	33"
OPS-10767	Starter	3	30"	18"	33"
OPS-10768	Add-On	3	30"	18"	33"
OPS-10769	Starter	3	36"	18"	33"
OPS-10770	Add-On	3	36"	18"	33"
OPS-10771	Starter	3	48"	18"	33"
OPS-10772	Add-On	3	48"	18"	33"
OPS-10773	Starter	3	60"	18"	33"
OPS-10774	Add-On	3	60"	18"	33"
OPS-10775	Starter	3	72"	18"	33"

ITEM #	KIT TYPE (cont.)	NO. OF SHELVES	WIDTH	DEPTH	HEIGHT
OPS-10776	Add-On	3	72"	18"	33"
OPS-10777	Starter	3	36"	24"	33"
OPS-10778	Add-On	3	36"	24"	33"
OPS-10779	Starter	3	48"	24"	33"
OPS-10780	Add-On	3	48"	24"	33"
OPS-10781	Starter	3	60"	24"	33"
OPS-10782	Add-On	3	60"	24"	33"
OPS-10783	Starter	3	72"	24"	33"
OPS-10784	Add-On	3	72"	24"	33"



Heavy-Duty Wire Shelving Unit with Storage Bins

2 options · Unit of measure: Each

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline and most acids
- Ideal in production or for parts storage
- Assembly required
- Stationary unit's total capacity should not exceed 2000-lb.
- NSF certified

Kit Type: Starter
Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.
No. of Shelves: 8
Width: 36"
Height: 74"
No. of Bins: 28
Colour: Blue
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	BIN SIZE W" X D" X H"
OPS-10785	14"	8 3/16 x 14 x 6 3/16
OPS-10789	18"	7 7/8 x 17 11/16 x 7




Heavy-Duty Wire Shelving Unit with Storage Bins

2 options · Unit of measure: Each

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline and most acids
- Ideal in production or for parts storage
- Assembly required
- Stationary unit's total capacity should not exceed 2000-lb.
- NSF certified

Kit Type: Starter
Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.
No. of Shelves: 8
Width: 36"
Height: 74"
No. of Bins: 28
Colour: Yellow
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	BIN SIZE W" X D" X H"
OPS-10786	14"	8 3/16 x 14 x 6 3/16
OPS-10790	18"	7 7/8 x 17 11/16 x 7




OPS-10787

Heavy-Duty Wire Shelving Unit with Storage Bins

Unit of measure: Each

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline and most acids
- Ideal in production or for parts storage
- Assembly required
- Stationary unit's total capacity should not exceed 2000-lb.
- NSF certified

Kit Type: Starter
Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.
No. of Shelves: 8
Width: 36"
Depth: 14"
Height: 74"
Bin Size W" x D" x H": 8 3/16 x 14 x 6 3/16
No. of Bins: 28
Colour: Green
Manufacturer's Warranty: 1 Year Limited




Heavy-Duty Wire Shelving Unit with Storage Bins

2 options · Unit of measure: Each

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline and most acids
- Ideal in production or for parts storage
- Assembly required
- Stationary unit's total capacity should not exceed 2000-lb.
- NSF certified

Kit Type: Starter
Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.
Height: 74"
Colour: Red
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	WIDTH	DEPTH	BIN SIZE W" X D" X H"	NO. OF BINS
OPS-10788	8	36"	14"	8 3/16 x 14 x 6 3/16	28
OPS-10808	5	48"	24"	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7, 15 1/2 x 25 x 13	4, 7, 6



Heavy-Duty Wire Shelving Unit with Storage Bins

2 options · Unit of measure: Each

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline and most acids
- Ideal in production or for parts storage
- Assembly required
- Stationary unit's total capacity should not exceed 2000-lb.
- NSF certified

Kit Type: Starter
Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.
Width: 36"
Height: 74"
Colour: Green
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	DEPTH	BIN SIZE W" X D" X H"	NO. OF BINS
OPS-10791	8	18"	7 7/8 x 17 11/16 x 7	28
OPS-10795	5	24"	—	8



Heavy-Duty Wire Shelving Unit with Storage Bins

3 options · Unit of measure: Each

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline and most acids
- Ideal in production or for parts storage
- Assembly required
- Stationary unit's total capacity should not exceed 2000-lb.
- NSF certified

Kit Type: Starter
Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.
No. of Shelves: 8
Depth: 18"
Height: 74"
Colour: Red
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	BIN SIZE W" X D" X H"	NO. OF BINS
OPS-10792	36"	7 7/8 x 17 11/16 x 7	28
OPS-10800	48"	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7	28, 7
OPS-10804	48"	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7	7, 21



OPS-10793

Heavy-Duty Wire Shelving Unit with Storage Bins

Unit of measure: Each

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline and most acids
- Ideal in production or for parts storage
- Assembly required
- Stationary unit's total capacity should not exceed 2000-lb.
- NSF certified

Kit Type: Starter
Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.
No. of Shelves: 5
Width: 36"
Depth: 24"
Height: 74"
No. of Bins: 8
Colour: Blue
Manufacturer's Warranty: 1 Year Limited




Heavy-Duty Wire Shelving Unit with Storage Bins

5 options · Unit of measure: Each

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline and most acids
- Ideal in production or for parts storage
- Assembly required
- Stationary unit's total capacity should not exceed 2000-lb.
- NSF certified

Kit Type: Starter
Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.
Height: 74"
Colour: Yellow
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	WIDTH	DEPTH	NO. OF BINS	BIN SIZE W" X D" X H"
OPS-10794	5	36"	24"	8	—
OPS-10798	8	48"	18"	28, 7	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7
OPS-10802	8	48"	18"	7, 21	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7
OPS-10806	5	48"	24"	4, 7, 6	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7, 15 1/2 x 25 x 13
OPS-10810	8	36"	18"	7, 14	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7




OPS-10796

Heavy-Duty Wire Shelving Unit with Storage Bins

Unit of measure: Each

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline and most acids
- Ideal in production or for parts storage
- Assembly required
- Stationary unit's total capacity should not exceed 2000-lb.
- NSF certified

Kit Type: Starter
Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.
No. of Shelves: 5
Width: 36"
Depth: 24"
Height: 74"
No. of Bins: 8
Colour: Red
Manufacturer's Warranty: 1 Year Limited




Heavy-Duty Wire Shelving Unit with Storage Bins

3 options · Unit of measure: Each

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline and most acids
- Ideal in production or for parts storage
- Assembly required
- Stationary unit's total capacity should not exceed 2000-lb.
- NSF certified

Kit Type: Starter
Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.
Height: 74"
Colour: Blue
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	WIDTH	DEPTH	BIN SIZE W" X D" X H"	NO. OF BINS
OPS-10797	8	48"	18"	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7	28, 7
OPS-10805	5	48"	24"	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7, 15 1/2 x 25 x 13	4, 7, 6
OPS-10809	8	36"	18"	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7	7, 14



Heavy-Duty Wire Shelving Unit with Storage Bins

4 options · Unit of measure: Each

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline and most acids
- Ideal in production or for parts storage
- Assembly required
- Stationary unit's total capacity should not exceed 2000-lb.
- NSF certified

Kit Type: Starter
Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.
Height: 74"
Colour: Green
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	WIDTH	DEPTH	BIN SIZE W" X D" X H"	NO. OF BINS
OPS-10799	8	48"	18"	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7	28, 7
OPS-10803	8	48"	18"	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7	7, 21
OPS-10807	5	48"	24"	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7, 15 1/2 x 25 x 13	4, 7, 6
OPS-10811	8	36"	18"	7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7	7, 14




OPS-10801

Heavy-Duty Wire Shelving Unit with Storage Bins

Unit of measure: Each

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline and most acids
- Ideal in production or for parts storage
- Assembly required
- Stationary unit's total capacity should not exceed 2000-lb.
- NSF certified

Kit Type: Starter
Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.
No. of Shelves: 8
Width: 48"
Depth: 18"
Height: 74"
Bin Size W" x D" x H": 7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7
No. of Bins: 7, 21
Colour: Blue
Manufacturer's Warranty: 1 Year Limited



OPS-10812

Heavy-Duty Wire Shelving Unit with Storage Bins

Unit of measure: Each

- Adjustable chromate wire shelves
- Wire shelving resists corrosion and provides greater visibility to stored parts
- Wire shelves prevent build up of dust and dirt
- Bins are unaffected by oil, alkaline and most acids
- Ideal in production or for parts storage
- Assembly required
- Stationary unit's total capacity should not exceed 2000-lb.
- NSF certified

Kit Type: Starter
Shelf Capacity: 800 lbs.
Overall Capacity: 2000 lbs.
No. of Shelves: 8
Width: 36"
Depth: 18"
Height: 74"
Bin Size W" x D" x H": 7 7/8 x 17 11/16 x 7, 11 13/16 x 17 11/16 x 7
No. of Bins: 7, 14
Colour: Red
Manufacturer's Warranty: 1 Year Limited



Slanted Shelf Cart

6 options · Unit of measure: Each

- Slanted shelving allows for better visibility of stored items
- NSF certified

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 800 lbs.
Includes: (3) slanted shelves; (2) flat shelves; (2) swivel casters; (2) rigid casters
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	WIDTH	DEPTH	HEIGHT
OPS-10813	5	18"	36"	69"
OPS-10814	5	18"	48"	69"
OPS-10815	5	24"	48"	69"
OPS-10816	7	18"	36"	80"
OPS-10817	7	18"	48"	80"
OPS-10818	7	24"	48"	80"



OPS-10819

Slanted Wire Shelf Cart with Bins

Unit of measure: Each

- Slanted shelving allows for better visibility of stored items
- Features 3 slanted shelves, 2 flat shelves and 16 blue shelf bins
- NSF certified

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 800 lbs.
No. of Shelves: 5
Width: 36"
Depth: 18"
Height: 69"
Manufacturer's Warranty: 1 Year Limited




Slanted Wire Shelf Cart with Bins

2 options · Unit of measure: Each

- Slanted shelving allows for better visibility of stored items
- NSF certified

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 800 lbs.
No. of Shelves: 5
Depth: 18"
Height: 69"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH
OPS-10820	36"
OPS-10824	48"



Slanted Wire Shelf Cart with Bins

2 options · Unit of measure: Each

- Slanted shelving allows for better visibility of stored items
- NSF certified

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 800 lbs.
No. of Shelves: 5
Depth: 18"
Height: 69"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH
OPS-10821	36"
OPS-10825	48"




Slanted Wire Shelf Cart with Bins

2 options · Unit of measure: Each

- Slanted shelving allows for better visibility of stored items
- NSF certified

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 800 lbs.
No. of Shelves: 5
Depth: 18"
Height: 69"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH
OPS-10822	36"
OPS-10826	48"




OPS-10823

Slanted Wire Shelf Cart with Bins

Unit of measure: Each

- Slanted shelving allows for better visibility of stored items
- Features 3 slanted shelves, 2 flat shelves and 20 blue shelf bins
- NSF certified

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 800 lbs.
No. of Shelves: 5
Width: 48"
Depth: 18"
Height: 69"
Manufacturer's Warranty: 1 Year Limited




OPS-10827

Slanted Wire Shelf with Bins

Unit of measure: Each

- Slanted shelving allows for better visibility of stored items
- Includes: (3) Slanted shelves, (2) Flat shelves, (16) Blue shelf bins

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 1000 lbs.
No. of Shelves: 5
Width: 36"
Depth: 18"
Height: 63"
Includes: (3) Slanted shelves; (2) Flat shelves; (16) Blue shelf bins
Manufacturer's Warranty: 1 Year Limited




Slanted Wire Shelf with Bins

2 options · Unit of measure: Each

- Slanted shelving allows for better visibility of stored items

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 1000 lbs.
No. of Shelves: 5
Depth: 18"
Height: 63"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	INCLUDES
OPS-10828	36"	(3) Slanted shelves; (2) Flat shelves; (16) Yellow shelf bins
OPS-10832	48"	(3) Slanted shelves; (2) Flat shelves; (20) Yellow shelf bins



Slanted Wire Shelf with Bins

2 options · Unit of measure: Each

- Slanted shelving allows for better visibility of stored items

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 1000 lbs.
No. of Shelves: 5
Depth: 18"
Height: 63"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	INCLUDES
OPS-10829	36"	(3) Slanted shelves; (2) Flat shelves; (16) Green shelf bins
OPS-10833	48"	(3) Slanted shelves; (2) Flat shelves; (20) Green shelf bins



Slanted Wire Shelf with Bins

2 options · Unit of measure: Each

- Slanted shelving allows for better visibility of stored items

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 1000 lbs.
No. of Shelves: 5
Depth: 18"
Height: 63"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	INCLUDES
OPS-10830	36"	(3) Slanted shelves; (2) Flat shelves; (16) Red shelf bins
OPS-10834	48"	(3) Slanted shelves; (2) Flat shelves; (20) Red shelf bins




OPS-10831

Slanted Wire Shelf with Bins

Unit of measure: Each

- Slanted shelving allows for better visibility of stored items
- Includes: (3) Slanted shelves, (2) Flat shelves, (20) Blue shelf bins

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 1000 lbs.
No. of Shelves: 5
Width: 48"
Depth: 18"
Height: 63"
Includes: (3) Slanted shelves; (2) Flat shelves; (20) Blue shelf bins
Manufacturer's Warranty: 1 Year Limited



Slanted Wire Shelving Unit

6 options · Unit of measure: Each

- Slanted shelving allows for better visibility of stored items
- NSF certified

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 1000 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	WIDTH	DEPTH	HEIGHT
OPS-10835	5	36"	18"	63"
OPS-10836	5	48"	18"	63"
OPS-10837	5	48"	24"	63"
OPS-10838	7	36"	18"	74"
OPS-10839	7	48"	18"	74"
OPS-10840	7	48"	24"	74"




Wire Basket Shelving Cart

3 options · Unit of measure: Each

- Basket shelves help to keep items organized and visible, while preventing items from falling off the shelves
- Open wire provides optimal airflow and helps to reduce dust
- Includes (4) 5" casters
- Additional baskets available

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 800 lbs.
No. of Shelves: 5
Height: 80"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-10861	36"	18"
OPS-10862	48"	18"
OPS-10863	48"	24"



Wire Basket Shelving Unit

3 options · Unit of measure: Each

- Basket shelves help to keep items organized and visible, while preventing items from falling off the shelves
- Open wire provides optimal airflow and helps to reduce dust
- Additional baskets available

Kit Type: Starter
Shelf Capacity: 400 lbs.
Overall Capacity: 1000 lbs.
No. of Shelves: 5
Height: 74"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-10864	36"	18"
OPS-10865	48"	18"
OPS-10866	48"	24"

Clear Plastic Tarps



Clear Tarp

6 options · Unit of measure: Each

- Polyethylene tarpaulin with reinforced nylon gridding
- Water and mildew resistant coating
- Heavy-duty rust resistant grommets
- Finished sizes may vary due to hem allowance

Thickness: 8 mils
Manufacturer's Warranty: 1 Year Limited

ITEM #	DIMENSIONS
OPS-10867	10' x 8'
OPS-10868	12' x 10'
OPS-10869	20' x 16'
OPS-10870	30' x 20'
OPS-10871	40' x 30'
OPS-10872	60' x 40'

Coated Wire Shelf Units



Dry Rack Shelving

3 options · Unit of measure: Each

- Green epoxy wire shelving is ideal for use in wet environments
- 3" wire spacing ideal for drying produce
- Superior rust resistance
- Designed to minimize dust, improve air circulation and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic sleeves allow for assembly in minutes with no special tools
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 400 lbs. (evenly distributed)
- NSF certified

Kit Type: Starter
Shelf Capacity: 100 lbs.
Overall Capacity: 400 lbs.
No. of Shelves: 4
Height: 63"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-10873	36"	18"
OPS-10874	48"	24"
OPS-10875	72"	24"



Heavy-Duty Green Epoxy Finish Wire Shelving

68 options · Unit of measure: Each

- Superior rust resistance
- Designed to minimize dust, improve air circulation and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- Posts are double grooved every 8" and numbered for easy adjustment
- Adjustable feet compensate for surface irregularities
- Stationary unit's total capacity should not exceed 2000 lbs.
- Ideal for use in wet environments
- NSF certified

Overall Capacity: 2000 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	KIT TYPE	SHELF CAPACITY	NO. OF SHELVES	WIDTH	DEPTH	HEIGHT	*NOTE
OPS-10876	Starter	800 lbs.	4	36"	18"	63"	Evenly distributed weight
OPS-10877	Add-On	800 lbs.	4	36"	18"	63"	Evenly distributed weight
OPS-10878	Starter	800 lbs.	4	48"	18"	63"	Evenly distributed weight
OPS-10879	Add-On	800 lbs.	4	48"	18"	63"	Evenly distributed weight
OPS-10880	Starter	600 lbs.	4	60"	18"	63"	Evenly distributed weight
OPS-10881	Add-On	600 lbs.	4	60"	18"	63"	Evenly distributed weight
OPS-10882	Starter	600 lbs.	4	72"	18"	63"	Evenly distributed weight
OPS-10883	Add-On	600 lbs.	4	72"	18"	63"	Evenly distributed weight
OPS-10884	Starter	800 lbs.	4	36"	24"	63"	Evenly distributed weight
OPS-10885	Add-On	800 lbs.	4	36"	24"	63"	Evenly distributed weight
OPS-10886	Starter	800 lbs.	4	48"	24"	63"	Evenly distributed weight
OPS-10887	Add-On	800 lbs.	4	48"	24"	63"	Evenly distributed weight
OPS-10888	Starter	600 lbs.	4	60"	24"	63"	Evenly distributed weight
OPS-10889	Add-On	600 lbs.	4	60"	24"	63"	Evenly distributed weight
OPS-10890	Starter	800 lbs.	5	36"	18"	74"	Evenly distributed weight
OPS-10891	Add-On	800 lbs.	5	36"	18"	74"	Evenly distributed weight
OPS-10892	Starter	800 lbs.	5	48"	18"	74"	Evenly distributed weight
OPS-10893	Add-On	800 lbs.	5	48"	18"	74"	Evenly distributed weight

ITEM #	KIT TYPE (cont.)	SHELF CAPACITY	NO. OF SHELVES	WIDTH	DEPTH	HEIGHT	*NOTE
OPS-10894	Starter	600 lbs.	5	60"	18"	74"	Evenly distributed weight
OPS-10895	Add-On	600 lbs.	5	60"	18"	74"	Evenly distributed weight
OPS-10896	Starter	600 lbs.	5	72"	18"	74"	Evenly distributed weight
OPS-10897	Add-On	600 lbs.	5	72"	18"	74"	Evenly distributed weight
OPS-10898	Starter	800 lbs.	5	36"	24"	74"	Evenly distributed weight
OPS-10899	Add-On	800 lbs.	5	36"	24"	74"	Evenly distributed weight
OPS-10900	Starter	800 lbs.	5	48"	24"	74"	Evenly distributed weight
OPS-10901	Add-On	800 lbs.	5	48"	24"	74"	Evenly distributed weight
OPS-10902	Starter	600 lbs.	5	60"	24"	74"	Evenly distributed weight
OPS-10903	Add-On	600 lbs.	5	60"	24"	74"	Evenly distributed weight
OPS-10904	Starter	800 lbs.	4	30"	14"	63"	—
OPS-10905	Add-On	800 lbs.	4	30"	14"	63"	—
OPS-10906	Starter	800 lbs.	4	36"	14"	63"	—
OPS-10907	Add-On	800 lbs.	4	36"	14"	63"	—
OPS-10908	Starter	800 lbs.	4	48"	14"	63"	—
OPS-10909	Add-On	800 lbs.	4	48"	14"	63"	—
OPS-10910	Starter	600 lbs.	4	60"	14"	63"	—
OPS-10911	Add-On	600 lbs.	4	60"	14"	63"	—
OPS-10912	Starter	600 lbs.	4	72"	14"	63"	—
OPS-10913	Add-On	600 lbs.	4	72"	14"	63"	—
OPS-10914	Starter	600 lbs.	4	72"	24"	63"	—
OPS-10915	Add-On	600 lbs.	4	72"	24"	63"	—
OPS-10916	Starter	800 lbs.	5	30"	14"	74"	—
OPS-10917	Add-On	800 lbs.	5	30"	14"	74"	—
OPS-10918	Starter	800 lbs.	5	36"	14"	74"	—
OPS-10919	Add-On	800 lbs.	5	36"	14"	74"	—
OPS-10920	Starter	800 lbs.	5	48"	14"	74"	—
OPS-10921	Add-On	800 lbs.	5	48"	14"	74"	—
OPS-10922	Starter	600 lbs.	5	60"	14"	74"	—
OPS-10923	Add-On	600 lbs.	5	60"	14"	74"	—
OPS-10924	Starter	600 lbs.	5	72"	14"	74"	—
OPS-10925	Add-On	600 lbs.	5	72"	14"	74"	—
OPS-10926	Starter	600 lbs.	5	72"	24"	74"	—
OPS-10927	Add-On	600 lbs.	5	72"	24"	74"	—
OPS-10928	Starter	800 lbs.	5	36"	18"	86"	—
OPS-10929	Add-On	800 lbs.	5	36"	18"	86"	—
OPS-10930	Starter	800 lbs.	5	48"	18"	86"	—
OPS-10931	Add-On	800 lbs.	5	48"	18"	86"	—
OPS-10932	Starter	600 lbs.	5	60"	18"	86"	—
OPS-10933	Add-On	600 lbs.	5	60"	18"	86"	—
OPS-10934	Starter	600 lbs.	5	72"	18"	86"	—
OPS-10935	Add-On	600 lbs.	5	72"	18"	86"	—
OPS-10936	Starter	800 lbs.	5	36"	24"	86"	—
OPS-10937	Add-On	800 lbs.	5	36"	24"	86"	—
OPS-10938	Starter	800 lbs.	5	48"	24"	86"	—
OPS-10939	Add-On	800 lbs.	5	48"	24"	86"	—
OPS-10940	Starter	600 lbs.	5	60"	24"	86"	—
OPS-10941	Add-On	600 lbs.	5	60"	24"	86"	—
OPS-10942	Starter	600 lbs.	5	72"	24"	86"	—
OPS-10943	Add-On	600 lbs.	5	72"	24"	86"	—

Combination Cabinets



OPS-10944

Combination Storage Cabinet

Unit of measure: Each

- Manufactured from commercial-quality cold rolled steel sheets
- Features one full shelf, 5 half shelves, and a hanging section with rod
- Top, door, sides, shelves, and bottom are 20 gauge steel
- Back made from 24 gauge steel

Height: 72"
Width: 36"
Depth: 18"
No. of Shelves: 6
Colour: Grey

Material: Steel
Shelf Capacity: 150 lbs.
Assembly Type: Knocked Down
Manufacturer's Warranty: 1 Year Limited



OPS-10945


Combination Storage Cabinet

Unit of measure: Each

- Manufactured from commercial-quality cold rolled steel sheets
- Features one full shelf, 5 half shelves, and a hanging section with rod
- Top, door, sides, shelves, and bottom are 20 gauge steel
- Back made from 24 gauge steel

Height: 72"
Width: 36"
Depth: 18"
No. of Shelves: 6
Colour: Black

Material: Steel
Shelf Capacity: 150 lbs.
Assembly Type: Knocked Down
Manufacturer's Warranty: 1 Year Limited



Deep Door Combination Bin Cabinets


4 options · Unit of measure: Each

- 4" deep hinged doors
- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- Bins supplied: ; 84 x (4 1/8" W x 5 3/8" D x 3" H) ; 12 x (5 1/2" W x 10 7/8" D x 5" H)
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Padlock sold separately
- Powder coated industrial grey finish
- Two reinforced 16-gauge main adjustable shelves with 500-lb. capacity per shelf
- Unique padlock hasp helps prevent access with bolt cutters

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 2
Colour: Grey

Material: Steel
Assembly Type: Welded (Assembled)
No. of Bins: 96
Weight: 359 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	SHELF CAPACITY	BIN COLOUR
OPS-10946	500 lbs.	Blue
OPS-10947	500 lbs.	Red
OPS-10948	500 lbs.	Yellow
OPS-10949	175 lbs.	Green



OPS-10950


Deep Door Combination Cabinet

Unit of measure: Each

- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coated industrial grey finish
- Padlock sold separately
- 2 reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Cabinet Only

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 2
Colour: Grey

Material: Steel
Assembly Type: Welded (Assembled)
Weight: 316 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10951


Deep Door Combination Cabinets

Unit of measure: Each

- 4 reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- 4" deep hinged doors
- Bins and padlock sold separately
- Incorporates louvered bin hanging panels welded into the cabinets doors
- Powder coated industrial grey finish
- Unique padlock hasp helps prevent access with bolt cutters

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 4
Colour: Grey

Material: Steel
Shelf Capacity: 500 lbs.
Assembly Type: Welded (Assembled)
Weight: 324 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10952


Deep Door Combination Cabinets

Unit of measure: Each

- 2 reinforced 16-gauge main adjustable shelves with 500-lbs. capacity per shelf
- 4" deep hinged doors
- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- Bins supplied: 48x 5 3/8" W x 4 1/8" D x 3" H; 36x 7 3/8" W x 4 1/8" D x 3" H; 8x 14 3/4" W x 8 1/4" D x 7" H; 6x 14 3/4" W x 16 1/2" D x 7" H
- CABINET & BIN COMBINATION
- Cabinet and plastic bins
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Padlock sold separately ; 98 BIN CABINETS
- Powder coated industrial grey finish
- Unique padlock hasp helps prevent access with bolt cutters

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 2
Colour: Grey

Material: Steel
Shelf Capacity: 500 lbs.
Assembly Type: Welded (Assembled)
Weight: 385 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10953


Deep Door Combination Cabinets

Unit of measure: Each

- 2 reinforced 16-gauge main adjustable shelves with 500-lbs. capacity per shelf
- 4" deep hinged doors
- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- Bins supplied: 48x 5 3/8" W x 4 1/8" D x 3" H; 36x 7 3/8" W x 4 1/8" D x 3" H; 8x 14 3/4" W x 8 1/4" D x 7" H; 6x 14 3/4" W x 16 1/2" D x 7" H
- Blue
- CABINET & BIN COMBINATION
- Cabinet and plastic bins
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Padlock sold separately ; 98 BIN CABINETS
- Powder coated industrial grey finish

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 2
Colour: Grey

Material: Steel
Shelf Capacity: 500 lbs.
Assembly Type: Welded (Assembled)
Weight: 385 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10954


Deep Door Combination Cabinets

Unit of measure: Each

- 2 reinforced 16-gauge main adjustable shelves with 500-lbs. capacity per shelf
- 4" deep hinged doors
- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- Bins supplied: 48x 5 3/8" W x 4 1/8" D x 3" H; 36x 7 3/8" W x 4 1/8" D x 3" H; 8x 14 3/4" W x 8 1/4" D x 7" H; 6x 14 3/4" W x 16 1/2" D x 7" H
- CABINET & BIN COMBINATION
- Cabinet and plastic bins
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Padlock sold separately ; 98 BIN CABINETS
- Powder coated industrial grey finish
- Unique padlock hasp helps prevent access with bolt cutters

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 2
Colour: Grey

Material: Steel
Shelf Capacity: 500 lbs.
Assembly Type: Welded (Assembled)
Weight: 385 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10955

Deep Door Combination Cabinets

Unit of measure: Each

- 2 reinforced 16-gauge main adjustable shelves with 500-lbs. capacity per shelf
- 4" deep hinged doors
- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- Bins supplied: 48x 5 3/8" W x 4 1/8" D x 3" H; 36x 7 3/8" W x 4 1/8" D x 3" H; 8x 14 3/4" W x 8 1/4" D x 7" H; 6x 14 3/4" W x 16 1/2" D x 7" H
- CABINET & BIN COMBINATION
- Cabinet and plastic bins
- Green
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Padlock sold separately ; 98 BIN CABINETS
- Powder coated industrial grey finish

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 2
Colour: Grey

Material: Steel
Shelf Capacity: 500 lbs.
Assembly Type: Welded (Assembled)
Weight: 385 lbs.
Manufacturer's Warranty: 1 Year Limited

Compartment Drawer Boxes



OPS-10956
Replacement Drawer for KPC-200 Parts Cabinets

Unit of measure: Each

- Drawer

Height: 3-3/10"
Width: 5-3/8"
Depth: 9-13/16"
No. of Compartments: 1

Colour: Grey
Material: Plastic
Manufacturer's Warranty: 1 Year Limited



OPS-10957
Replacement Drawer for KPC-300 Parts Cabinet

Unit of measure: Each

- Drawer

Height: 1-3/5"
Width: 5-3/8"
Depth: 9-13/16"
No. of Compartments: 1

Colour: Clear
Material: Plastic
Manufacturer's Warranty: 1 Year Limited



OPS-10958
Replacement Drawer for KPC-400 Parts Cabinet

Unit of measure: Each

- Drawer

Height: 2-7/10"
Width: 4-11/16"
Depth: 8-5/8"
No. of Compartments: 1

Colour: Grey
Material: Plastic
Manufacturer's Warranty: 1 Year Limited



Product range

2 options · Unit of measure: Each

- Drawer

Depth: 8-5/8"
No. of Compartments: 1
Colour: Clear

Material: Plastic
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	HEIGHT	WIDTH
OPS-10959	Replacement Drawer for KPC-500 Parts Cabinets	2-7/10"	3-1/2"
OPS-10960	Replacement Drawer for KPC-700 Parts Cabinets	2-1/5"	4-11/16"



OPS-10961

Replacement Drawer for KPC-HD Heavy-Duty Parts Cabinets

Unit of measure: Each

- Drawer

Height: 4"
Width: 6-1/2"
Depth: 14-4/5"
No. of Compartments: 1

Colour: Grey
Material: Plastic
Manufacturer's Warranty: 1 Year Limited

Container Parts & Accessories



OPS-10962

Lid for Collapsible Bulk Container

Unit of measure: Each

- For use with collapsible bulk container

Material: High-density polyethylene (HDPE)
Colour: Light Grey

Weight: 13.2 lbs. (6 kg.)
Manufacturer's Warranty: 1 Year Limited

Convertible Carts



OPS-10963

Shelf & Platform Truck

Unit of measure: Each

- An efficient 2-in-1 shelf and platform truck design
- Features two front corner bumpers and a removable 11-gauge top shelf to convert to a platform truck
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Durable industrial blue polyurethane finish
- Capacity: 1300 lbs., 500 lbs. top shelf/800 lbs. bottom shelf evenly distributed

Platform Capacity: 1300 lbs.
Shelf Capacity: 800 lbs.
Cart Material: Steel
Overall Width: 24"

Overall Height: 40"
Overall Depth: 36"
Wheel Material: Rubber
Manufacturer's Warranty: 1 Year Limited

Convertible Hand Trucks



OPS-10964

3-in-1 Convertible Hand Truck

Unit of measure: Each

- Can be used to transport all your needs, from general use items to bulky equipment
- 3 Positions: Vertical - 2 wheel, 45 Degree - 4 wheel, Platform - 4 wheel
- 7.5" W x 27" L recessed folding nose extension
- 5" x 1.25 swivel casters
- Ships KD/boxed
- Capacity Vertical 2 wheel: 500 lbs.
- Capacity 45 degree 4 wheel: 500 lbs.
- Capacity 4 wheel Platform: 750 lbs.

Handle Type: Continuous
Frame Material: Aluminum
Nose Plate Dimensions: 18" W x 7-1/2" D
Wheel Material: Pneumatic
Wheel Size: 10" H x 3" W
Hand Truck Capacity: 500 lbs.
Platform Truck Capacity: 600 lbs.
Frame Bed: 12"W x 51"L
Overall Height: 52"
Overall Width: 21.5"
Colour: Aluminum
Weight: 42 lbs.
Handle Height: 48"



OPS-10965

Convertible Deluxe Hand Truck

Unit of measure: Each

- Quickly converts from a 2-wheel hand truck to a 4-wheel platform truck
- Constructed of 1" round 14-gauge steel tubing
- Comes with 2 welded-on stair glides
- Two 10" full pneumatic wheels and two 4" bolted-on casters
- Remove hitch pins on either side to quickly converts from a 800 lb. capacity platform truck to a 600 lb. capacity hand truck
- Durable industrial blue polyurethane finish

Handle Type: Continuous
Frame Material: Steel
Nose Plate Dimensions: 8" W x 14" D
Hand Truck Capacity: 600 lbs.
Platform Truck Capacity: 800 lbs.
Overall Height: 45"
Overall Width: 14"
Colour: Industrial Blue
Overall Depth: 43"
Weight: 58 lbs.
Manufacturer's Warranty: 1 Year Limited



Convertible Hand Truck

2 options · Unit of measure: Each

- Converts easily from a 2-wheel hand truck to a 4-wheel platform truck
- Lightweight aluminum construction
- Shipped assembled

Frame Material: Aluminum
Wheel Size: 10" H x 2" W
Manufacturer's Warranty: 1 Year Limited

ITEM #	HANDLE TYPE	NOSE PLATE DIMENSIONS	WHEEL MATERIAL	HAND TRUCK CAPACITY	PLATFORM TRUCK CAPACITY	OVERALL PLATFORM TRUCK DIMENSIONS	HAND TRUCK OVERALL HEIGHT	OVERALL DIMENSIONS
OPS-10966	Dual	18" W x 10" D	Pneumatic	600 lbs.	1250 lbs.	43" L x 12" W	52"	—
OPS-10967	Continuous	18" W x 7-1/2" D	Flat-Free	550 lbs.	800 lbs.	—	—	56" L x 20" W

Crossover Staircases



OPS-10968
Crossover Ladder

Unit of measure: Each

- This crossover ladder ensures safe and efficient access over conveyors, pipes, and equipment, enhancing workplace safety and productivity
- Heavy-duty steel construction with an all-welded design ensures exceptional strength and durability
- Slip-resistant steps and platform reduce the risk of slips and falls in high-traffic areas
- Pre-drilled mounting holes allow for quick and secure floor installation
- A durable polyurethane coating protects against corrosion for reliable indoor and outdoor use
- Built with a 4:1 safety factor for enhanced reliability
- Customizable design to meet specific user needs and requirements

Overall Span: 35-1/2"
Platform Height: 31-1/2"
Platform Depth: 22"
Step Width: 22"
No. of Steps: 3
Step Depth: 8"
Step Height: 10-1/2"
Step Angle: 54°
Handrail Height: 43"
Overall Dimensions: 90" W x 27" D x 73-3/8" H
Capacity: 300 lbs.
Weight: 158 lbs.
Finish: Polyurethane

Cylinder Carts



Cylinder Cart

2 options · Unit of measure: Each

- Engineered for efficient and effortless transportation of gas cylinders and propane tanks
- The steel frame ensures durability and performance for heavy-duty use
- The drum hook,adjustable by 2" increments, securely fits various gas cylinders and propane tanks
- Flat-free wheels provide smooth, reliable operation with minimal maintenance
- Polyurethane paint resists wear and corrosion for long-lasting durability

Cart Material: Steel
Overall Width: 24-1/2"
Overall Height: 43-1/2"
Overall Depth: 14-1/4"
Capacity: 600 lbs.
Wheel Type: Flat-Free
Base Dimensions: 15-1/2" W x 14-1/4" L
Drum Hook Height: 21" - 31"
Max. Cylinder Diameter: 15-1/2"
Wheel Size: 10"H x 3"W
Colour: Industrial Blue
Weight: 28.4 lbs.

ITEM #	HANDLE HEIGHT	HANDLE STYLE
OPS-10969	41"	Dual Handle
OPS-10970	43-1/2"	P Handle



Gas Cylinder Carts

5 options · Unit of measure: Each

Cart Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	CAPACITY	WHEEL TYPE	BASE DIMENSIONS	NUMBER OF CYLINDERS	WEIGHT	NOSE PLATE DIMENSIONS	FRAME MATERIAL	WH DIA
OPS-10971	13"	39"	25"	400 lbs.	Pneumatic	25" W x 13" L	2	42 lbs.	—	—	—
OPS-10972	10"	39"	12"	400 lbs.	Semi-Pneumatic	12" W x 10" L	1	40 lbs.	—	—	—
OPS-10973	25"	—	13"	1000 lbs.	Rubber	13" W x 25" L	2	40 lbs.	25" W x 13" D	Steel	14"

ITEM #	OVERALL WIDTH (cont.)	OVERALL HEIGHT	OVERALL DEPTH	CAPACITY	WHEEL TYPE	BASE DIMENSIONS	NUMBER OF CYLINDERS	WEIGHT	NOSE PLATE DIMENSIONS	FRAME MATERIAL	WH DIA
OPS-10974	12"	—	18"	1000 lbs.	Semi-Pneumatic	12" W x 16" L	1	40 lbs.	12" W x 18" D	Steel	10"
OPS-10975	19"	—	19"	1000 lbs.	Semi-Pneumatic	19" W x 10" L	2	42 lbs.	19" W x 10" D	Steel	10"



OPS-10976

Hot Works Fire Prevention Cart

Unit of measure: Each

- Ideal for workplaces, construction sites, and warehouses to transport fire extinguishers and fire safety supplies
- Constructed from durable steel for long-lasting strength and reliability
- Includes two rear storage trays for fire blankets, first aid kits, or other safety supplies
- Features two slots with hook & loop strapping to securely hold fire extinguishers
- Designed with an ergonomic handle and balanced frame for easy maneuvering
- Equipped with semi-pneumatic wheels for smooth movement over various surfaces
- Painted bright red for high visibility in emergency situations

Cart Material: Steel
Overall Width: 26-3/8"
Overall Height: 43"
Overall Depth: 15-7/8"
Capacity: 100 lbs.
Wheel Type: Semi-Pneumatic
Base Dimensions: 17.75" W x 8.9" L
Handle Height: 43"
Handle Style: Continuous
Top Shelf Dimensions: 17-1/4" W x 4-7/8" D
Bottom Shelf Dimensions: 17-1/4" W x 7" D
Wheel Size: 10" H x 2.5" W
Colour: Red
Weight: 73.2 lbs



OPS-10977

Mini-MIG Welding Cart

Unit of measure: Each

- Designed to carry a variety of Mini-MIG, Inverters and Plasma machines
- Cylinder capacity: 9 1/2"

Cart Material: Steel
Overall Width: 18"
Overall Height: 17"
Overall Depth: 36"
Capacity: 1000 lbs.
Wheel Type: Rubber
Base Dimensions: 18" W x 36" L
Weight: 49 lbs
Nose Plate Dimensions: 18" W x 36" D
Frame Material: Steel
Dimensions: 18" W x 36" D x 17" H
Manufacturer's Warranty: 1 Year Limited

Dead Skid Steel Decks



Specialized Platform Decks - Dead Skids

4 options · Unit of measure: Each

- Tough and durable platforms for temporary storage and handling of material
- Heavy 11-gauge steel deck with reinforced channels
- Available with steel or hardwood decks
- Four sturdy steel legs keep loads off the floor
- Can be stacked when not in use
- Durable industrial blue polyurethane finish

Capacity: 2500 lbs.
Deck Height: 12"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	WEIGHT
OPS-10978	24"	48"	110 lbs.
OPS-10979	30"	48"	130 lbs.
OPS-10980	30"	60"	140 lbs.
OPS-10981	36"	72"	175 lbs.

Dead Skid Wood Decks



Specialized Platform Decks - Dead Skids

4 options · Unit of measure: Each

- Tough and durable platforms for temporary storage and handling of material
- Available with steel or hardwood decks
- Four sturdy steel legs keep loads off the floor
- Can be stacked when not in use
- Durable industrial blue polyurethane finish

Capacity: 2500 lbs.

Deck Height: 12"

ITEM #	DECK WIDTH	DECK LENGTH	WEIGHT
OPS-10982	24"	48"	115 lbs.
OPS-10983	30"	48"	135 lbs.
OPS-10984	30"	60"	145 lbs.
OPS-10985	36"	72"	180 lbs.

Deep Door Cabinets



OPS-10986

Deep Door Storage Cabinet

Unit of measure: Each

- Cabinet
- Capacity per shelf: 500 lbs. evenly distributed
- Four reinforced adjustable main shelves are complemented by six adjustable mini shelves in each 4" deep hinged door for a capacity unmatched by any other cabinet
- Padlock hasp (cannot be accessed by bolt cutters) helps secure the contents of this deep door high-density storage cabinet
- Padlock sold separately

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 4
Colour: Grey

Material: Steel
Shelf Capacity: 500 lbs.
Assembly Type: Welded (Assembled)
Weight: 315 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10987


Deep-Door Combination Cabinet

Unit of measure: Each

- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coated industrial grey finish
- Padlock sold separately ; 118 BIN CABINETS
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Bins supplied: 42x 5 3/8" W x 4 1/8" D x 3" H; 42x 7 3/8" W x 4 1/8" D x 3" H; 18x 10 7/8" W x 5 1/2" D x 5" H; 12x 14 3/4" W x 8 1/4" D x 7" H; 4x 14 3/4" W x 16 1/2" D x 7" H
- CABINET & BIN COMBINATION
- Cabinet and plastic bins

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 36
Colour: Blue

Material: Steel
Assembly Type: Welded (Assembled)
Weight: 385 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10988

Deep-Door Combination Cabinet

Unit of measure: Each

- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coated industrial grey finish
- Padlock sold separately ; 118 BIN CABINETS
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Bins supplied: 42x 5 3/8" W x 4 1/8" D x 3" H; 42x 7 3/8" W x 4 1/8" D x 3" H; 18x 10 7/8" W x 5 1/2" D x 5" H; 12x 14 3/4" W x 8 1/4" D x 7" H; 4x 14 3/4" W x 16 1/2" D x 7" H
- CABINET & BIN COMBINATION
- Cabinet and plastic bins

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 36
Colour: Red

Material: Steel
Assembly Type: Welded (Assembled)
Weight: 385 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10989


Deep-Door Combination Cabinet

Unit of measure: Each

- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coated industrial grey finish
- Padlock sold separately ; 118 BIN CABINETS
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Bins supplied: 42x 5 3/8" W x 4 1/8" D x 3" H; 42x 7 3/8" W x 4 1/8" D x 3" H; 18x 10 7/8" W x 5 1/2" D x 5" H; 12x 14 3/4" W x 8 1/4" D x 7" H; 4x 14 3/4" W x 16 1/2" D x 7" H
- Cabinet with 118 plastic bins

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 36
Colour: Yellow

Material: Steel
Assembly Type: Welded (Assembled)
Weight: 385 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10990


Deep-Door Combination Cabinet

Unit of measure: Each

- 4 reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- 4" deep hinged doors
- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- Bins supplied: 84x 4 1/8" W x 5 3/8" D x 3" H
- Blue
- CABINET & BIN COMBINATION
- Cabinet and plastic bins
- Incorporates louvered bin hanging panels welded into the cabinets doors
- Padlock sold separately ; 84 BIN CABINETS
- Powder coated industrial grey finish

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 4
Colour: Grey

Material: Steel
Shelf Capacity: 500 lbs.
Assembly Type: Welded (Assembled)
Weight: 341 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10991

Deep-Door Combination Cabinet

Unit of measure: Each

- 4 reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- 4" deep hinged doors
- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- Bins supplied: 84x 4 1/8" W x 5 3/8" D x 3" H
- CABINET & BIN COMBINATION
- Cabinet and plastic bins
- Incorporates louvered bin hanging panels welded into the cabinets doors
- Padlock sold separately ; 84 BIN CABINETS
- Powder coated industrial grey finish
- Unique padlock hasp helps prevent access with bolt cutters

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 4
Colour: Grey

Material: Steel
Shelf Capacity: 500 lbs.
Assembly Type: Welded (Assembled)
Weight: 341 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10992


Deep-Door Combination Cabinet

Unit of measure: Each

- 4 reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- 4" deep hinged doors
- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- Bins supplied: 84x 4 1/8" W x 5 3/8" D x 3" H
- CABINET & BIN COMBINATION
- Cabinet and plastic bins
- Incorporates louvered bin hanging panels welded into the cabinets doors
- Padlock sold separately ; 84 BIN CABINETS
- Powder coated industrial grey finish
- Unique padlock hasp helps prevent access with bolt cutters

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 4
Colour: Grey

Material: Steel
Shelf Capacity: 500 lbs.
Assembly Type: Welded (Assembled)
Weight: 341 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10993

Deep-Door Combination Cabinet

Unit of measure: Each

- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coated industrial grey finish
- Padlock sold separately ; 118 BIN CABINETS
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Bins supplied: 42x 5 3/8" W x 4 1/8" D x 3" H; 42x 7 3/8" W x 4 1/8" D x 3" H; 18x 10 7/8" W x 5 1/2" D x 5" H; 12x 14 3/4" W x 8 1/4" D x 7" H; 4x 14 3/4" W x 16 1/2" D x 7" H
- CABINET & BIN COMBINATION
- Cabinet and plastic bins

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 36
Colour: Green

Material: Steel
Assembly Type: Welded (Assembled)
Weight: 385 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-10994

Deep-Door Combination Cabinet

Unit of measure: Each

- 4 reinforced 16-gauge main adjustable shelves with 500 lbs. capacity per shelf
- 4" deep hinged doors
- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- Bins supplied: 84x 4 1/8" W x 5 3/8" D x 3" H
- CABINET & BIN COMBINATION
- Cabinet and plastic bins
- Green
- Incorporates louvered bin hanging panels welded into the cabinets doors
- Padlock sold separately ; 84 BIN CABINETS
- Powder coated industrial grey finish

Height: 72"
Width: 38"
Depth: 24"
No. of Shelves: 4
Colour: Grey

Material: Steel
Shelf Capacity: 500 lbs.
Assembly Type: Welded (Assembled)
Weight: 341 lbs.
Manufacturer's Warranty: 1 Year Limited

Distribution Containers



OPS-10995

Flip Top Plastic Distribution Container

Unit of measure: Each

- Reusable containers are ideal for use in wholesale product distribution and as picking containers
- Hinged lids with tight interlocking fit provide added security and protection
- When lids are closed, containers can be easily stacked
- Nests with lids open for optimal use of space

Colour: Grey
Height: 12.5"
Width: 21.65"
Depth: 15.5"

Volume Cu. Ft.: 1.8
Manufacturer's Warranty: 1 Year Limited
Material: Polypropylene



OPS-10996

Flip Top Plastic Distribution Container

Unit of measure: Each

- Reusable containers are ideal for use in wholesale product distribution and as picking containers
- Hinged lids with tight interlocking fit provide added security and protection
- When lids are closed, containers can be easily stacked
- Nests with lids open for optimal use of space

Colour: Red
Height: 12.5"
Width: 21.65"
Depth: 15.5"

Volume Cu. Ft.: 1.8
Manufacturer's Warranty: 1 Year Limited
Material: Polypropylene



OPS-10997

Flip Top Plastic Distribution Container

Unit of measure: Each

- Reusable containers are ideal for use in wholesale product distribution and as picking containers
- Hinged lids with tight interlocking fit provide added security and protection
- When lids are closed, containers can be easily stacked
- Nests with lids open for optimal use of space

Colour: Blue
Height: 12.5"
Width: 21.65"
Depth: 15.5"

Volume Cu. Ft.: 1.8
Manufacturer's Warranty: 1 Year Limited
Material: Polypropylene

Divider For Parts Drawers

OPS-10998
A5 Part Cabinet Divider

Unit of measure: Each

- Clear Divider
- REPLACEMENT PARTS

Colour: Clear

Manufacturer's Warranty: 1 Year Limited



OPS-10999
Divider for KPC-100 Parts Cabinet

Unit of measure: Each

- General-use, round storage container

Colour: Black

Manufacturer's Warranty: 1 Year Limited



OPS-11000
Divider for KPC-200 Parts Cabinets

Unit of measure: Each

- Black Divider

Colour: Black

Manufacturer's Warranty: 1 Year Limited



OPS-11001
Divider for KPC-300 Parts Cabinets

Unit of measure: Each

- Black Divider

Colour: Black

Manufacturer's Warranty: 1 Year Limited



OPS-11002
Divider for KPC-400 Parts Cabinets
Unit of measure: Each

- Black Divider

Colour: Black

Manufacturer's Warranty: 1 Year Limited



OPS-11003
Divider for KPC-500 Parts Cabinets
Unit of measure: Each

- Black Divider

Colour: Black

Manufacturer's Warranty: 1 Year Limited



OPS-11004
Divider for KPC-600 Parts Cabinets
Unit of measure: Each

Colour: Black

Manufacturer's Warranty: 1 Year Limited



OPS-11005
Divider for KPC-700 Parts Cabinets
Unit of measure: Each

- Black Divider

Colour: Black

Manufacturer's Warranty: 1 Year Limited



OPS-11006
Divider for KPC-HD Heavy-Duty Parts Cabinets
Unit of measure: Each

- Divider

Colour: Black

Manufacturer's Warranty: 1 Year Limited

Dolly Parts & Accessories



OPS-11007

T-Handle for Dollies

Unit of measure: Each

- 34" Length T-handle
- 14-gauge steel construction
- Facilitates movement with heavy loads
- Durable industrial blue polyurethane finish

Frame Material: Steel
Weight: 5.75 lbs.
Capacity: 1200 lbs. evenly distributed
Manufacturer's Warranty: 1 Year Limited

Door Pedestals



OPS-11008

Full-Door Pedestal Workbench

Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use
- Reversible doors, can be opened on either left or right side
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size

Overall Width: 18"
Overall Depth: 21"
Overall Height: 28"
Manufacturer's Warranty: 1 Year Limited



OPS-11009

Two-Door Pedestal Workbench

Unit of measure: Each

- All-welded heavy-gauge steel
- 100% full extension drawers with ball bearing slide mechanism
- Capacity: 100 lbs. per drawer evenly distributed
- Reversible doors, can be opened on either left or right side
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size

Overall Width: 18"
Overall Depth: 21"
Overall Height: 28"
Manufacturer's Warranty: 1 Year Limited

Drawer & Door Pedestals



OPS-11010

Pedestal Workbench with One Door & Four Drawers

Unit of measure: Each

- All-welded heavy-gauge steel
- 100% full extension drawers with ball bearing slide mechanism
- Capacity: 100 lbs. per drawer evenly distributed
- Reversible doors, can be opened on either left or right side
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size

No. of Doors: 1
No. of Drawers: 4
Overall Width: 18"
Overall Depth: 21"
Overall Height: 28"
Manufacturer's Warranty: 1 Year Limited



OPS-11011

Pedestal Workbench with One Door & Two Drawers

Unit of measure: Each

- All-welded heavy-gauge steel
- 100% full extension drawers with ball bearing slide mechanism
- Capacity: 100 lbs. per drawer evenly distributed
- Reversible doors, can be opened on either left or right side
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size

No. of Doors: 1
No. of Drawers: 2
Overall Width: 18"
Overall Depth: 21"
Overall Height: 28"
Manufacturer's Warranty: 1 Year Limited

Drawer Pedestals



OPS-11012

Four-Drawer Pedestal Workbench

Unit of measure: Each

- All-welded heavy-gauge steel
- 100% full extension drawers with ball bearing slide mechanism
- Capacity: 100 lbs. per drawer evenly distributed
- Reversible doors, can be opened on either left or right side
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size

Overall Width: 18"
Overall Depth: 21"
Overall Height: 28"
Manufacturer's Warranty: 1 Year Limited



OPS-11013

Six-Drawer Pedestal Workbench

Unit of measure: Each

- All-welded heavy-gauge steel
- 100% full extension drawers with ball bearing slide mechanism
- Capacity: 100 lbs. per drawer evenly distributed
- Reversible doors, can be opened on either left or right side
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size

Overall Width: 18"
Overall Depth: 21"
Overall Height: 28"
Manufacturer's Warranty: 1 Year Limited



OPS-11014

Three-Drawer Pedestal Workbench

Unit of measure: Each

- All-welded heavy-gauge steel
- 100% full extension drawers with ball bearing slide mechanism
- Capacity: 100 lbs. per drawer evenly distributed
- Reversible doors, can be opened on either left or right side
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size

Overall Width: 18"
Overall Depth: 21"
Overall Height: 28"
Manufacturer's Warranty: 1 Year Limited



OPS-11015

Two-Drawer Pedestal Workbench

Unit of measure: Each

- All-welded heavy-gauge steel
- 100% full extension drawers with ball bearing slide mechanism
- Capacity: 100 lbs. per drawer evenly distributed
- Reversible doors, can be opened on either left or right side
- Optional bases add height in 4" increments (maximum two bases per pedestal)
- Aluminum extrusion handles with grey end caps
- Complete with locks and two keys
- All locks keyed alike for pedestal model
- Custom key options available
- 18" W x 21" D x 28" H, overall cabinet size

Overall Width: 18"
Overall Depth: 21"
Overall Height: 28"
Manufacturer's Warranty: 1 Year Limited

Drawer Shelf Carts



Drawer Shelf Cart

2 options · Unit of measure: Each

- Capacity is based on evenly distributed weight
- Allows repair or assembly parts to be transported directly to the work site
- Work can be carried out on tray truck top
- Lower shelf provides added storage capacity
- Rolls smoothly on two rigid and two swivel 5" rubber casters
- Drawers come with two adjustable dividers and full width handles

Capacity: 1200 lbs.
Cart Material: Steel
Overall Width: 18"
Overall Height: 35"
Overall Depth: 36"
Wheel Material: Rubber
Construction: All-Welded
Manufacturer's Warranty: 1 Year Limited
Overall Truck Dimensions: 18" W x 36" D x 35" H

ITEM #	NO. OF DRAWERS
OPS-11016	18
OPS-11017	24



Drawer Shelf Cart

2 options · Unit of measure: Each

- Capacity is based on evenly distributed weight
- Allows repair or assembly parts to be transported directly to the work site
- Work can be carried out on tray truck top
- Lower shelf provides added storage capacity
- Rolls smoothly on two rigid and two swivel 5" rubber casters
- Drawers come with two adjustable dividers and full width handles

Capacity: 1200 lbs.
Cart Material: Steel
Overall Width: 18"
Overall Height: 35"
Overall Depth: 36"
Wheel Material: Rubber
Construction: All-Welded
Manufacturer's Warranty: 1 Year Limited
Overall Truck Dimensions: 18" W x 36" D x 35" H

ITEM #	NO. OF DRAWERS
OPS-11018	36
OPS-11019	48



Heavy Duty Shelf Cart with Drawer

2 options · Unit of measure: Each

- All-welded design, ready to use
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Lockable drawer for supplies
- Drawer dimensions: 15 1/4" W x 20" L x 6" H, 100-lb. capacity
- Available in models with 2 or 3 shelves with 1 1/2" lip configured up
- Two rigid and two swivel bolted-on 5" non-marking casters
- Durable industrial blue polyurethane finish

Capacity: 1200 lbs.
Cart Material: Steel
Overall Width: 24"
Overall Height: 36"
Wheel Material: Rubber
Construction: All-Welded
No. of Drawers: 1
Manufacturer's Warranty: 1 Year Limited
No. of Shelves: 2

ITEM #	OVERALL DEPTH
OPS-11020	39"
OPS-11022	48"



Heavy Duty Shelf Cart with Drawer

2 options · Unit of measure: Each

- All-welded design, ready to use
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Lockable drawer for supplies
- Drawer dimensions: 15 1/4" W x 20" L x 6" H, 100-lb. capacity
- Available in models with 2 or 3 shelves with 1 1/2" lip configured up
- Two rigid and two swivel bolted-on 5" non-marking casters
- Durable industrial blue polyurethane finish

Capacity: 1200 lbs.
Cart Material: Steel
Overall Width: 24"
Overall Height: 36"
Wheel Material: Rubber
No. of Drawers: 1
Manufacturer's Warranty: 1 Year Limited
No. of Shelves: 3

ITEM #	OVERALL DEPTH	CONSTRUCTION
OPS-11021	36"	All-Welded
OPS-11023	48"	Knocked Down

Drum Cabinets



OPS-11024

Vertical Drum Storage Cabinet

Unit of measure: Each

- Safely stores up to two drums, easy glide rollers for convenient drum access
- Half-depth shelf allows additional storage
- Rollers at bottom of cabinet facilitate drum movement
- Includes two polyethylene trays
- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180º for easy access
- Adjustable leveling feet
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids
- 10 Year Limited Warranty

Height: 65"
Width: 59"
Depth: 34"
No. of Drums: 2
Colour: Yellow
Capacity: 110 US gal.
Material: Steel
Drum Capacity (US): 2-55 gallons
Weight: 480 lbs.
Door Type: 2 doors, manual with drum rollers
Standard(s) Met: NFPA/OSHA/FM
Manufacturer's Warranty: 10 Years

Drum Dolly



Drum Dolly

5 options · Unit of measure: Each

- Welded 3/16" thick x 4", frames are built to withstand constant use
- 24" inside diameter handles 45 imp. gal./55 US gal. drums
- Comes with four swivel casters
- Quality powder-coat finish
- Shipped knocked down

Frame Material: Steel
Diameter: 24"
Manufacturer's Warranty: 1 Year Limited

ITEM #	FRAME DESIGN	CAPACITY	OVERALL HEIGHT	WHEEL MATERIAL	CASTER SIZE	WEIGHT
OPS-11025	Round Frame	1000 lbs.	4.5"	Polyurethane	3"	24 lbs.
OPS-11027	X Frame	1000 lbs.	4.5"	Polyurethane	3"	16 lbs.
OPS-11028	X Frame	750 lbs.	4.5"	Polyolefin	3"	15 lbs.
OPS-11029	Round Frame	1400 lbs.	5.5"	Blue Elastic	—	—
OPS-11030	X Frame	1400 lbs.	5.5"	Blue Elastic	—	—



OPS-11026

Drum Dolly

Unit of measure: Each

- Welded 3/16" thick x 4", frames are built to withstand constant use
- 24" inside diameter handles 45 imp. gal./55 US gal. drums
- Comes with four swivel casters
- Quality powder-coat finish
- Shipped knocked down

Frame Material: Steel
Frame Design: Round Frame
Capacity: 750 lbs.
Diameter: 24"
Overall Height: 4.5"
Wheel Material: Polyolefin
Caster Size: 3"
Weight: 23 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-11031

Drum Dolly Frame

Unit of measure: Each

- Fits Caster Hole Spacings of 1 5/8" x 3" to 2 3/4" x 3 1/4"
- Welded 3/16" thick x 4", frames are built to withstand constant use
- 24" inside diameter handles 45-gallon drums
- Quality powder-coat finish
- Shipped knocked down

Frame Material: Steel
Frame Design: Round Frame
Capacity: 750 lbs.
Diameter: 24"
Overall Height: 6"
Wheel Material: Frame Only
Weight: 16 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-11032
Drum Dolly Frame
Unit of measure: Each

- Fits Caster Hole Spacings of 1 5/8" x 3" to 2 3/4" x 3 1/4"
- Welded 3/16" thick x 4", frames are built to withstand constant use
- 24" inside diameter handles 45-gallon drums
- Quality powder-coat finish
- Shipped knocked down

Frame Material: Steel
Frame Design: X Frame
Capacity: 750 lbs.
Diameter: 24"
Overall Height: 6"
Wheel Material: Frame Only
Weight: 8 lbs.
Manufacturer's Warranty: 1 Year Limited

Drum Grabbers



OPS-11033
Drum Grabber
Unit of measure: Each

- Lift and transport one 45 imp. gal./55 US gal. steel drum without the fork truck driver leaving his seat
- No risk of drum slipping since handler grips under rim of drum or rolling hoops
- Heavy gauge grabber slides onto truck forks and is locked with two turn down screws

Drum Capacity: 55 US gal. (45 Imperial Gal.)
Drum Type: Steel
No. of Drums: 1
Lifting Capacity: 1000 lbs.
Type: Single Drum Grabber
Fork Pocket Inner Dia.: 6-3/4"
Weight: 111 lbs.
Manufacturer's Warranty: 1 Year Limited

Drum Handling Parts & Accessories



OPS-11034
Drum Rocker Handle
Unit of measure: Each

- Replacement handle for Knocked-Down Drum Rockers

Description: Handle & Black Plastic Handle Grip
Capacity: 700 lbs.
Manufacturer's Warranty: 1 Year Limited

Drum Palletizers




OPS-11035
Ergonomic Drum Handler

Unit of measure: Each

- Ergonomic solution for lifting, transporting, and placing drums on standard pallets or spill pallets
- The jaw clamp is spring loaded and can hold any 3/16" or higher drum rim
- Handles steel, plastic, and fiber drums
- Adjustable for most standard 50 and 85 gallon drums
- Allows a 55-gallon drum to be raised 20" above the floor

Drum Capacity: 55 US gal. (45 Imperial Gal.)/85 US gal. (70 Imperial Gal.)
Frame Material: Steel
No. of Drums: 1
Overall Dimensions (Legs Retracted): 28-1/8"L X 40"W X 52"H
Overall Dimensions (Legs Extended): 30-1/4"L X 45"W X 52"H
Leg Length (Retracted - Extended): 19-5/8" - 23-1/4" (500 - 590 mm)
Handle Height: 42"
Capacity (Legs Extended): 990 lbs. (450 Kg)
Capacity (Legs Retracted): 585 lbs. (265 kg)

Drum Racks



Drum Stacking Rack

2 options · Unit of measure: Each

- Can be stacked up to three high
- Conveniently stacks drums horizontally increasing space efficiency
- Forklift access from all four sides
- Optional mobile units available
- Shipped knocked down; Drums not included

Height: 12-1/2"
Depth: 30"

ITEM #	DRUM CAPACITY	CAPACITY	WIDTH	WEIGHT
OPS-11036	2	1600 lbs.	45-1/2"	46 lbs.
OPS-11037	3	2400 lbs.	71-1/2"	60 lbs.

Drum Rockers



Drum Rocker

2 options · Unit of measure: Each

- Safe method of upending drums for moving, draining or storing

Drum Capacity: 55 US gal. (45 Imperial Gal.)
Handle Length: 40"
Overall Width: 33"
Overall Depth: 22"
Overall Height: 20"
Manufacturer's Warranty: 1 Year Limited

ITEM #	FRAME MATERIAL	WHEEL MATERIAL	WORKING LOAD LIMIT	WEIGHT
OPS-11038	All-Welded Steel	Polyolefin	1000 lbs./454 kg	38 lbs.
OPS-11039	Knocked-Down Steel	Non Sparking	700 lbs./318 kg	—

Drum Stacking Dollies



Drum Stacking Rack Dolly


2 options · Unit of measure: Each

- All-welded, ready to use
- Dolly allows stacking racks to be mobile
- Two rigid and two swivel casters
- Caster assembly required
- Durable industrial blue polyurethane finish

Frame Material: Steel
Capacity: 1600 lbs.
Drum Capacity: 2 Drums
Overall Depth: 46"
Overall Height: 9"
Overall Width: 30"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL TYPE
OPS-11040	6" Hi-Temp Nylon
OPS-11041	6" Polyurethane

Drum Trucks



OPS-11042

All-In-One Drum Trucks

Unit of measure: Each

- All-welded design with 1 1/4" round tube
- Drum trucks can be used to transport and dispense drums
- Easy-to-use belt-system and hook keeps drums securely on the truck.
- Easy to load and unload on skids
- Handles plastic, steel or fibre drums
- Loop handle models provide added leverage while dual handle models provide side body comfort.
- Four-wheel design for added support and easy manoeuvrability
- Durable industrial blue polyurethane finish

Drum Capacity: 25 - 55 US Gal. (20 - 45 Imperial Gal.)
Frame Material: Steel
Wheel Material: Mold-on Rubber
Drum Type: Steel, Plastic, Fibre
Handle Type: Dual
Working Load Limit: 1200 lbs./544 kg.
Wheel Type: 10" Mold on Rubber
Weight: 54 lbs.
Manufacturer's Warranty: 1 Year Limited



All-In-One Drum Trucks

2 options · Unit of measure: Each

- All-welded design with 1 1/4" round tube
- Drum trucks can be used to transport and dispense drums
- Easy-to-use belt-system and hook keeps drums securely on the truck.
- Easy to load and unload on skids
- Handles plastic, steel or fibre drums
- Loop handle models provide added leverage while dual handle models provide side body comfort.
- Four-wheel design for added support and easy manoeuvrability
- Durable industrial blue polyurethane finish

Drum Capacity: 25 - 55 US Gal. (20 - 45 Imperial Gal.)
Frame Material: Steel
Wheel Material: Pneumatic
Drum Type: Steel, Plastic, Fibre
Working Load Limit: 1200 lbs./544 kg.
Wheel Type: 10" Pneumatic
Manufacturer's Warranty: 1 Year Limited

ITEM #	HANDLE TYPE	WEIGHT
OPS-11043	Dual	59 lbs.
OPS-11045	Loop	50 lbs.



OPS-11044

All-In-One Drum Trucks

Unit of measure: Each

- All-welded design with 1 1/4" round tube
- Drum trucks can be used to transport and dispense drums
- Easy-to-use belt-system and hook keeps drums securely on the truck.
- Easy to load and unload on skids
- Handles plastic, steel or fibre drums
- Loop handle models provide added leverage while dual handle models provide side body comfort.
- Four-wheel design for added support and easy manoeuvrability
- Durable industrial blue polyurethane finish

Drum Capacity: 25 - 55 US Gal. (20 - 45 Imperial Gal.)
Frame Material: Steel
Wheel Material: Mold-on Rubber
Drum Type: Steel, Plastic, Fibre
Handle Type: Loop
Working Load Limit: 1200 lbs./544 kg.
Wheel Type: 10" Mold on Rubber
Weight: 68 lbs.
Manufacturer's Warranty: 1 Year Limited




OPS-11046

Drum Hand Truck

Unit of measure: Each

- Truck for plastic and fibre drums
- All-welded, 1 1/4" tubular steel construction
- Handles plastic and fibre drums from 18" to 25" in diameter and 24" to 41" in height
- Rolls on 10" front and 6" rear rubber-tired wheels
- 2" ratchet strap secures drum in place
- Durable industrial blue polyurethane finish

Drum Capacity: 25 - 55 US Gal. (20 - 45 Imperial Gal.)
Frame Material: Steel
Wheel Material: Rubber
Drum Type: Plastic, Fibre
Overall Depth: 24"
Overall Height: 58"
Overall Width: 23"
Working Load Limit: 1000 lbs. / 454 kg.
Weight: 55 lbs.
Manufacturer's Warranty: 1 Year Limited



Drum Hand Trucks

2 options · Unit of measure: Each

- All-welded 1 1/4" round tubular steel frame
- Handles containers from as small as 18" in diameter to large 45-gallon steel drums
- Ideal for loading drums onto pallets, or for going over curbs or uneven docks
- Free standing when loaded
- Capacity: 1000 lbs.
- Durable industrial blue polyurethane finish

Drum Capacity: 25 - 55 US Gal. (20 - 45 Imperial Gal.)
Frame Material: Steel
Wheel Material: Mold-on Rubber
Drum Type: Steel
Overall Height: 58"
Overall Width: 24"
Working Load Limit: 1000 lbs./454 kg
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL DEPTH	TYPE	WEIGHT
OPS-11047	19"	Truck with 10" front rubber wheels only	48 lbs.
OPS-11048	22"	Truck with 10" front and 6" rear rubber wheels	50 lbs.



OPS-11049

Low Profile Drum Truck

Unit of measure: Each

- All-welded steel construction with 8" x 2" rubber wheels and 4" non-marking rubber swivel caster for smooth movement and easy manoeuvrability
- Ideal for moving full, open top 45 imp. gal./55 US gal. drums without spilling contents
- With a low-level frame, only 1/2" from the ground, this truck allows for easy loading of drums
- Hinged handle moves forward and backward for easy pushing or pulling
- Quality powder coat finish
- Shipped knocked down

Drum Capacity: 55 US gal. (45 Imperial Gal.)
Frame Material: Steel
Wheel Material: Rubber
Drum Type: Steel
Capacity: 1000 lbs.
Overall Depth: 24"
Overall Height: 46"
Overall Width: 30"
Overall Handle Length: 39"
Weight: 49 lbs.
Manufacturer's Warranty: 1 Year Limited

Drum Wrenches



OPS-11050

Deluxe Plug Wrenche

Unit of measure: Each

- Non-sparking brass alloy wrench fits virtually all industrial drums including those with square or hex plugs, male or female bung nuts or plugs and fittings with lugs and crossbars
- Built-in 1-1/4" wrench for tightening faucets into drums; eliminates the need for extra tools

Material: Non-sparking brass alloy
Handle Length: 9"
Wrench Opening: 1-1/4"
Weight: 2 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-11051

Non-Sparking Bung Nut Wrench

Unit of measure: Each

- Offset handle
- Fits almost any metal or plastic, male or female bung nuts or plugs
- 13" overall length

Material: Manganese Bronze Alloy
Weight: 4 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-11052

Non-Sparking Bung Nut Wrench

Unit of measure: Each

- Offset handle
- 13" overall length
- Fits almost any metal or plastic, male or female bung nuts or plugs

Material: Annealed Ductile Iron
Weight: 4 lbs.
Manufacturer's Warranty: 1 Year Limited

Ergonomic Platform Trucks



OPS-11053

Ergonomic Platform Trucks

Unit of measure: Each

- Ergonomic handle is placed at a comfortable working height to alleviate back strains
- Picking list holder eliminates the need to handle loose papers
- Deck is constructed from 14-gauge all welded steel with a turned down lip and reinforced channels
- Powder coat finish

Deck Width: 24"
Deck Length: 48"
Handle Height: 40"
Capacity: 1200 lbs.
Caster Placement: Corner Standard
Wheel Diameter: 8"
Wheel Material: Mold-on Rubber
Colour: Industrial Blue
No. of Casters: 2 Swivel, 2 Rigid
Manufacturer's Warranty: 1 Year Limited

Ergonomic Shelf Carts



Ergonomic Shelf Truck

8 options · Unit of measure: Each

- All-welded 16-gauge construction ready to use
- All-welded ergonomic handle placed at a comfortable working height
- Two rigid and two swivel 5" casters
- Durable industrial blue polyurethane finish
- Capacity is based on evenly distributed weight

Capacity: 800 lbs.
Cart Material: Steel
Overall Height: 37"
Lip Configuration: Lip Up
Construction: All-Welded
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH	OVERALL DEPTH	WHEEL MATERIAL	SHIP WEIGHT
OPS-11054	20"	32"	Blue Rubber	51.8 lb
OPS-11055	20"	32"	Blue Rubber	63.8 lb
OPS-11056	20"	32"	Polyolefin	49.4 lb
OPS-11057	20"	32"	Polyolefin	61.4 lb
OPS-11058	26"	38"	Polyolefin	63.4 lb
OPS-11059	26"	38"	Polyolefin	89.4 lb
OPS-11060	26"	38"	Blue Rubber	91.8 lb
OPS-11061	26"	38"	Blue Rubber	65.8 lb

Flammable Safety Cabinets




OPS-11062

Flammable Aerosol Storage Cabinet

Unit of measure: Each

- 24-gauge galvanized steel roll-out shelves
- Reduce risks and protect workers by storing flammable chemicals in safety cabinets
- High-performance, self-latching doors close easily and securely for maximum protection under fire conditions
- Two fixed position shelves with (30) 2-3/4" diameter openings
- Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time
- Handle comes with a cylinder lock and key set or accepts an optional padlock
- Warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight
- Features a leak-proof 2" bottom sump, four adjustable self-leveling feet, grounding connector and trilingual warning label
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance
- Accepts cans up to 10" tall and are removable for easy cleaning

Door Type: Manual
Capacity: 12 gal.
Width: 23"
Depth: 18"
Height: 35"
No. of Doors: 1
No. of Shelves: 2
Standard(s) Met: NFPA/OSHA/FM
Manufacturer's Warranty: 10 Years Limited



Flammable Storage Cabinet

14 options · Unit of measure: Each

- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- Adjustable leveling feet
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids

ITEM #	DOOR TYPE	CAPACITY	WIDTH	DEPTH	HEIGHT	NO. OF DOORS	NO. OF SHELVES	STANDARD(S) MET	MANUFACTURER'S WARRANTY	WARRANTY
OPS-11063	Manual	12 gal.	23"	18"	35"	1	1	NFPA/OSHA/FM	10 Years Limited	—
OPS-11064	Manual	16 gal.	23"	18"	44"	1	1	NFPA/OSHA/FM	10 Years Limited	—
OPS-11065	Manual	22 gal.	35"	22"	35"	2	1	NFPA/OSHA/FM	10 Years Limited	—
OPS-11066	Manual	24 gal.	43"	12"	44"	2	2	NFPA/OSHA/FM	10 Years Limited	—
OPS-11067	Manual	30 gal.	43"	18"	44"	2	1	NFPA/OSHA/FM	10 Years Limited	—
OPS-11068	Manual	45 gal.	43"	18"	65"	2	2	NFPA/OSHA/FM	10 Years Limited	—
OPS-11069	Manual	60 gal.	34"	34"	65"	2	2	NFPA/OSHA/FM	10 Years Limited	—
OPS-11070	Self-Closing	12 gal.	23"	18"	35"	1	1	FM/NFPA/OSHA	—	10 Years Limited
OPS-11071	Self-Closing	22 gal.	35"	22"	35"	2	1	FM/NFPA/OSHA	—	10 Years Limited
OPS-11072	Self-Closing	30 gal.	43"	18"	44"	2	1	FM/NFPA/OSHA	—	10 Years Limited
OPS-11073	Self-Closing	45 gal.	43"	18"	65"	2	2	FM/NFPA/OSHA	—	10 Years Limited
OPS-11074	Self-Closing	60 gal.	34"	34"	65"	2	2	FM/NFPA/OSHA	—	10 Years Limited
OPS-11077	Manual	90 Gal.	43"	34"	66"	2	2	FM/NFPA/OSHA	10 Years Limited	—
OPS-11078	Self-Closing	16 gal.	23"	18"	44"	1	1	FM/NFPA/OSHA	10 Years Limited	—



OPS-11075

Flammable Storage Cabinet

Unit of measure: Each

- Double-wall 18-gauge welded steel construction with 1-1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2-1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids

Door Type: Manual
Capacity: 4 gal.
Width: 17"
Depth: 18"
Height: 22"
No. of Doors: 1
No. of Shelves: 1
Standard(s) Met: FM/NFPA/OSHA
Manufacturer's Warranty: 10 Years Limited



OPS-11076

Flammable Storage Cabinet

Unit of measure: Each

- Double-wall 18-gauge welded steel construction with 1-1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2-1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids

Door Type: Manual
Capacity: 12 gal.
Width: 43"
Depth: 18"
Height: 18"
No. of Doors: 2
No. of Shelves: 1
Standard(s) Met: FM/NFPA/OSHA
Manufacturer's Warranty: 10 Years Limited



OPS-11079

Mini Flammable Safety Cabinet

Unit of measure: Each

- Offers a small footprint for easy storage on service vehicles, carts, and maintenance trikes
- Three bungee cords help keep contents in place during movement
- Help protect workers and prevent fire hazards with code-compliant safety cabinets for flammable materials
- Manual-close, self-latching doors swing open a full 180° and shut securely with a simple push—locking tight to protect in the event of a fire
- Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time
- U-Loc™ secure handle comes with a cylinder lock and key set, or accepts an optional padlock
- Haz-Alert ™ reflective warning labels are highly visible under fire conditions or during power outages when illuminated with a flashlight
- Shelve adjust on 3" (76-mm) centers for versatile storage
- Additional features include a leakproof 2" bottom sump, four adjustable self-leveling feet, grounding connector, and trilingual warning label
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance

Door Type: Manual
Capacity: 2 Gal.
Width: 17"
Depth: 8"
Height: 22"
No. of Doors: 1
No. of Shelves: 1
Standard(s) Met: NFPA/OSHA
Material: Steel
Colour: Yellow
Weight: 23 lbs.

Flat Free Wheels



OPS-11080


Flat Free Wheel

Unit of measure: Each

Wheel Diameter: 10" (254 mm)
Capacity: 300 lbs. (136 kg.)
Bore Size: 3/4"
Tread Width: 3-1/2" (88.9 mm)

Weight: 1.8 kg
Hub Length: 4"
CBM: 1.2826

Flexible Conveyors



Expandable Conveyor

3 options · Unit of measure: Each

- Ideal for loading docks, packaging areas, and assembly lines
- Flexible design extends, contracts, and curves to fit your layout
- Sturdy construction built to handle demanding industrial environments
- Collapses down for compact storage when not in use
- Durable rollers or skate wheels keep packages moving effortlessly
- Reduces manual lifting and carrying to improve workplace safety
- Locking swivel casters make repositioning fast and secure
- Connect multiple units for extended reach or increased capacity
- Arrives crated and fully assembled for immediate use

Conveyor Roller Type: Steel Skate Wheels
Capacity: 200 lbs. per lin. ft.

Adjustable Height: 28-1/2" - 41-1/2"

ITEM #	WIDTH	EXPANDED LENGTH	FOLDED LENGTH	NO. OF SKATE WHEELS PER AXLE	WEIGHT
OPS-11081	18"	12'	3'	7	150 lbs.
OPS-11082	18"	24'	6'	7	264.6 lbs.
OPS-11083	23"	24'	6'	9	295.47 lbs.

Foldable Rolling Ladders



Portable Folding Ladder

3 options · Unit of measure: Each


- Foldable locking design saves on storage space when not in use
- Welded construction
- Easy to maneuver
- 58º slope, 7" deep steps for easy climbing
- Perforated step
- Locks in the folded or climbing positions
- Approximately 10" deep when folded for easy storage

Frame Material: Steel
Platform Depth: 7"
Step Width: 16"
Step Type: Perforated

Maximum capacity: 350 lbs.
Open Width: 24"
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF STEPS	PLATFORM HEIGHT	OPEN LENGTH	FOLDED DIMENSIONS	WEIGHT
OPS-11084	2	20"	17"	24"W x 10"L x 41"H	30 lbs.
OPS-11085	3	30"	23"	24"W x 10"L x 52"H	35 lbs.
OPS-11086	4	40"	30"	24"W x 10"L x 65"H	42 lbs.

Folding Hand Trucks



Folding Hand Truck

2 options · Unit of measure: Each

- Lightweight and durable aluminum construction
- Convenient folding construction permits storage in small spaces
- Comfortable ergonomic handle
- Elastic straps help to secure load

Frame Material: Aluminum
Wheel Material: Rubber
Handle Type: Straight
Colour: Silver
Manufacturer's Warranty: 1 Year Limited

ITEM #	NOSE PLATE DIMENSIONS	CAPACITY	WHEEL SIZE	OVERALL HEIGHT	OVERALL WIDTH	WEIGHT
OPS-11087	15 1/4" W x 11" D	175 lbs.	5" H x 1 1/4" W	39.625"	15.5"	9 lbs.
OPS-11088	19.09" W x 13.8" D	275 lbs.	7-1/2"H x 1-1/4"W	41.75"	19.6"	12.8 lbs.

Folding Platform Trucks



OPS-11089

Foldable Platform Trucks

Unit of measure: Each

- Interlocking aluminum frame has a dual length platform: 16" x 20" or 16" x 28"
- Ideal when a solid, portable platform truck is re-quired
- Folds down to a compact 9 1/2" x 16" x 20"
- Comes standard with vinyl corner bumpers

Deck Width: 16"
Deck Length: 28"
Handle Height: 32"
Capacity: 300 lbs.
Frame Material: Aluminum
Caster Size: 4"
Weight: 19 lbs.
Wheel Type: 4" rubber casters
Manufacturer's Warranty: 1 Year Limited



Folding Handle Platform Trucks

2 options · Unit of measure: Each

- Move supplies, forms and light equipment around the shop or office
- Quick-release handle folds flat for easy storage
- Heavy-gauge steel construction; non-skid vinyl-coated deck
- Vinyl, wrap around bumper protects walls and furniture

Handle Height: 33"
Frame Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	CAPACITY	CASTER SIZE	WEIGHT	WHEEL TYPE
OPS-11090	19"	29"	400 lbs.	4"	22 lbs.	4" rubber casters
OPS-11091	23"	35"	660 lbs.	5"	42 lbs.	5" rubber casters

Fork Extension Brackets



OPS-11092

Fork Extension - Wall Bracket

Unit of measure: Each

- To keep fork extensions out of the way when not in use
- One wall bracket required for each pair of forks

Width: 6"
Height: 8"
Weight: 5 lbs.
Manufacturer's Warranty: 1 Year Limited

Forklift Extension Forks



Fork Extensions


12 options · Unit of measure: Pair

- Easy to use slide-on design
- Steel retaining strap prevents extensions from sliding off forks during use
- Fork extension may not extend more than 50% beyond existing fork
- Accommodates forks with maximum fork thickness of 2"

Manufacturer's Warranty: 1 Year Limited

ITEM #	LENGTH	ACCOMMODATES FORK WIDTH	OVERALL WIDTH	WEIGHT	FORK EXTENSION CAPACITY	FITS FORK LENGTH
OPS-11093	72"	4"	5"	104 lbs.	3900 lbs.	48" - 72"
OPS-11094	72"	5"	6"	116 lbs.	4400 lbs.	48" - 72"
OPS-11095	96"	4"	5"	140 lbs.	2600 lbs.	64" - 96"
OPS-11096	54"	4"	5"	88 lbs.	4000 lbs.	36" - 54"
OPS-11097	63"	4"	5"	102 lbs.	4000 lbs.	42" - 63"
OPS-11098	84"	4"	5"	135 lbs.	4000 lbs.	56" - 84"
OPS-11099	63"	5"	6"	113 lbs.	4000 lbs.	42" - 63"
OPS-11100	84"	5"	6"	138 lbs.	4000 lbs.	56" - 84"
OPS-11101	96"	5"	6"	169 lbs.	4000 lbs.	64" - 96"
OPS-11102	72"	6"	7"	140 lbs.	4000 lbs.	48" - 72"
OPS-11103	84"	6"	7"	163 lbs.	4000 lbs.	56" - 84"
OPS-11104	96"	6"	7"	184 lbs.	4000 lbs.	64" - 96"

Four Way Pallet Trucks



OPS-11105

Multi-Directional Hydraulic Pallet Trucks

Unit of measure: Each

- Transrollers permit lateral movement in addition to forward/backward
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels provide superior performance
- Double load rollers, one polyurethane tread bonded to cast iron core and one nylon for easy moving of extra heavy loads
- 2 1/5" exit ramp facilitates exit of pallets
- Capacity: Up to 5500 lbs. in standard mode and up to 3300 lbs. in lateral mode

Fork Length: 48"
Frame Width: 27"
Capacity: 5500 lbs.
Frame Material: Steel
Fork Width: 6-1/4"
Raised Height: 7.48"
Lowered Height: 2.95"
Colour: Orange
Manufacturer's Warranty: 2 Years Limited



OPS-11106

Multi-Directional Hydraulic Pallet Trucks

Unit of measure: Case of 6

- Pallet trucks shipped unassembled in a bulk crate for easy transportation & to maximize the usage of space
- Transrollers permit lateral movement in addition to forward/backward
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels provide superior performance
- Double load rollers, one polyurethane tread bonded to cast iron core and one nylon for easy moving of extra heavy loads
- 2-1/5" exit ramp facilitates exit of pallets
- Up to 5500 lbs. capacity in standard mode and up to 3300 lbs. capacity in lateral mode

Fork Length: 48"
Frame Width: 27"
Capacity: 5500 lbs.
Frame Material: Steel
Fork Width: 6-1/4"
Raised Height: 7.48"
Lowered Height: 2.95"
Colour: Orange
Manufacturer's Warranty: 2 Years Limited

Gas Cylinder Cabinets



OPS-11107

CSA-Compliant Gas Cylinder Safety Cabinet

Unit of measure: Each

- Designed to accommodate two vertical 35-lb liquid propane cylinders, this cabinet is ideal for facilities with limited floor space, including warehouses, service areas, manufacturing plants, and institutional settings
- Lockable door with padlock hasp helps restrict unauthorized access
- English and French safety labels support Canadian workplace and regulatory bilingual requirements
- 9■gauge wire■mesh doors and side panels allow continuous ventilation and cylinder visibility
- Rigid 2" x 2" formed steel angle posts create a strong frame to help withstand accidental impacts
- 14■gauge checker plate steel roof and shelves provide added durability in industrial environments
- All■welded steel construction provides maximum strength for long■term durability in demanding industrial environments

Height: 69"
Width: 17"
Depth: 17"
Colour: Yellow
No. of Cylinders: 2
Material: Steel
Weight: 85 lbs.
Standards Met: Constructed to meet or exceed CSA B149.2 Propane Storage and Handling Code
Applications: Indoor Industrial and Commercial Use
Manufacturer's Warranty: 1 Year Limited



OPS-11108

Gas Cylinder Cabinets

Unit of measure: Each

- 14-gauge checker plate shelves and roof
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- Easy assemble, knock-down feature saves on shipping costs; Note: Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.
- English and French warning labels included
- Heavy-duty construction
- Innovative door design allows for left or right opening installation
- Padlock hasp for added security

Height: 37"
Width: 44"
Depth: 30"
Colour: Yellow
No. of Cylinders: 6
Weight: 135 lbs.
Holds: Liquid Propane (35lbs. Cylinders)
Manufacturer's Warranty: 1 Year Limited



Gas Cylinder Cabinets

3 options · Unit of measure: Each

- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- Easy assemble, knock-down feature saves on shipping costs; Note: Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.
- English and French warning labels included
- Heavy-duty construction
- Innovative door design allows for left or right opening installation
- Padlock hasp for added security

Colour: Yellow
Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WIDTH	DEPTH	NO. OF CYLINDERS	WEIGHT	HOLDS	NOTE
OPS-11109	74"	44"	30"	10	210 lbs.	—	—
OPS-11110	74"	44"	30"	12	270 lbs.	Liquid Propane (35lbs. Cylinders)	—
OPS-11112	37"	30"	17"	2	70 lbs.	—	All-welded, fully assembled



OPS-11111

Gas Cylinder Cabinets

Unit of measure: Each

- 14-gauge checker-plate roof panel
- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- Easy assemble, knock-down feature saves on shipping costs; Note: Constructed to meet or exceed strict CSA International B149.2-0 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.
- English and French warning labels included
- Heavy-duty construction
- Innovative door design allows for left or right opening installation
- OXYGEN GAS (9" DIAMETER CYLINDERS)
- Padlock hasp for added security

Height: 74"
Width: 88"
Depth: 30"
Colour: Yellow
No. of Cylinders: 20
Weight: 420 lbs.
Note: Consists of two units of the OPS-11109
Manufacturer's Warranty: 1 Year Limited

Geared Trolleys



Adjustable Trolley with Safety Plates

5 options · Unit of measure: Each

- Easily adjusts to fit various flanges, I-beams and H-beams
- Use on straight or curved track
- Can be installed or removed at any position on the beam
- Heavy-duty cast iron wheels
- Deep width flange provides superior contact with the beam
- Safety plate included
- Geared trolleys include two geared wheels operated by hand chain
- Meets ANSI B30.11

Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	I-BEAM FLANGE WIDTH	NET WEIGHT	A	B	C	E	H
OPS-11113	1000 lbs. (0.5 tons)	2-5/16" - 4-14/16"	24.25 lbs.	9-5/16"	8"	7-3/8"	7/8"	4-7/16"
OPS-11114	2000 lbs. (1 tons)	2-5/16" - 4-14/16"	24.25 lbs.	9-5/16"	9-13/16"	8-7/16"	7/16"	4-5/8"
OPS-11115	4000 lbs. (2 tons)	3-15/16" - 5-14/16"	35.28 lbs.	10-1/4"	10-5/8"	8-15/16"	9/16"	4-15/16"
OPS-11116	6000 lbs. (3 tons)	3-15/16" - 5-14/16"	49.61 lbs.	12"	12-3/8"	11-15/16"	5/16"	6-1/2"
OPS-11117	10000 lbs. (5 tons)	4-14/16" - 6-7/8"	74.97 lbs.	13-9/16"	14-1/8"	13-1/8"	13/16"	7-3/16"

Guard Rails



OPS-11118

Corner Post for Light-Duty Guard Rails

Unit of measure: Each

- Safeguards workers and equipment from impacts by forklifts and pallet trucks
- Powder-coated OSHA yellow for increased visibility
- Rails sold separately

Overall Height: 42"
Colour: Safety Yellow
Material: Steel
Mounting Plate: 8" x 8"
Weight: 24 lbs.
Vertical Distance Between Rails: 16-3/4"
Clearance from Bottom Rail to Ground: 16"
Includes: Installation Hardware & Post Cap



OPS-11119

Double Guard Rail Post

Unit of measure: Each

- Modular design allows you to customize your guard rail system to meet your specific needs
- Durable powder coated safety yellow finish for better visibility
- Mounting hardware and plastic cap included, floor anchors and guard rails sold separately

Overall Length: 5"
Overall Width: 5"
Overall Height: 44"
Colour: Safety Yellow
Material: Steel
Manufacturer's Warranty: 1 Year Limited




OPS-11120

End Post for Light-Duty Guard Rails

Unit of measure: Each

- Safeguards workers and equipment from impacts by forklifts and pallet trucks
- Powder-coated OSHA yellow for increased visibility
- Rails sold separately

Overall Height: 42"
Colour: Safety Yellow
Material: Steel
Mounting Plate: 8" x 8"
Weight: 22 lbs.
Vertical Distance Between Rails: 16-3/4"
Clearance from Bottom Rail to Ground: 16"
Includes: Installation Hardware & Post Cap



Floor Angle Guard Rails

3 options · Unit of measure: Each

- Floor angle guide rail helps keep traffic away from racking and shelving, walls, storage areas, offices, and other work areas
- The sturdy 5" H x 3" W x 1/4" D angle iron comes with holes to anchor to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included

Overall Width: 3"
Overall Height: 5"
Colour: Yellow
Material: Steel
Manufacturer's Warranty: 1 Year Limited
Mounting Hole Diameter ("): 0.625
Mounting Hole Distance from Edge ("): 6

ITEM #	OVERALL LENGTH	WEIGHT	THICKNESS	MOUNTING HOLE SPACING (CENTER TO CENTER) (")	NUMBER OF MOUNTING HOLES	THICKNESS (")
OPS-11121	48"	26 lbs.	0.25"	18	2	—
OPS-11122	60"	33 lbs.	—	24	2	0.25
OPS-11123	120"	66 lbs.	—	36	3	0.25



OPS-11124

In-Line Post for Light-Duty Guard Rails

Unit of measure: Each

- Safeguards workers and equipment from impacts by forklifts and pallet trucks
- Powder-coated OSHA yellow for increased visibility
- Rails sold separately

Overall Height: 42"
Colour: Safety Yellow
Material: Steel
Mounting Plate: 8" x 8"
Weight: 24 lbs.
Vertical Distance Between Rails: 16-3/4"
Clearance from Bottom Rail to Ground: 16"
Includes: Installation Hardware & Post Cap



Industrial Safety Guard Rail


9 options · Unit of measure: Each

- Modular design allows you to customize your guard rail system to meet your specific needs
- Durable powder coated safety yellow finish for better visibility
- When measuring a guardrail it is important to include the dimensions of the posts. Nominal length includes the width dimension of one post (5").

Overall Width: 3"
Overall Height: 12"
Colour: Safety Yellow
Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL LENGTH	NOMINAL LENGTH
OPS-11125	19"	24"
OPS-11126	31"	36"
OPS-11127	43"	48"

ITEM #	OVERALL LENGTH (cont.)	NOMINAL LENGTH
OPS-11128	55"	60"
OPS-11129	67"	72"
OPS-11130	79"	84"
OPS-11131	91"	96"
OPS-11132	103"	108"
OPS-11133	115"	120"



Product range

5 options · Unit of measure: Each

- Safeguards workers and equipment from impacts by forklifts and pallet trucks
- Powder-coated OSHA yellow for increased visibility
- Combine with posts to create easily installed barriers with temporary access (posts sold separately)

Overall Width: 2"
Overall Height: 4"
Colour: Safety Yellow
Material: Steel

ITEM #	PRODUCT	OVERALL LENGTH	WEIGHT
OPS-11134	Lift-Out Guard Rail	3'	11 lbs.
OPS-11135	Lift-Out Light-Duty Guard Rail	4'	15 lbs.
OPS-11136	Lift-Out Light-Duty Guard Rail	6'	23 lbs.
OPS-11137	Lift-Out Light-Duty Guard Rail	8'	30 lbs.
OPS-11138	Lift-Out Light-Duty Guard Rail	10'	38 lbs.



OPS-11139

Mounting Pocket for Safety Gate Railing

Unit of measure: Each

- Constructed from galvanized steel for corrosion resistance
- Can be anchored to floors and used outdoors
- Set screws lock posts securely into the mounting feet

Material: Steel



OPS-11140

Mounting Pocket for Safety Gate Railing

Unit of measure: Each

- Constructed from galvanized steel for corrosion resistance
- Can be anchored to floors and used outdoors
- Set screws lock posts securely into the mounting feet

Material: Steel



Safety Gate Railing

6 options · Unit of measure: Each

- Provides a strong, visible safety barrier for industrial areas
- Galvanized steel mounting pockets (sold separately) resist rust and weathering
- High-visibility powder-coated safety yellow finish enhances safety awareness
- All-steel build delivers dependable, long-lasting performance
- Floor-mount design suitable for both indoor and outdoor installation
- Set screws keep railing posts firmly secured in place

Overall Height: 42"
Material: Steel
Colour: Yellow

ITEM #	OVERALL LENGTH
OPS-11141	36"
OPS-11142	48"
OPS-11143	72"
OPS-11144	84"
OPS-11145	120"
OPS-11146	60"



OPS-11147

Single Guard Rail Post

Unit of measure: Each

- Modular design allows you to customize your guard rail system to meet your specific needs
- Durable powder coated safety yellow finish for better visibility
- Mounting hardware and plastic cap included, floor anchors and guard rails sold separately

Overall Length: 5"
Overall Width: 5"
Overall Height: 17"
Colour: Safety Yellow
Material: Steel
Manufacturer's Warranty: 1 Year Limited

Hand Truck Parts & Accessories




Aluminum Hand Truck Frame

4 options · Unit of measure: Each

Frame Material: Aluminum
Manufacturer's Warranty: 1 Year Limited

ITEM #	HANDLE TYPE	WEIGHT
OPS-11148	Straight frame	5.87 lbs.
OPS-11149	Straight frame with large cross bar	6.14 lbs.
OPS-11150	Curved back frame	7 lbs.
OPS-11151	Lattice back frame	7.39 lbs.



Aluminum Hand Truck Handle

4 options · Unit of measure: Each

Frame Material: Aluminum

Manufacturer's Warranty: 1 Year Limited

ITEM #	HANDLE TYPE	WEIGHT
OPS-11152	Standard loop with rubber sleeve	1.11 lbs.
OPS-11153	Standard loop	1.16 lbs.
OPS-11154	Vertical loop	1.79 lbs.
OPS-11155	Double grip	2.18 lbs.



Aluminum Hand Truck Nose Plate

4 options · Unit of measure: Each

Frame Material: Aluminum

Manufacturer's Warranty: 1 Year Limited

ITEM #	NOSE PLATE DIMENSIONS	WEIGHT
OPS-11156	14" W x 7 1/2"D	3.67 lbs.
OPS-11157	18" W x 7 1/2"D	5.32 lbs.
OPS-11158	18" W x 7 1/2"D	5.42 lbs.
OPS-11159	18" W x 10"D	7.12 lbs.



OPS-11160

Aluminum Hand Truck Replacement Wheel

Unit of measure: Each

- 5/8" bore

Wheel Material: Pneumatic

Wheel Size: 10" H x 3" W

Weight: 4.04 lbs.

Manufacturer's Warranty: 1 Year Limited



OPS-11161
Aluminum Hand Truck Replacement Wheel
Unit of measure: Each

Wheel Material: Mold on Rubber
Wheel Size: 8" H x 2" W
Weight: 2.51 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-11162
Aluminum Hand Truck Replacement Wheel
Unit of measure: Each

Wheel Material: Flat-Free
Wheel Size: 10" H x 3" W
Weight: 2.41 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-11163
Deluxe Hand Truck Nose Plate
Unit of measure: Each

Frame Material: Steel
Nose Plate Dimensions: 12" W x 22"D
Weight: 7.75 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-11164
Flat Free Wheel
Unit of measure: Each

- For hand truck

Wheel Material: Flat-Free
Bore Size: 5/8"
Capacity: 300 lbs
Wheel Diameter: 10"
Tread Width: 3-1/2"
Manufacturer's Warranty: 1 Year Limited



OPS-11165
Hand Truck Accessories - Stair Climbers
Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited



Hand Truck Attachments

2 options · Unit of measure: Each

- Constructed of 1", 14-gauge steel tubing
- Allows extra versatility to adapt to changing material handling requirements without the extra cost
- Easy to install
- Designed to fit most hand trucks with a 14" frame width
- Durable industrial blue polyurethane finish

Manufacturer's Warranty: 1 Year Limited

ITEM #	WEIGHT
OPS-11166	7.25 lbs.
OPS-11167	12 lbs.



Hand Truck Replacement Hand Grip

2 options · Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited

ITEM #	WEIGHT
OPS-11168	0.11 lbs.
OPS-11169	0.1 lbs.



Hand Truck Replacement Wheel

3 options · Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL MATERIAL	WHEEL SIZE	WEIGHT
OPS-11170	Pneumatic	10" H x 3" W	3.11 lbs.
OPS-11171	Pneumatic	10" H x 3" W	3.55 lbs.
OPS-11172	Rubber	8" H x 2" W	4.16 lbs.



OPS-11173

Replacement Care Free Wheel for Convertible Handtruck

Unit of measure: Each

- Washers and cotter pins not included

Manufacturer's Warranty: 1 Year Limited
Wheel Diameter: 10"
Bore Depth: 2.25"
Tread thickness: 2.75"



OPS-11174

Replacement Wheel Assembly for Stair Climbing Handtruck

Unit of measure: Each

- Washers and cotter pins not included

Manufacturer's Warranty: 1 Year Limited



Wheel Assembly

2 options · Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL MATERIAL	WHEEL SIZE	WEIGHT
OPS-11175	Mold on Rubber	8"	8 lbs.
OPS-11177	Flat-Free	10"	7.92 lbs.



OPS-11176

Wheel Assembly

Unit of measure: Each

Wheel Material: Pneumatic
Wheel Size: 10"
Weight: 11.18 lbs.
Manufacturer's Warranty: 1 Year Limited

Hand Trucks



All-Welded Hand Truck

9 options · Unit of measure: Each

- All welded construction
- Powder-coated paint
- Durable industrial blue enamel finish

Frame Material: Steel
Capacity: 600 lbs.
Colour: Industrial Blue
Steel Tubing ga.: 16
Manufacturer's Warranty: 1 Year Limited

ITEM #	HANDLE TYPE	NOSE PLATE DIMENSIONS	WHEEL MATERIAL	WHEEL SIZE	OVERALL HEIGHT	OVERALL WIDTH	STEEL NOSE PLATE GA.	WEIGHT
OPS-11178	Dual	14" W x 9" D	Pneumatic	10" H x 3" W	46"	21.5"	8	24 lbs.
OPS-11179	Continuous	14" W x 9" D	Pneumatic	10" H x 3" W	48"	21.5"	8	22 lbs.
OPS-11180	P-Handle	14" W x 9" D	Pneumatic	10" H x 3" W	51"	21.5"	8	26.lbs.
OPS-11181	Continuous	14" W x 8 1/2" D	Rubber	8" H x 2" W	46"	19-1/2"	7	27 lbs.
OPS-11182	Dual	14" W x 8 1/2" D	Rubber	8" H x 2" W	48"	19-1/2"	7	28 lbs.
OPS-11183	P-Handle	14" W x 9" D	Rubber	8" H x 2" W	51"	19-1/2"	7	28 lbs.
OPS-11184	Dual	14" W x 9" D	Flat-Free	10" H x 3-1/2" W	46"	22"	8	25 lbs.
OPS-11185	Continuous	14" W x 9" D	Flat-Free	10" H x 3-1/2" W	48"	22"	8	24 lbs.
OPS-11186	P-Handle	14" W x 9" D	Flat-Free	10" H x 3-1/2" W	51"	22"	8	28 lbs.



OPS-11187

Deluxe Hi-Boy Hand Truck

Unit of measure: Each

- Constructed of 1" round 14-gauge steel tubing
- Transport short to tall loads easily
- P handle ideal for one hand control
- Strong 12" x 14" x 3/16" thick nose plate
- Double welded 3/16" x 1 1/2" cross bars
- Add a folding nose extension to be able to transport larger loads
- Two 10" full pneumatic wheels
- Durable industrial blue polyurethane finish

Handle Type: P-Handle
Frame Material: Steel
Nose Plate Dimensions: 12" W x 14" D
Wheel Material: Pneumatic
Wheel Size: 10" H x 3" W
Capacity: 700 lbs.
Overall Height: 72"
Overall Width: 23"
Colour: Industrial Blue
Steel Tubing ga.: 14
Weight: 42 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-11188

Deluxe Lo-Boy Hand Truck

Unit of measure: Each

- Constructed of 1" round 14-gauge steel tubing
- Transport short to tall loads easily
- P handle ideal for one hand control
- Strong 12" x 14" x 3/16" thick nose plate
- Double welded 3/16" x 1 1/2" cross bars
- Add a folding nose extension to be able to transport larger loads
- Two 10" full pneumatic wheels
- Durable industrial blue polyurethane finish

Handle Type: P-Handle
Frame Material: Steel
Nose Plate Dimensions: 12" W x 14" D
Wheel Material: Pneumatic
Wheel Size: 10" H x 3" W
Capacity: 700 lbs.
Overall Height: 50"
Overall Width: 23"
Colour: Industrial Blue
Steel Tubing ga.: 14
Weight: 40 lbs.
Manufacturer's Warranty: 1 Year Limited



Heavy-Duty Hand Truck

7 options · Unit of measure: Each

Frame Material: Steel
Overall Width: 20"
Colour: Industrial Blue
Steel Nose Plate ga.: 6
Steel Tubing ga.: 14
Manufacturer's Warranty: 1 Year Limited

ITEM #	HANDLE TYPE	NOSE PLATE DIMENSIONS	WHEEL MATERIAL	WHEEL SIZE	CAPACITY	OVERALL HEIGHT	WEIGHT
OPS-11189	Dual	8" W x 12" D	Rubber	10" H x 2" W	1000 lbs.	52"	40 lbs.
OPS-11190	Dual	14" W x 8" D	Mold on Rubber	8" H x 2" W	1000 lbs.	46"	32 lbs.
OPS-11191	Dual	14" W x 8" D	Pneumatic	10" H x 3" W	800 lbs.	46"	24.5 lbs.
OPS-11192	Continuous	14" W x 8-3/4" D	Mold on Rubber	8" H x 2" W	1000 lbs.	50"	50 lbs.
OPS-11193	Continuous	14" W x 8-3/4" D	Pneumatic	10" H x 3" W	800 lbs.	50"	47 lbs.
OPS-11194	P-Handle	14" W x 8-3/4" D	Mold on Rubber	8" H x 2" W	1000 lbs.	50-3/4"	50 lbs.
OPS-11195	P-Handle	14" W x 8-3/4" D	Pneumatic	10" H x 3" W	800 lbs.	50-3/4"	47 lbs.



OPS-11196

Heavy-Duty Spade Truck

Unit of measure: Each

- Constructed of double-welded 1 1/4" round 14-gauge steel tubing
- Oversized nose plate and easy grip frame helps with the balancing of larger items
- Tapered 22" x 1/4" x 13" deep thick nose plate
- Two 10" mould-on rubber wheels
- Durable industrial blue polyurethane finish

Handle Type: Continuous
Frame Material: Steel
Nose Plate Dimensions: 22" W x 13" D
Wheel Material: Mold on Rubber
Wheel Size: 10" H x 2" W
Capacity: 1200 lbs.
Overall Height: 53"
Overall Width: 22"
Colour: Industrial Blue
Steel Tubing ga.: 14
Weight: 68 lbs.
Manufacturer's Warranty: 1 Year Limited



Knocked Down Hand Truck

27 options · Unit of measure: Each

- Weld-free construction for easy maintenance
- Shipped knocked down

Frame Material: Aluminum
Capacity: 500 lbs.

Manufacturer's Warranty: 1 Year Limited

ITEM #	HANDLE TYPE	NOSE PLATE DIMENSIONS	WHEEL MATERIAL	WHEEL SIZE	OVERALL HEIGHT	OVERALL WIDTH	COLOUR	WEIGHT	OVERALL DEPTH	SHIP WEIGHT
OPS-11197	Continuous	14" W x 7-1/2" D	Mold on Rubber	8" H x 2" W	49-5/8"	18-1/8"	Silver	21.17 lbs.	16-1/4"	20.3 lb
OPS-11198	Continuous	18" W x 7-1/2" D	Mold on Rubber	8" H x 2" W	49-5/8"	18-1/8"	Silver	26.7 lbs.	16-1/4"	24.5 lb
OPS-11199	Continuous	14" W x 7-1/2" D	Pneumatic	10" H x 3" W	49-5/8"	20-3/4"	Silver	26.67 lbs.	18-3/8"	24.4 lb
OPS-11200	P-Handle	18" W x 7-1/2" D	Mold on Rubber	8" H x 2" W	52-1/8"	18-1/8"	Silver	24.09 lbs.	16-1/4"	22.5 lb
OPS-11201	P-Handle	18" W x 7-1/2" D	Pneumatic	10" H x 3" W	52-1/8"	20-3/4"	Silver	27.02 lbs.	18-3/8"	25.6 lb
OPS-11202	P-Handle	18" W x 7-1/2" D	Flat-Free	10" H x 3" W	52-1/8"	19-1/2"	Silver	—	18-1/4"	22.3 lb
OPS-11203	Dual	14" W x 7-1/2" D	Pneumatic	10" H x 3" W	50-5/8"	20-3/4"	Silver	26 lbs.	18-3/8"	24.6 lb
OPS-11204	Dual	18" W x 10" D	Pneumatic	10" H x 3" W	50-5/8"	20-3/4"	Silver	—	20-1/8"	30.4 lb
OPS-11205	Dual	18" W x 10" D	Flat-Free	10" H x 3" W	50-5/8"	19-1/2"	Silver	—	20-7/8"	27.2 lb
OPS-11206	Single Grip	18" W x 7-1/2" D	Pneumatic	10" H x 3" W	50-5/8"	20-3/4"	Silver	27.25 lbs.	18-5/8"	26.4 lb
OPS-11207	Dual	18" W x 7-1/2" D	Pneumatic	10" H x 3" W	50-5/8"	20-3/4"	Silver	26.32 lbs.	18-3/8"	26.3 lb
OPS-11208	Dual	18" W x 7-1/2" D	Flat-Free	10" H x 3" W	50-5/8"	19-1/2"	Silver	23.06 lbs.	18-1/4"	23.0 lb
OPS-11209	P-Handle	14" W x 7-1/2" D	Rubber	8" H x 2" W	52-1/8"	18-1/8"	Silver	21.1 lbs.	16-1/4"	21.2 lb
OPS-11210	P-Handle	14" W x 7-1/2" D	Pneumatic	10" H x 3" W	52-1/8"	20-3/4"	Silver	24.28 lbs.	18-3/8"	24.2 lb
OPS-11211	Continuous	14" W x 7-1/2" D	Flat-Free	10" H x 3" W	49-5/8"	19-1/2"	Silver	21.2 lbs.	18-1/4"	21.1 lb
OPS-11212	Continuous	18" W x 10" D	Pneumatic	10" H x 3" W	49-5/8"	20-3/4"	Silver	28.35 lbs.	20-1/8"	29.4 lb
OPS-11213	Continuous	18" W x 10" D	Flat-Free	10" H x 3" W	49-5/8"	19-1/2"	Silver	25.09 lbs.	20-7/8"	26.1 lb
OPS-11214	Continuous	14" W x 7-1/2" D	Flat-Free	10" H x 3" W	49-5/8"	19-1/2"	Silver	20.12 lbs.	18-1/4"	20.1 lb
OPS-11215	P-Handle	18" W x 7-1/2" D	Pneumatic	10" H x 3" W	52-1/8"	20-3/4"	Silver	26.03 lbs.	18-5/8"	26.0 lb
OPS-11216	P-Handle	18" W x 7-1/2" D	Flat-Free	10" H x 3" W	52-1/8"	19-1/2"	Silver	22.77 lbs.	18-1/2"	22.7 lb
OPS-11217	Dual	18" W x 7-1/2" D	Mold on Rubber	8" H x 2" W	50-5/8"	18-1/8"	—	—	16-1/4"	22.9 lb
OPS-11218	Continuous	18" W x 7-1/2" D	Mold on Rubber	8" H x 2" W	49-5/8"	18-1/8"	—	—	16-1/4"	21.9 lb
OPS-11219	Continuous	14" W x 7-1/2" D	Pneumatic	10" H x 3" W	49-5/8"	20-3/4"	—	—	18-3/8"	23.3 lb

ITEM #	HANDLE TYPE (cont.)	NOSE PLATE DIMENSIONS	WHEEL MATERIAL	WHEEL SIZE	OVERALL HEIGHT	OVERALL WIDTH	COLOUR	WEIGHT	OVERALL DEPTH	SHIP WEIGHT
OPS-11220	P-Handle	18" W x 7-1/2" D	Pneumatic	10" H x 3" W	52-1/8"	20-3/4"	—	—	18-3/8"	25.6 lb
OPS-11221	Continuous	14" W x 7-1/2" D	Pneumatic	10" H x 3" W	49-5/8"	20-3/4"	—	—	18-3/8"	23.6 lb
OPS-11222	Continuous	18" W x 7-1/2" D	Flat-Free	10" H x 3" W	49-5/8"	19-1/2"	—	—	18-1/4"	21.7 lb
OPS-11223	P-Handle	14" W x 7-1/2" D	Flat-Free	10" H x 3" W	52-1/8"	19-1/2"	—	—	18-1/4"	20.7 lb



OPS-11224

Load Retention Hand Truck

Unit of measure: Each

- Constructed of 1" round 14-gauge steel tubing
- 18 1/2" x 53" load retention grill to safely handle wide and awkward loads
- Durable industrial blue polyurethane finish

Handle Type: Dual
Frame Material: Steel
Nose Plate Dimensions: 18 1/2" W x 9 3/4" D
Wheel Material: Pneumatic
Wheel Size: 10" H x 3" W
Capacity: 600 lbs.
Overall Height: 53"
Overall Width: 22"
Colour: Industrial Blue
Steel Nose Plate ga.: 7
Steel Tubing ga.: 14
Weight: 48 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-11225

Moving Kit

Unit of measure: Each

- Kit includes all the essential moving supplies
- Deluxe hand truck allows for easy transport of short or tall loads
- P-handle on hand truck allows for one-handed control
- Heavy-duty tape dispenser constructed of steel and a high-impact plastic frame
- Moving blanket, made from cotton and polyester, protects from scratches while providing extra cushioning
- Includes: 3 rolls of box sealing tape, 1 heavy-duty tape dispenser, 2 premium moving blankets and 1 steel deluxe hand truck

Handle Type: P-Handle
Frame Material: Steel
Nose Plate Dimensions: 12" W x 14" D
Wheel Material: Pneumatic
Wheel Size: 10" H x 3" W
Capacity: 700 lbs.
Overall Height: 50"
Overall Width: 23"
Tape Colour: Clear
Tape Dimensions: 72 mm (3") W x 66 m (216') L
Moving Blanket Dimensions: 72" W x 80" L
Moving Blanket Colour: Dark Blue and Light Blue
Manufacturer's Warranty: 1 Year Limited

Hardwood Dollies



Hardwood Dolly

6 options · Unit of measure: Each

- Kiln dried
- Countersunk bolts prevent scratches
- Rounded edges and handles facilitate storage and movability
- Non-marking casters
- Shipped knocked down

Width: 18"
Height: 7"
Wood thickness: 7/8"
Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	DEPTH	WHEEL MATERIAL	CASTER SIZE	DECK DIMENSIONS
OPS-11226	900 lbs.	24"	Polyolefin	3"	18" W x 24" L
OPS-11227	900 lbs.	30"	Polyolefin	3"	18" W x 30" L
OPS-11228	900 lbs.	24"	Polyurethane	3"	18" W x 24" L
OPS-11229	900 lbs.	30"	Polyurethane	3"	18" W x 30" L
OPS-11230	1000 lbs.	24"	Polyolefin	4"	18" W x 24" L
OPS-11231	1000 lbs.	30"	Polyolefin	4"	18" W x 30" L



Hardwood Dolly

2 options · Unit of measure: Each

- Kiln dried
- Countersunk bolts prevent scratches
- Rounded edges and handles facilitate storage and movability
- Non-marking casters
- Shipped knocked down

Capacity: 1400 lbs.
Width: 18"
Height: 7"
Wheel Material: Rubber
Caster Size: 4"
Wood thickness: 7/8"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	DECK DIMENSIONS
OPS-11232	24"	18" W x 24" L
OPS-11233	30"	18" W x 30" L




Hardwood Dolly Frame

4 options · Unit of measure: Each

- Kiln-dried
- Accommodates caster plates up to 4 mm thick
- Casters sold separately

Capacity: 900 lbs.
Width: 18"
Height: 1.5"
Wheel Material: Not Included
Handle Size: 1" x 4-1/2"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	BOLT PATTERN	WEIGHT	SHIP WEIGHT
OPS-11234	24"	2" x 3"	5.5 lbs.	9.5 lb
OPS-11235	24"	2" x 3"	5.5 lbs.	7.6 lb
OPS-11236	24"	2-1/2" x 3-1/4"	6 lbs.	7.5 lb
OPS-11237	30"	2-1/2" x 3-1/4"	6 lbs.	8.0 lb



Product range

4 options · Unit of measure: Each

- Shipped knocked down

Width: 18"
Height: 7"

Platform Type: Standard
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	DEPTH	WHEEL MATERIAL	WEIGHT	DECK DIMENSIONS
OPS-11238	Heavy-Duty Solid Wood Dollies	1400 lbs.	24"	Rubber	26.25 lbs.	18" W X 24" L
OPS-11240	Heavy-Duty Solid Wood Dollies	1400 lbs.	30"	Rubber	28.5 lbs.	18" W X 30" L
OPS-11242	Medium-Duty Solid Wood Dollies	900 lbs.	24"	Polyolefin	22 lbs.	18" W X 24" L
OPS-11244	Medium-Duty Solid Wood Dollies	900 lbs.	30"	Polyolefin	26 lbs.	18" W X 30" L



Product range

4 options · Unit of measure: Each

- Carpeted dolly will prevent marks and scratches on equipment
- Shipped knocked down

Width: 18"
Height: 7"

Platform Type: Carpeted
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	DEPTH	WHEEL MATERIAL	WEIGHT	DECK DIMENSIONS
OPS-11239	Heavy-Duty Solid Wood Dollies	1400 lbs.	24"	Rubber	27.8 lbs.	18" W X 24" L
OPS-11241	Heavy-Duty Solid Wood Dollies	1400 lbs.	30"	Rubber	30.65 lbs.	18" W X 30" L
OPS-11243	Medium-Duty Solid Wood Dollies	900 lbs.	24"	Polyolefin	23.4 lbs.	18" W X 24" L
OPS-11245	Medium-Duty Solid Wood Dollies	900 lbs.	30"	Polyolefin	26.75 lbs.	18" W X 30" L



Wood Dollies - Heavy-Duty

2 options · Unit of measure: Each

- 1 3/4" wood top (2 x 7/8" pieces); countersunk bolts
- 4" resilient Non-marking casters
- Shipped knocked down

Capacity: 1400 lbs.
Width: 18"
Height: 7"

Wheel Material: Rubber
Platform Type: Standard
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	WEIGHT	DECK DIMENSIONS
OPS-11246	24"	20.2 lbs.	18" W x 24" L
OPS-11248	30"	22 lbs.	18" W x 30" L



Wood Dollies - Heavy-Duty

2 options · Unit of measure: Each

- 1 3/4" wood top (2 x 7/8" pieces); countersunk bolts
- 4" resilient Non-marking casters
- Carpeted dolly will prevent marks/ scratches on equipment
- Shipped knocked down
- Carpeted dolly comes with a frame with a hollow middle and a pad

Capacity: 1400 lbs.
Width: 18"
Height: 7"
Wheel Material: Rubber
Platform Type: Carpeted
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	WEIGHT	DECK DIMENSIONS
OPS-11247	24"	18.5 lbs.	18" W x 24" L
OPS-11249	30"	24 lbs.	18" W x 30" L



Wood Dollies - Medium-Duty

4 options · Unit of measure: Each

- 7/8" wood top; countersunk bolts
- 3" polyolefin casters
- Shipped knocked down

Capacity: 900 lbs.
Width: 18"
Height: 7"
Wheel Material: Polyolefin
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	PLATFORM TYPE	WEIGHT	DECK DIMENSIONS
OPS-11250	24"	Standard	16.36 lbs.	18" W x 24" L
OPS-11251	24"	Carpeted	19.55 lbs.	18" W x 24" L
OPS-11252	30"	Standard	18 lbs.	18" W x 30" L
OPS-11253	30"	Carpeted	20 lbs.	18" W x 30" L

Hardwood Top Workbenches



Extra Heavy-Duty Pedestal Workbench

4 options · Unit of measure: Each

- Designed for workshop applications
- Feature 1 3/4" thick solid laminated hardwood top, mounted on two all-welded pedestals with two shelves each
- Pedestals are 18" W x 24" D x 32" H
- Shipped knocked down
- Durable industrial blue polyurethane finish
- Capacity based on evenly distributed weight

Capacity: 2500 lbs.
Configuration: Shelf
Height: 34"
Depth: 30"
Overall Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	WEIGHT
OPS-11254	120"	275 lbs.
OPS-11255	60"	157 lbs.
OPS-11256	72"	174 lbs.
OPS-11257	84"	184 lbs.



Product range

24 options · Unit of measure: Each

Configuration: Top & Legs Only

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE	ASSEMBLY TYPE
OPS-11258	Heavy-Duty Modular Workbench	2500 lbs.	48"	24"	Laminated	1-1/4"	—	—	—	—
OPS-11259	Heavy-Duty Modular Workbench	2500 lbs.	48"	24"	Laminated	1-3/4"	—	—	—	—
OPS-11260	Heavy-Duty Modular Workbench	2500 lbs.	48"	24"	Laminated - Square Edge	1-1/4"	—	—	—	—
OPS-11261	Heavy-Duty Modular Workbench	2500 lbs.	60"	24"	Laminated - Square Edge	1-1/4"	—	—	—	—
OPS-11262	Heavy-Duty Modular Workbench	2500 lbs.	60"	30"	Laminated - Square Edge	1-1/4"	—	—	—	—
OPS-11263	Heavy-Duty Modular Workbench	2500 lbs.	72"	30"	Laminated - Square Edge	1-1/4"	—	—	—	—
OPS-11264	Heavy-Duty Modular Workbench	2500 lbs.	60"	36"	Laminated - Square Edge	1-1/4"	—	—	—	—
OPS-11265	Heavy-Duty Modular Workbench	2500 lbs.	72"	36"	Laminated - Square Edge	1-1/4"	—	—	—	—
OPS-11266	Heavy-Duty Modular Workbench	2500 lbs.	48"	24"	Laminated - Square Edge	1-3/4"	—	—	—	—
OPS-11267	Heavy-Duty Modular Workbench	2500 lbs.	60"	24"	Laminated - Square Edge	1-3/4"	—	—	—	—
OPS-11268	Heavy-Duty Modular Workbench	2500 lbs.	60"	30"	Laminated - Square Edge	1-3/4"	—	—	—	—
OPS-11269	Heavy-Duty Modular Workbench	2500 lbs.	72"	30"	Laminated - Square Edge	1-3/4"	—	—	—	—

ITEM #	PRODUCT (cont.)	CAPACITY	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE	ASSEMBLY TYPE
OPS-11270	Heavy-Duty Modular Workbench	2500 lbs.	60"	36"	Laminated - Square Edge	1-3/4"	—	—	—	—
OPS-11271	Heavy-Duty Modular Workbench	2500 lbs.	72"	36"	Laminated - Square Edge	1-3/4"	—	—	—	—
OPS-11300	Heavy-Duty Workbench	1500 lbs.	60"	24"	—	—	34"	1-1/4"	Bullnose	—
OPS-11301	Heavy-Duty Workbench	1500 lbs.	60"	30"	—	—	34"	1-1/4"	Bullnose	—
OPS-11302	Heavy-Duty Workbench	1500 lbs.	72"	30"	—	—	34"	1-1/4"	Bullnose	—
OPS-11303	Heavy-Duty Workbench	1500 lbs.	60"	36"	—	—	34"	1-1/4"	Bullnose	—
OPS-11304	Heavy-Duty Workbench	1500 lbs.	72"	36"	—	—	34"	1-1/4"	Bullnose	—
OPS-11600	Pre-Designed Workbench	2500 lbs.	60"	24"	—	—	34"	—	—	—
OPS-11601	Pre-Designed Workbench	2500 lbs.	60"	30"	—	—	34"	—	—	—
OPS-11602	Pre-Designed Workbench	2500 lbs.	72"	30"	—	—	34"	—	—	—
OPS-11603	Pre-Designed Workbench	2500 lbs.	60"	36"	—	—	34"	—	—	—
OPS-11604	Pre-Designed Workbench	2500 lbs.	72"	36"	—	—	34"	—	—	Knocked Down



Product range

24 options · Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	CONFIGURATION	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11272	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	48"	24"	Laminated	1-1/4"	—	—	—
OPS-11273	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	48"	24"	Laminated	1-3/4"	—	—	—
OPS-11274	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	48"	24"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11275	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	60"	24"	Laminated - Square Edge	1-1/4"	—	—	—

ITEM #	PRODUCT (cont.)	CAPACITY	CONFIGURATION	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11276	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	60"	30"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11277	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	72"	30"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11278	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	60"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11279	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	72"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11280	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	48"	24"	Laminated - Square Edge	1-3/4"	—	—	—
OPS-11281	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	60"	24"	Laminated - Square Edge	1-3/4"	—	—	—
OPS-11282	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	60"	30"	Laminated - Square Edge	1-3/4"	—	—	—
OPS-11283	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	72"	30"	Laminated - Square Edge	1-3/4"	—	—	—
OPS-11284	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	60"	36"	Laminated - Square Edge	1-3/4"	—	—	—
OPS-11285	Heavy-Duty Modular Workbench	2500 lbs.	Drawers/Shelf	72"	36"	Laminated - Square Edge	1-3/4"	—	—	—
OPS-11310	Heavy-Duty Workbench	1500 lbs.	Drawers/Shelf	60"	24"	—	—	34"	1-1/4"	Bullnose
OPS-11311	Heavy-Duty Workbench	1500 lbs.	Drawers/Shelf	60"	30"	—	—	34"	1-1/4"	Bullnose
OPS-11312	Heavy-Duty Workbench	1500 lbs.	Drawers/Shelf	72"	30"	—	—	34"	1-1/4"	Bullnose
OPS-11313	Heavy-Duty Workbench	1500 lbs.	Drawers/Shelf	60"	36"	—	—	34"	1-1/4"	Bullnose
OPS-11314	Heavy-Duty Workbench	1500 lbs.	Drawers/Shelf	72"	36"	—	—	34"	1-1/4"	Bullnose
OPS-11630	Pre-Designed Workbench	2500 lbs.	Shelf/Drawers	60"	24"	—	—	34"	—	—
OPS-11631	Pre-Designed Workbench	2500 lbs.	Shelf/Drawers	60"	30"	—	—	34"	—	—
OPS-11632	Pre-Designed Workbench	2500 lbs.	Shelf/Drawers	72"	30"	—	—	34"	—	—
OPS-11633	Pre-Designed Workbench	2500 lbs.	Shelf/Drawers	60"	36"	—	—	34"	—	—
OPS-11634	Pre-Designed Workbench	2500 lbs.	Shelf/Drawers	72"	36"	—	—	34"	—	—



Product range

24 options · Unit of measure: Each

Configuration: Shelf

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11286	Heavy-Duty Modular Workbench	2500 lbs.	48"	24"	Laminated	1-1/4"	—	—	—
OPS-11287	Heavy-Duty Modular Workbench	2500 lbs.	48"	24"	Laminated	1-3/4"	—	—	—
OPS-11288	Heavy-Duty Modular Workbench	2500 lbs.	48"	24"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11289	Heavy-Duty Modular Workbench	2500 lbs.	60"	24"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11290	Heavy-Duty Modular Workbench	2500 lbs.	60"	30"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11291	Heavy-Duty Modular Workbench	2500 lbs.	72"	30"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11292	Heavy-Duty Modular Workbench	2500 lbs.	60"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11293	Heavy-Duty Modular Workbench	2500 lbs.	72"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11294	Heavy-Duty Modular Workbench	2500 lbs.	48"	24"	Laminated - Square Edge	1-3/4"	—	—	—
OPS-11295	Heavy-Duty Modular Workbench	2500 lbs.	60"	24"	Laminated - Square Edge	1-3/4"	—	—	—
OPS-11296	Heavy-Duty Modular Workbench	2500 lbs.	60"	30"	Laminated - Square Edge	1-3/4"	—	—	—
OPS-11297	Heavy-Duty Modular Workbench	2500 lbs.	72"	30"	Laminated - Square Edge	1-3/4"	—	—	—
OPS-11298	Heavy-Duty Modular Workbench	2500 lbs.	60"	36"	Laminated - Square Edge	1-3/4"	—	—	—
OPS-11299	Heavy-Duty Modular Workbench	2500 lbs.	72"	36"	Laminated - Square Edge	1-3/4"	—	—	—
OPS-11305	Heavy-Duty Workbench	1500 lbs.	60"	24"	—	—	34"	1-1/4"	Bullnose
OPS-11306	Heavy-Duty Workbench	1500 lbs.	60"	30"	—	—	34"	1-1/4"	Bullnose
OPS-11307	Heavy-Duty Workbench	1500 lbs.	72"	30"	—	—	34"	1-1/4"	Bullnose

ITEM #	PRODUCT (cont.)	CAPACITY	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11308	Heavy-Duty Workbench	1500 lbs.	60"	36"	—	—	34"	1-1/4"	Bullnose
OPS-11309	Heavy-Duty Workbench	1500 lbs.	72"	36"	—	—	34"	1-1/4"	Bullnose
OPS-11605	Pre-Designed Workbench	2500 lbs.	60"	24"	—	—	34"	—	—
OPS-11606	Pre-Designed Workbench	2500 lbs.	60"	30"	—	—	34"	—	—
OPS-11607	Pre-Designed Workbench	2500 lbs.	72"	30"	—	—	34"	—	—
OPS-11608	Pre-Designed Workbench	2500 lbs.	60"	36"	—	—	34"	—	—
OPS-11609	Pre-Designed Workbench	2500 lbs.	72"	36"	—	—	34"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Height: 34"

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	CONFIGURATION	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11315	Heavy-Duty Workbench	1500 lbs.	Door w/ Drawer Combination	60"	24"	1-1/4"	Bullnose
OPS-11316	Heavy-Duty Workbench	1500 lbs.	Door w/ Drawer Combination	60"	30"	1-1/4"	Bullnose
OPS-11317	Heavy-Duty Workbench	1500 lbs.	Door w/ Drawer Combination	72"	30"	1-1/4"	Bullnose
OPS-11318	Heavy-Duty Workbench	1500 lbs.	Door w/ Drawer Combination	60"	36"	1-1/4"	Bullnose
OPS-11319	Heavy-Duty Workbench	1500 lbs.	Door w/ Drawer Combination	72"	36"	1-1/4"	Bullnose
OPS-11610	Pre-Designed Workbench	2500 lbs.	Drawers	60"	24"	—	—
OPS-11611	Pre-Designed Workbench	2500 lbs.	Drawers	60"	30"	—	—
OPS-11612	Pre-Designed Workbench	2500 lbs.	Drawers	72"	30"	—	—
OPS-11613	Pre-Designed Workbench	2500 lbs.	Drawers	60"	36"	—	—
OPS-11614	Pre-Designed Workbench	2500 lbs.	Drawers	72"	36"	—	—




Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11320	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11321	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11322	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11323	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11324	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11652	Workbench	2500 lbs.	60"	24"	—	—
OPS-11653	Workbench	2500 lbs.	60"	30"	—	—
OPS-11654	Workbench	2500 lbs.	72"	30"	—	—
OPS-11655	Workbench	2500 lbs.	60"	36"	—	—
OPS-11656	Workbench	2500 lbs.	72"	36"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11325	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11326	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11327	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11328	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11329	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11645	Pre-Designed Workbench	2500 lbs.	72"	36"	—	—
OPS-11646	Pre-Designed Workbench	2500 lbs.	60"	36"	—	—
OPS-11647	Pre-Designed Workbench	2500 lbs.	72"	30"	—	—
OPS-11648	Pre-Designed Workbench	2500 lbs.	60"	30"	—	—
OPS-11649	Pre-Designed Workbench	2500 lbs.	60"	24"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Door & Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11330	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11331	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11332	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11333	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11334	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11615	Pre-Designed Workbench	2500 lbs.	60"	24"	—	—
OPS-11616	Pre-Designed Workbench	2500 lbs.	60"	30"	—	—
OPS-11617	Pre-Designed Workbench	2500 lbs.	72"	30"	—	—
OPS-11618	Pre-Designed Workbench	2500 lbs.	60"	36"	—	—
OPS-11619	Pre-Designed Workbench	2500 lbs.	72"	36"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Dual Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11335	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11336	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11337	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11338	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11339	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11625	Pre-Designed Workbench	2500 lbs.	60"	24"	—	—
OPS-11626	Pre-Designed Workbench	2500 lbs.	60"	30"	—	—
OPS-11627	Pre-Designed Workbench	2500 lbs.	72"	30"	—	—
OPS-11628	Pre-Designed Workbench	2500 lbs.	60"	36"	—	—
OPS-11629	Pre-Designed Workbench	2500 lbs.	72"	36"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Dual Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11340	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11341	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11342	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11343	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11344	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11640	Pre-Designed Workbench	2500 lbs.	72"	36"	—	—
OPS-11641	Pre-Designed Workbench	2500 lbs.	60"	36"	—	—
OPS-11642	Pre-Designed Workbench	2500 lbs.	72"	30"	—	—
OPS-11643	Pre-Designed Workbench	2500 lbs.	60"	30"	—	—
OPS-11644	Pre-Designed Workbench	2500 lbs.	60"	24"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Door & Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11345	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11346	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11347	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11348	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11349	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11657	Workbench	2500 lbs.	72"	36"	—	—
OPS-11658	Workbench	2500 lbs.	60"	36"	—	—
OPS-11659	Workbench	2500 lbs.	72"	30"	—	—
OPS-11660	Workbench	2500 lbs.	60"	30"	—	—
OPS-11661	Workbench	2500 lbs.	60"	24"	—	—




Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Dual Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11350	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11351	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11352	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11353	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11354	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11620	Pre-Designed Workbench	2500 lbs.	60"	24"	—	—
OPS-11621	Pre-Designed Workbench	2500 lbs.	60"	30"	—	—
OPS-11622	Pre-Designed Workbench	2500 lbs.	72"	30"	—	—
OPS-11623	Pre-Designed Workbench	2500 lbs.	60"	36"	—	—
OPS-11624	Pre-Designed Workbench	2500 lbs.	72"	36"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Dual Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11355	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11356	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11357	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11358	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11359	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11635	Pre-Designed Workbench	2500 lbs.	60"	24"	—	—
OPS-11636	Pre-Designed Workbench	2500 lbs.	60"	30"	—	—
OPS-11637	Pre-Designed Workbench	2500 lbs.	72"	30"	—	—
OPS-11638	Pre-Designed Workbench	2500 lbs.	60"	36"	—	—
OPS-11639	Pre-Designed Workbench	2500 lbs.	72"	36"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11360	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11361	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11362	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11363	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11364	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11662	Workbench	2500 lbs.	72"	36"	—	—
OPS-11663	Workbench	2500 lbs.	60"	36"	—	—
OPS-11664	Workbench	2500 lbs.	72"	30"	—	—
OPS-11665	Workbench	2500 lbs.	60"	30"	—	—
OPS-11666	Workbench	2500 lbs.	60"	24"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11365	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11366	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11367	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11368	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11369	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11667	Workbench	2500 lbs.	72"	36"	—	—
OPS-11668	Workbench	2500 lbs.	60"	36"	—	—
OPS-11669	Workbench	2500 lbs.	72"	30"	—	—
OPS-11670	Workbench	2500 lbs.	60"	30"	—	—
OPS-11671	Workbench	2500 lbs.	60"	24"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Doors
Height: 34"

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11370	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11371	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11372	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11373	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11374	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11672	Workbench	2500 lbs.	72"	36"	—	—
OPS-11673	Workbench	2500 lbs.	60"	36"	—	—
OPS-11674	Workbench	2500 lbs.	72"	30"	—	—
OPS-11675	Workbench	2500 lbs.	60"	30"	—	—
OPS-11676	Workbench	2500 lbs.	60"	24"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Doors
Height: 34"

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11375	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11376	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11377	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11378	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11379	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11677	Workbench	2500 lbs.	72"	36"	—	—
OPS-11678	Workbench	2500 lbs.	60"	36"	—	—
OPS-11679	Workbench	2500 lbs.	72"	30"	—	—
OPS-11680	Workbench	2500 lbs.	60"	30"	—	—
OPS-11681	Workbench	2500 lbs.	60"	24"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Door w/ Drawer Combination
Manufacturer's Warranty: 1 Year Limited
Height: 34"

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11380	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11381	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11382	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11383	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11384	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11682	Workbench	2500 lbs.	72"	36"	—	—
OPS-11683	Workbench	2500 lbs.	60"	36"	—	—
OPS-11684	Workbench	2500 lbs.	72"	30"	—	—
OPS-11685	Workbench	2500 lbs.	60"	30"	—	—
OPS-11686	Workbench	2500 lbs.	60"	24"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Door & Drawers
Manufacturer's Warranty: 1 Year Limited
Height: 34"

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11385	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11386	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11387	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11388	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11389	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11687	Workbench	2500 lbs.	72"	36"	—	—
OPS-11688	Workbench	2500 lbs.	60"	36"	—	—
OPS-11689	Workbench	2500 lbs.	72"	30"	—	—
OPS-11690	Workbench	2500 lbs.	60"	30"	—	—
OPS-11691	Workbench	2500 lbs.	60"	24"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Door & Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11390	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11391	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11392	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11393	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11394	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11692	Workbench	2500 lbs.	72"	36"	—	—
OPS-11693	Workbench	2500 lbs.	60"	36"	—	—
OPS-11694	Workbench	2500 lbs.	72"	30"	—	—
OPS-11695	Workbench	2500 lbs.	60"	30"	—	—
OPS-11696	Workbench	2500 lbs.	60"	24"	—	—



Product range

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops

Configuration: Door & Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11395	Heavy-Duty Workbench	1500 lbs.	72"	36"	1-1/4"	Bullnose
OPS-11396	Heavy-Duty Workbench	1500 lbs.	60"	36"	1-1/4"	Bullnose
OPS-11397	Heavy-Duty Workbench	1500 lbs.	72"	30"	1-1/4"	Bullnose
OPS-11398	Heavy-Duty Workbench	1500 lbs.	60"	30"	1-1/4"	Bullnose
OPS-11399	Heavy-Duty Workbench	1500 lbs.	60"	24"	1-1/4"	Bullnose
OPS-11697	Workbench	2500 lbs.	72"	36"	—	—
OPS-11698	Workbench	2500 lbs.	60"	36"	—	—
OPS-11699	Workbench	2500 lbs.	72"	30"	—	—
OPS-11700	Workbench	2500 lbs.	60"	30"	—	—
OPS-11701	Workbench	2500 lbs.	60"	24"	—	—



Product range

12 options · Unit of measure: Each

- Powder coated metal components

Capacity: 1000 lbs.
Configuration: Top & Legs Only
Manufacturer's Warranty: 1 Year Limited
Frame Colour: Grey

ITEM #	PRODUCT	HEIGHT	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE	TOP TYPE	TOP THICKNESS
OPS-11400	Industrial Duty Workbench	34"	60"	24"	1-3/4"	Bullnose	—	—
OPS-11401	Industrial Duty Workbench	34"	60"	30"	1-3/4"	Bullnose	—	—
OPS-11402	Industrial Duty Workbench	34"	72"	30"	1-3/4"	Bullnose	—	—
OPS-11403	Industrial Duty Workbench	34"	72"	36"	1-3/4"	Bullnose	—	—
OPS-11464	Industrial Modular Workbench	—	48"	24"	—	—	Laminated	1-3/4"
OPS-11471	Industrial Modular Workbench	—	48"	24"	—	—	Laminated - Square Edge	1-3/4"
OPS-11472	Industrial Modular Workbench	—	60"	24"	—	—	Laminated - Square Edge	1-3/4"
OPS-11473	Industrial Modular Workbench	—	60"	30"	—	—	Laminated - Square Edge	1-3/4"
OPS-11474	Industrial Modular Workbench	—	72"	30"	—	—	Laminated - Square Edge	1-3/4"
OPS-11475	Industrial Modular Workbench	—	60"	36"	—	—	Laminated - Square Edge	1-3/4"
OPS-11476	Industrial Modular Workbench	—	72"	36"	—	—	Laminated - Square Edge	1-3/4"
OPS-11650	Standard Duty Workbench	34"	60"	36"	1-3/4"	Bullnose	—	—



Product range

12 options · Unit of measure: Each

- Powder coated metal components

Capacity: 1000 lbs.
Configuration: Shelf
Manufacturer's Warranty: 1 Year Limited
Frame Colour: Grey

ITEM #	PRODUCT	HEIGHT	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE	WOOD TOP OVERALL THICKNESS	TOP TYPE	TOP THICKNESS
OPS-11404	Industrial Duty Workbench	34"	60"	24"	1-3/4"	Bullnose	—	—	—
OPS-11405	Industrial Duty Workbench	34"	60"	30"	1-3/4"	Bullnose	—	—	—
OPS-11406	Industrial Duty Workbench	34"	72"	30"	—	—	1-3/4"	—	—
OPS-11407	Industrial Duty Workbench	34"	60"	36"	1-3/4"	Bullnose	—	—	—
OPS-11408	Industrial Duty Workbench	34"	72"	36"	1-3/4"	Bullnose	—	—	—
OPS-11492	Industrial Modular Workbench	—	48"	24"	—	—	—	Laminated	1-3/4"
OPS-11499	Industrial Modular Workbench	—	48"	24"	—	—	—	Laminated - Square Edge	1-3/4"
OPS-11500	Industrial Modular Workbench	—	60"	24"	—	—	—	Laminated - Square Edge	1-3/4"
OPS-11501	Industrial Modular Workbench	—	60"	30"	—	—	—	Laminated - Square Edge	1-3/4"
OPS-11502	Industrial Modular Workbench	—	72"	30"	—	—	—	Laminated - Square Edge	1-3/4"
OPS-11503	Industrial Modular Workbench	—	60"	36"	—	—	—	Laminated - Square Edge	1-3/4"
OPS-11504	Industrial Modular Workbench	—	72"	36"	—	—	—	Laminated - Square Edge	1-3/4"



Product range

12 options · Unit of measure: Each

Capacity: 1000 lbs.
Configuration: Drawers/Shelf

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	HEIGHT	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE	TOP TYPE	TOP THICKNESS
OPS-11409	Industrial Duty Workbench	34"	60"	24"	1-3/4"	Bullnose	—	—
OPS-11410	Industrial Duty Workbench	34"	60"	30"	1-3/4"	Bullnose	—	—
OPS-11411	Industrial Duty Workbench	34"	72"	30"	1-3/4"	Bullnose	—	—

ITEM #	PRODUCT (cont.)	HEIGHT	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE	TOP TYPE	TOP THICKNESS
OPS-11412	Industrial Duty Workbench	34"	60"	36"	1-3/4"	Bullnose	—	—
OPS-11413	Industrial Duty Workbench	34"	72"	36"	1-3/4"	Bullnose	—	—
OPS-11478	Industrial Modular Workbench	—	48"	24"	—	—	Laminated	1-3/4"
OPS-11485	Industrial Modular Workbench	—	48"	24"	—	—	Laminated - Square Edge	1-3/4"
OPS-11486	Industrial Modular Workbench	—	60"	24"	—	—	Laminated - Square Edge	1-3/4"
OPS-11487	Industrial Modular Workbench	—	60"	30"	—	—	Laminated - Square Edge	1-3/4"
OPS-11488	Industrial Modular Workbench	—	72"	30"	—	—	Laminated - Square Edge	1-3/4"
OPS-11489	Industrial Modular Workbench	—	60"	36"	—	—	Laminated - Square Edge	1-3/4"
OPS-11490	Industrial Modular Workbench	—	72"	36"	—	—	Laminated - Square Edge	1-3/4"



Industrial Duty Workbench

5 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 1000 lbs.
Configuration: Door w/ Drawer Combination
Height: 34"
Laminate Hardwood Top Overall Thickness: 1-3/4"
Nose Type: Bullnose
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-11414	24"	60"
OPS-11415	30"	60"
OPS-11416	30"	72"
OPS-11417	36"	60"
OPS-11418	36"	72"



Product range

10 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Configuration: Drawers
Height: 34"
Nose Type: Bullnose
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATE HARDWOOD TOP OVERALL THICKNESS	LAMINATED HARDWOOD TOP OVERALL THICKNESS
OPS-11419	Industrial Duty Workbench	1000 lbs.	24"	60"	1-3/4"	—
OPS-11420	Industrial Duty Workbench	1000 lbs.	30"	60"	1-3/4"	—
OPS-11421	Industrial Duty Workbench	1000 lbs.	30"	72"	1-3/4"	—

ITEM #	PRODUCT (cont.)	CAPACITY	WIDTH	DEPTH	LAMINATE HARDWOOD TOP OVERALL THICKNESS	LAMINATED HARDWOOD TOP OVERALL THICKNESS
OPS-11422	Industrial Duty Workbench	1000 lbs.	36"	60"	1-3/4"	—
OPS-11423	Industrial Duty Workbench	1000 lbs.	36"	72"	1-3/4"	—
OPS-11555	Industrial-Duty Workbench	1000 lbs	60"	24"	—	1-1/4"
OPS-11556	Industrial-Duty Workbench	1000 lbs	60"	30"	—	1-1/4"
OPS-11557	Industrial-Duty Workbench	1000 lbs	72"	30"	—	1-1/4"
OPS-11558	Industrial-Duty Workbench	1000 lbs	60"	36"	—	1-1/4"
OPS-11559	Industrial-Duty Workbench	1000 lbs	72"	36"	—	1-1/4"



Industrial Duty Workbench

5 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 1000 lbs.
Configuration: Drawers
Height: 34"
Laminate Hardwood Top Overall Thickness: 1-3/4"
Nose Type: Bullnose
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-11424	24"	60"
OPS-11425	30"	60"
OPS-11426	30"	72"
OPS-11427	36"	60"
OPS-11428	36"	72"



Product range

15 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Configuration: Drawers
Height: 34"
Nose Type: Bullnose
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	LAMINATE HARDWOOD TOP OVERALL THICKNESS	LAMINATED HARDWOOD TOP OVERALL THICKNESS	SHIP WEIGHT
OPS-11429	Industrial Duty Workbench	1000 lbs.	36"	72"	1-3/4"	—	195.3 lb
OPS-11430	Industrial Duty Workbench	1000 lbs.	36"	60"	1-3/4"	—	200.3 lb
OPS-11431	Industrial Duty Workbench	1000 lbs.	30"	72"	1-3/4"	—	180.3 lb
OPS-11432	Industrial Duty Workbench	1000 lbs.	30"	60"	1-3/4"	—	163.3 lb
OPS-11433	Industrial Duty Workbench	1000 lbs.	24"	60"	1-3/4"	—	146.8 lb
OPS-11449	Industrial Duty Workbench	1000 lbs.	36"	72"	1-3/4"	—	215.3 lb
OPS-11450	Industrial Duty Workbench	1000 lbs.	36"	60"	1-3/4"	—	220.3 lb
OPS-11451	Industrial Duty Workbench	1000 lbs.	30"	72"	1-3/4"	—	200.3 lb
OPS-11452	Industrial Duty Workbench	1000 lbs.	30"	60"	1-3/4"	—	183.3 lb
OPS-11453	Industrial Duty Workbench	1000 lbs.	24"	60"	1-3/4"	—	166.8 lb
OPS-11565	Industrial-Duty Workbench	1000 lbs	72"	36"	—	1-1/4"	164.3 lb
OPS-11566	Industrial-Duty Workbench	1000 lbs	60"	36"	—	1-1/4"	165.3 lb

ITEM #	PRODUCT (cont.)	CAPACITY	WIDTH	DEPTH	LAMINATE HARDWOOD TOP OVERALL THICKNESS	LAMINATED HARDWOOD TOP OVERALL THICKNESS	SHIP WEIGHT
OPS-11567	Industrial-Duty Workbench	1000 lbs	72"	30"	—	1-1/4"	157.3 lb
OPS-11568	Industrial-Duty Workbench	1000 lbs	60"	30"	—	1-1/4"	145.3 lb
OPS-11569	Industrial-Duty Workbench	1000 lbs	60"	24"	—	1-1/4"	132.8 lb



Industrial Duty Workbench

10 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 1000 lbs.
Height: 34"
Laminate Hardwood Top Overall Thickness: 1-3/4"
Nose Type: Bullnose
Manufacturer's Warranty: 1 Year Limited

ITEM #	CONFIGURATION	WIDTH	DEPTH
OPS-11434	Drawers	36"	72"
OPS-11435	Drawers	36"	60"
OPS-11436	Drawers	30"	72"
OPS-11437	Drawers	30"	60"
OPS-11438	Drawers	24"	60"
OPS-11444	Doors	36"	72"
OPS-11445	Doors	36"	60"
OPS-11446	Doors	30"	72"
OPS-11447	Doors	30"	60"
OPS-11448	Doors	24"	60"



Industrial Duty Workbench

5 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 1000 lbs.
Configuration: Doors
Height: 34"
Laminate Hardwood Top Overall Thickness: 1-3/4"
Nose Type: Bullnose
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-11439	36"	72"
OPS-11440	36"	60"
OPS-11441	30"	72"
OPS-11442	30"	60"
OPS-11443	24"	60"



Product range

12 options · Unit of measure: Each

- Powder coated metal components

Capacity: 1000 lbs.
Configuration: Top & Legs Only
Manufacturer's Warranty: 1 Year Limited
Frame Colour: Black

ITEM #	PRODUCT	HEIGHT	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE	TOP TYPE	TOP THICKNESS
OPS-11454	Industrial Duty Workbench	34"	60"	24"	1-3/4"	Bullnose	—	—
OPS-11455	Industrial Duty Workbench	34"	60"	30"	1-3/4"	Bullnose	—	—
OPS-11456	Industrial Duty Workbench	34"	72"	30"	1-3/4"	Bullnose	—	—
OPS-11457	Industrial Duty Workbench	34"	72"	36"	1-3/4"	Bullnose	—	—
OPS-11505	Industrial Modular Workbench	—	48"	24"	—	—	Laminated	1-3/4"
OPS-11507	Industrial Modular Workbench	—	48"	24"	—	—	Laminated - Square Edge	1-3/4"
OPS-11508	Industrial Modular Workbench	—	60"	24"	—	—	Laminated - Square Edge	1-3/4"
OPS-11509	Industrial Modular Workbench	—	60"	30"	—	—	Laminated - Square Edge	1-3/4"
OPS-11510	Industrial Modular Workbench	—	72"	30"	—	—	Laminated - Square Edge	1-3/4"
OPS-11511	Industrial Modular Workbench	—	60"	36"	—	—	Laminated - Square Edge	1-3/4"
OPS-11512	Industrial Modular Workbench	—	72"	36"	—	—	Laminated - Square Edge	1-3/4"
OPS-11651	Standard Duty Workbench	34"	60"	36"	1-3/4"	Bullnose	—	—



Product range

12 options · Unit of measure: Each

- Powder coated metal components

Capacity: 1000 lbs.
Configuration: Shelf
Manufacturer's Warranty: 1 Year Limited
Frame Colour: Black

ITEM #	PRODUCT	HEIGHT	WIDTH	DEPTH	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE	WOOD TOP OVERALL THICKNESS	TOP TYPE	TOP THICKNESS
OPS-11458	Industrial Duty Workbench	34"	60"	24"	1-3/4"	Bullnose	—	—	—
OPS-11459	Industrial Duty Workbench	34"	60"	30"	1-3/4"	Bullnose	—	—	—
OPS-11460	Industrial Duty Workbench	34"	72"	30"	—	—	1-3/4"	—	—
OPS-11461	Industrial Duty Workbench	34"	60"	36"	1-3/4"	Bullnose	—	—	—
OPS-11462	Industrial Duty Workbench	34"	72"	36"	1-3/4"	Bullnose	—	—	—
OPS-11519	Industrial Modular Workbench	—	48"	24"	—	—	—	Laminated	1-3/4"
OPS-11521	Industrial Modular Workbench	—	48"	24"	—	—	—	Laminated - Square Edge	1-3/4"
OPS-11522	Industrial Modular Workbench	—	60"	24"	—	—	—	Laminated - Square Edge	1-3/4"
OPS-11523	Industrial Modular Workbench	—	60"	30"	—	—	—	Laminated - Square Edge	1-3/4"
OPS-11524	Industrial Modular Workbench	—	72"	30"	—	—	—	Laminated - Square Edge	1-3/4"
OPS-11525	Industrial Modular Workbench	—	60"	36"	—	—	—	Laminated - Square Edge	1-3/4"
OPS-11526	Industrial Modular Workbench	—	72"	36"	—	—	—	Laminated - Square Edge	1-3/4"



Product range

12 options · Unit of measure: Each

- Powder coated metal components

Configuration: Top & Legs Only
Manufacturer's Warranty: 1 Year Limited
Frame Colour: Grey

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11463	Industrial Modular Workbench	1000 lbs.	48"	24"	Laminated	1-1/4"	—	—	—
OPS-11465	Industrial Modular Workbench	1000 lbs.	48"	24"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11466	Industrial Modular Workbench	1000 lbs.	60"	24"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11467	Industrial Modular Workbench	1000 lbs.	60"	30"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11468	Industrial Modular Workbench	1000 lbs.	72"	30"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11469	Industrial Modular Workbench	1000 lbs.	60"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11470	Industrial Modular Workbench	1000 lbs.	72"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11535	Industrial-Duty Workbench	1000 lbs	60"	24"	—	—	34"	1-1/4"	Bullnose
OPS-11536	Industrial-Duty Workbench	1000 lbs	60"	30"	—	—	34"	1-1/4"	Bullnose
OPS-11537	Industrial-Duty Workbench	1000 lbs	72"	30"	—	—	34"	1-1/4"	Bullnose
OPS-11538	Industrial-Duty Workbench	1000 lbs	60"	36"	—	—	34"	1-1/4"	Bullnose
OPS-11539	Industrial-Duty Workbench	1000 lbs	72"	36"	—	—	34"	1-1/4"	Bullnose



Product range

12 options · Unit of measure: Each

Configuration: Drawers/Shelf

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11477	Industrial Modular Workbench	1000 lbs.	48"	24"	Laminated	1-1/4"	—	—	—
OPS-11479	Industrial Modular Workbench	1000 lbs.	48"	24"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11480	Industrial Modular Workbench	1000 lbs.	60"	24"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11481	Industrial Modular Workbench	1000 lbs.	60"	30"	Laminated - Square Edge	1-1/4"	—	—	—

ITEM #	PRODUCT (cont.)	CAPACITY	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11482	Industrial Modular Workbench	1000 lbs.	72"	30"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11483	Industrial Modular Workbench	1000 lbs.	60"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11484	Industrial Modular Workbench	1000 lbs.	72"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11545	Industrial-Duty Workbench	1000 lbs	60"	24"	—	—	34"	1-1/4"	Bullnose
OPS-11546	Industrial-Duty Workbench	1000 lbs	60"	30"	—	—	34"	1-1/4"	Bullnose
OPS-11547	Industrial-Duty Workbench	1000 lbs	72"	30"	—	—	34"	1-1/4"	Bullnose
OPS-11548	Industrial-Duty Workbench	1000 lbs	60"	36"	—	—	34"	1-1/4"	Bullnose
OPS-11549	Industrial-Duty Workbench	1000 lbs	72"	36"	—	—	34"	1-1/4"	Bullnose



Product range

12 options · Unit of measure: Each

- Powder coated metal components

Configuration: Shelf
Manufacturer's Warranty: 1 Year Limited
Frame Colour: Grey

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11491	Industrial Modular Workbench	1000 lbs.	48"	24"	Laminated	1-1/4"	—	—	—
OPS-11493	Industrial Modular Workbench	1000 lbs.	48"	24"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11494	Industrial Modular Workbench	1000 lbs.	60"	24"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11495	Industrial Modular Workbench	1000 lbs.	60"	30"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11496	Industrial Modular Workbench	1000 lbs.	72"	30"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11497	Industrial Modular Workbench	1000 lbs.	60"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11498	Industrial Modular Workbench	1000 lbs.	72"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11540	Industrial-Duty Workbench	1000 lbs	60"	24"	—	—	34"	1-1/4"	Bullnose

ITEM #	PRODUCT (cont.)	CAPACITY	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11541	Industrial-Duty Workbench	1000 lbs	60"	30"	—	—	34"	1-1/4"	Bullnose
OPS-11542	Industrial-Duty Workbench	1000 lbs	72"	30"	—	—	34"	1-1/4"	Bullnose
OPS-11543	Industrial-Duty Workbench	1000 lbs	60"	36"	—	—	34"	1-1/4"	Bullnose
OPS-11544	Industrial-Duty Workbench	1000 lbs	72"	36"	—	—	34"	1-1/4"	Bullnose



Product range

12 options · Unit of measure: Each

- Powder coated metal components

Configuration: Top & Legs Only
Manufacturer's Warranty: 1 Year Limited
Frame Colour: Black

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11506	Industrial Modular Workbench	1000 lbs.	48"	24"	Laminated	1-1/4"	—	—	—
OPS-11513	Industrial Modular Workbench	1000 lbs.	48"	24"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11514	Industrial Modular Workbench	1000 lbs.	60"	24"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11515	Industrial Modular Workbench	1000 lbs.	60"	30"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11516	Industrial Modular Workbench	1000 lbs.	72"	30"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11517	Industrial Modular Workbench	1000 lbs.	60"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11518	Industrial Modular Workbench	1000 lbs.	72"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11590	Industrial-Duty Workbench	1000 lbs	60"	24"	—	—	34"	1-1/4"	Bullnose
OPS-11591	Industrial-Duty Workbench	1000 lbs	60"	30"	—	—	34"	1-1/4"	Bullnose
OPS-11592	Industrial-Duty Workbench	1000 lbs	72"	30"	—	—	34"	1-1/4"	Bullnose
OPS-11593	Industrial-Duty Workbench	1000 lbs	60"	36"	—	—	34"	1-1/4"	Bullnose
OPS-11594	Industrial-Duty Workbench	1000 lbs	72"	36"	—	—	34"	1-1/4"	Bullnose



Product range

12 options · Unit of measure: Each

- Powder coated metal components

Configuration: Shelf
Manufacturer's Warranty: 1 Year Limited
Frame Colour: Black

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	LAMINATED HARDWOOD TOP OVERALL THICKNESS	NOSE TYPE
OPS-11520	Industrial Modular Workbench	1000 lbs.	48"	24"	Laminated	1-1/4"	—	—	—
OPS-11527	Industrial Modular Workbench	1000 lbs.	48"	24"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11528	Industrial Modular Workbench	1000 lbs.	60"	24"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11529	Industrial Modular Workbench	1000 lbs.	60"	30"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11530	Industrial Modular Workbench	1000 lbs.	72"	30"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11531	Industrial Modular Workbench	1000 lbs.	60"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11532	Industrial Modular Workbench	1000 lbs.	72"	36"	Laminated - Square Edge	1-1/4"	—	—	—
OPS-11595	Industrial-Duty Workbench	1000 lbs	60"	24"	—	—	34"	1-1/4"	Bullnose
OPS-11596	Industrial-Duty Workbench	1000 lbs	60"	30"	—	—	34"	1-1/4"	Bullnose
OPS-11597	Industrial-Duty Workbench	1000 lbs	72"	30"	—	—	34"	1-1/4"	Bullnose
OPS-11598	Industrial-Duty Workbench	1000 lbs	60"	36"	—	—	34"	1-1/4"	Bullnose
OPS-11599	Industrial-Duty Workbench	1000 lbs	72"	36"	—	—	34"	1-1/4"	Bullnose



Industrial Modular Workbench

2 options · Unit of measure: Each

- Four legs and bottom shelf
- Lacquer finished tops for durability
- Heavy-duty solid hardwood laminations for long life
- 1/8" edge radius
- Steel legs adjustable between 28" to 35" in 1 1/2" increments
- Comes with knockout for standard two-outlet electrical plug
- Hole at the bottom allow floor anchoring
- Top leg is pre-drilled to allow easy attachment to workbenches
- Legs feature 14 gauge steel construction
- Powder coated metal components

Capacity: 1000 lbs.
Configuration: Shelf
Width: 72"
Depth: 48"
Manufacturer's Warranty: 1 Year Limited
Top Type: Laminated - Square Edge
Top Thickness: 1-3/4"

ITEM #	FRAME COLOUR
OPS-11533	Grey
OPS-11534	Black



Industrial-Duty Workbench

5 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 1000 lbs
Configuration: Door w/ Drawer Combination
Height: 34"
Laminated Hardwood Top Overall Thickness: 1-1/4"
Nose Type: Bullnose
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-11550	60"	24"
OPS-11551	60"	30"
OPS-11552	72"	30"
OPS-11553	60"	36"
OPS-11554	72"	36"



Industrial-Duty Workbench

5 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 1000 lbs
Configuration: Drawers
Height: 34"
Laminated Hardwood Top Overall Thickness: 1-1/4"
Nose Type: Bullnose
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-11560	60"	24"
OPS-11561	60"	30"
OPS-11562	72"	30"
OPS-11563	60"	36"
OPS-11564	72"	36"



Industrial-Duty Workbench

15 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 1000 lbs
Height: 34"
Laminated Hardwood Top Overall Thickness: 1-1/4"
Nose Type: Bullnose
Manufacturer's Warranty: 1 Year Limited

ITEM #	CONFIGURATION	WIDTH	DEPTH
OPS-11570	Drawers	72"	36"
OPS-11571	Drawers	60"	36"
OPS-11572	Drawers	72"	30"
OPS-11573	Drawers	60"	30"
OPS-11574	Drawers	60"	24"
OPS-11580	Doors	72"	36"
OPS-11581	Doors	60"	36"
OPS-11582	Doors	72"	30"
OPS-11583	Doors	60"	30"
OPS-11584	Doors	60"	24"
OPS-11585	Door w/ Drawer Combination	72"	36"
OPS-11586	Door w/ Drawer Combination	60"	36"
OPS-11587	Door w/ Drawer Combination	72"	30"
OPS-11588	Door w/ Drawer Combination	60"	30"
OPS-11589	Door w/ Drawer Combination	60"	24"



Industrial-Duty Workbench

5 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 1000 lbs
Configuration: Doors
Height: 34"
Laminated Hardwood Top Overall Thickness: 1-1/4"
Nose Type: Bullnose
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-11575	72"	36"
OPS-11576	60"	36"
OPS-11577	72"	30"
OPS-11578	60"	30"
OPS-11579	60"	24"

Horizontal Drum Vents



OPS-11702
Horizontal Brass Vent

Unit of measure: Each

- Fits 2" NPS bung in steel or plastic drums
- Manual vacuum relief by lifting and rotating the valve stem
- Automatically relieves pressure at 5 PSI
- Flame arrestor prevents sparks and flame from igniting contents
- Maximum flow of 220 CFM at 20 PSI
- Horizontal vents are for use with drums in the horizontal pouring position

Material: Brass
Bung Opening: 2"
Manufacturer's Warranty: 1 Year Limited

Hydraulic Skid Lifts



Manual Scissor Skid Lift

2 options · Unit of measure: Each

- Closed Fork tips and reinforced chassis ensure long-lasting performance
- Ergonomically designed and comfortable handle
- Single cylinder for increased durability and less maintenance

Capacity: 3300 lbs.
Raised Height: 31.5"
Lowered Height: 3.35"
Frame Material: Steel
Wheels/Rollers: Polyurethane
Extended Mast Height: 65.5"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PLATFORM DIMENSIONS
OPS-11703	45-1/4" L x 20-1/4" W
OPS-11704	45-1/4" L x 27" W

Industrial Stools & Chairs



Heavy-Duty Ergonomic Stool

2 options · Unit of measure: Each

- Polyurethane seating offers puncture and stain resistance
- Pneumatic height adjustment
- Sturdy 5-leg base

Colour: Black
Seat Material: Polyurethane
Weight Capacity: 250 lbs.
Overall Width: 18-1/4"
Overall Depth: 17-1/4"
Height Adjustment: Adjustable
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL HEIGHT	TYPE	ADJUSTABLE SEAT HEIGHT
OPS-11705	39” - 48”	Stationary	23" - 32"
OPS-11706	39" - 48"	Mobile	23" - 33"



OPS-11707

Heavy-Duty Ergonomic Stool with Adjustable Arm Rests

Unit of measure: Each

- Polyurethane seating offers puncture and stain resistance
- Pneumatic height adjustment
- Rubber cushioned metal glides helps to protect floors
- Sturdy 5-leg base

Colour: Black
Seat Material: Polyurethane
Weight Capacity: 250 lbs.
Overall Height: 39" - 48"
Overall Width: 18-1/4"
Overall Depth: 17-1/4"
Height Adjustment: Adjustable
Type: Stationary
Adjustable Seat Height: 23" - 33"
Manufacturer's Warranty: 1 Year Limited



OPS-11708

Heavy-Duty Ergonomic Stool with Adjustable Arm Rests & Nylon Stem Casters

Unit of measure: Each

- Polyurethane seating offers puncture and stain resistance
- Pneumatic height adjustment
- Rubber cushioned metal glides helps to protect floors
- Sturdy 5-leg base

Colour: Black
Seat Material: Polyurethane
Weight Capacity: 250 lbs.
Overall Height: 39" - 48"
Overall Width: 18-1/4"
Overall Depth: 17-1/4"
Height Adjustment: Adjustable
Type: Mobile
Adjustable Seat Height: 23" - 33"
Manufacturer's Warranty: 1 Year Limited



OPS-11709

Mesh Work Stool

Unit of measure: Each

- Features height-adjustable zinc-coated steel leg rest
- Mesh back is breathable and comfortable for prolonged use
- Comfortable ergonomic seat
- 3-way adjustable armrests can be moved up, down, forward, backward, left, and right
- Tiltable back rest
- Swivel wheels for easy manoeuvrability
- Some assembly required

Colour: Black
Seat Material: Fabric
Weight Capacity: 450 lbs.
Overall Height: 37-4/5"
Overall Width: 19-2/3"
Overall Depth: 19"
Height Adjustment: Adjustable
Type: Mobile
Min/Max Seat Height: 21.65" - 29.5"
Foot Rest Diameter: 20"
Seat Thickness: 4"
Back Rest Dimensions: 17.75" x 17.75"
Seat Dimensions: 19" x 18"

Iron Wheel Chocks



OPS-11710

Iron Wheel Chocks

Unit of measure: Each

- Tough, iron construction, suitable for the most demanding jobs
- Bright, safety yellow for easy visibility

Max. Tire Diameter: 22-1/2"
Width: 8-1/2"
Colour: Yellow
Depth: 7-1/4"
Height: 8-1/2"
Manufacturer's Warranty: 1 Year Limited

Label For Parts Drawers



Product range

2 options · Unit of measure: Each

- Label

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT
OPS-11711	Label for KPC-300 Parts Cabinets
OPS-11713	Label for KPC-HD Heavy-Duty Parts Cabinets



OPS-11712

Label for KPC-400 Parts Cabinet

Unit of measure: Each

- Label

Manufacturer's Warranty: 1 Year Limited

Label Holder For Drawers



Product range

2 options · Unit of measure: Each

- Label Cover

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT
OPS-11714	Label Holder for KPC-400 Parts Cabinets
OPS-11716	Replacement Label Holder for KPC-300 Parts Cabinets

OPS-11715

Label Holder for KPC-HD Heavy-Duty Parts Cabinets

Unit of measure: Each

- Label Cover

Manufacturer's Warranty: 1 Year Limited

Laminated Dock Bumpers



Laminated Dock Bumpers

3 options · Unit of measure: Each

- Ideal for use in factories, warehouses, and docks
- Ideal for projecting above low docks, rub rails against walls, and marine dock protection
- Rubber laminates manufactured from reclaimed tires result in greater bumper longevity
- Manufactured under pressure exceeding 1500 lbs. to absorb over 80% of the impact
- Made with recycled tire rubber

Material: Rubber
Overall Width: 11"
Style: Vertical

ITEM #	DEPTH	OVERALL HEIGHT	WEIGHT
OPS-11717	4"	20"	44 lbs.
OPS-11718	6"	20"	55 lbs.
OPS-11719	4"	24"	52 lbs.



Laminated Dock Bumpers

3 options · Unit of measure: Each

- Ideal for use in factories, warehouses, and docks
- Ideal for projecting above low docks, rub rails against walls, and marine dock protection
- Rubber laminates manufactured from reclaimed tires result in greater bumper longevity
- Manufactured under pressure exceeding 1500 lbs. to absorb over 80% of the impact
- Made with recycled tire rubber

Material: Rubber
Style: Horizontal

ITEM #	DEPTH	OVERALL WIDTH	OVERALL HEIGHT	WEIGHT
OPS-11720	4"	12"	10"	22 lbs.
OPS-11721	6"	12"	10"	29 lbs.
OPS-11722	4"	18"	12"	52 lbs.



OPS-11723

Laminated Dock Bumpers

Unit of measure: Each

- Ideal for use in factories, warehouses, and docks
- Ideal for projecting above low docks, rub rails against walls, and marine dock protection
- Rubber laminates manufactured from reclaimed tires result in greater bumper longevity
- Manufactured under pressure exceeding 1500 lbs. to absorb over 80% of the impact
- Made with recycled tire rubber

Material: Rubber
Style: Horizontal
Depth: 4"
Overall Width: 24"
Overall Height: 12"
Weight: 59 lbs.



OPS-11724


Laminated Dock Bumpers

Unit of measure: Each

- Ideal for use in factories, warehouses, and docks
- Ideal for projecting above low docks, rub rails against walls, and marine dock protection
- Rubber laminates manufactured from reclaimed tires result in greater bumper longevity
- Manufactured under pressure exceeding 1500 lbs. to absorb over 80% of the impact
- Made with recycled tire rubber

Material: Rubber
Style: Horizontal
Depth: 4"
Overall Width: 36"
Overall Height: 12"
Weight: 90 lbs.

Laminated Wood Tops



Hardwood Workbench Top

16 options · Unit of measure: Each

- Lacquer finished tops for durability

Overall Thickness: 1-1/4"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	WIDTH	NOSE TYPE	WEIGHT
OPS-11725	24"	48"	Bullnose	35 lbs.
OPS-11726	24"	60"	Bullnose	44 lbs.
OPS-11727	24"	72"	Bullnose	54 lbs.
OPS-11728	30"	48"	Bullnose	43 lbs.
OPS-11729	30"	60"	Bullnose	55 lbs.
OPS-11730	30"	72"	Bullnose	67 lbs.
OPS-11731	36"	72"	Bullnose	77 lbs.
OPS-11732	24"	48"	Square	35 lbs.
OPS-11733	24"	60"	Square	41 lbs.
OPS-11734	24"	72"	Square	54 lbs.
OPS-11735	30"	48"	Square	45 lbs.
OPS-11736	30"	60"	Square	55 lbs.
OPS-11737	30"	72"	Square	67 lbs.
OPS-11738	36"	72"	Square	80 lbs.
OPS-11739	36"	60"	Bullnose	70 lbs.
OPS-11740	36"	60"	Square	65 lbs.



Laminated Hardwood Workbench Top

26 options · Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	WIDTH	OVERALL THICKNESS	NOSE TYPE	WEIGHT
OPS-11741	24"	48"	1-3/4"	Bullnose	47 lbs.
OPS-11742	24"	60"	1-3/4"	Bullnose	58 lbs.
OPS-11743	24"	72"	1-3/4"	Bullnose	—
OPS-11744	24"	96"	1-3/4"	Bullnose	92 lbs.
OPS-11745	30"	60"	1 3/4"	Bullnose	73 lbs.
OPS-11746	30"	72"	1-3/4"	Bullnose	90 lbs.
OPS-11747	36"	60"	1-3/4"	Bullnose	110 lbs.
OPS-11748	36"	72"	1-3/4"	Bullnose	118 lbs.
OPS-11749	24"	48"	1-3/4"	Square	48 lbs.
OPS-11750	24"	84"	1-3/4"	Square	85 lbs.
OPS-11751	24"	120"	1-3/4"	Square	125 lbs.
OPS-11752	30"	60"	1-3/4"	Square	75 lbs.
OPS-11753	30"	72"	1-3/4"	Square	85 lbs.
OPS-11754	30"	84"	1-3/4"	Square	101 lbs.
OPS-11755	30"	96"	1-3/4"	Square	119 lbs.
OPS-11756	30"	120"	1-3/4"	Square	191 lbs.
OPS-11757	36"	72"	1-3/4"	Square	107 lbs.
OPS-11758	36"	96"	1-3/4"	Square	144 lbs.
OPS-11759	24"	60"	1-3/4"	Square	64 lbs.
OPS-11760	24"	72"	1-3/4"	Square	76 lbs.
OPS-11761	24"	96"	1-3/4"	Square	90 lbs.
OPS-11762	30"	48"	1-3/4"	Square	60 lbs.
OPS-11763	36"	48"	1-3/4"	Square	72 lbs.
OPS-11764	36"	60"	1-3/4"	Square	92 lbs.
OPS-11765	36"	84"	1-3/4"	Square	124 lbs.
OPS-11766	36"	120"	1-3/4"	Square	154 lbs.

Lever Chain Hoists



Lever Hoist

10 options · Unit of measure: Each

- Lightweight steel construction
- Short steel handle rotates 360° to allow operation in any position
- Load brake assures safety and load control
- High tensile alloy steel load chain for increased strength and durability
- Latched swivel hooks for added security
- Enclosed chain guide ensures dirt and dust do not affect operation
- Meets ASME B30.16

Chain Material: Alloy Steel

Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	LIFT
OPS-11767	1500 lbs. (0.75 tons)	5'
OPS-11768	2000 lbs. (1 tons)	5'
OPS-11769	3000 lbs. (1.5 tons)	5'
OPS-11770	6000 lbs. (3 tons)	5'
OPS-11771	12000 lbs. (6 tons)	5'
OPS-11772	1500 lbs. (0.75 tons)	10'
OPS-11773	2000 lbs. (1 tons)	10'
OPS-11774	3000 lbs. (1.5 tons)	10'
OPS-11775	6000 lbs. (3 tons)	10'
OPS-11776	12000 lbs. (6 tons)	10'

Liquid Measures



Liquid Measure Funnel

4 options · Unit of measure: Each

- Comes complete with a polyethylene flexible spout for difficult to reach areas
- Translucent high density polyethylene construction
- Cap on flexible spout and polypropylene lid renders measure spill proof
- Graduated

Spout Diameter: 3/4"

Spout length: 7 1/2"

Manufacturer's Warranty: 1 Year Limited

ITEM #	FUNNEL CAPACITY
OPS-11777	1 Quart
OPS-11778	2 quart
OPS-11779	3 quart
OPS-11780	5 quart

Long Fork Pallet Trucks



6' Long Fork Hydraulic Pallet Trucks

2 options · Unit of measure: Each

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Nylon exit roller facilitates entry and exit of pallets

Fork Length: 72"
Frame Width: 27"
Frame Material: Steel
Fork Width: 6-1/4"
Raised Height: 7.625"
Lowered Height: 3"
Colour: Yellow
Manufacturer's Warranty: 2 Years Limited

ITEM #	CAPACITY
OPS-11781	5500 lbs.
OPS-11782	3300 lbs.



OPS-11783

8' Long Fork Hydraulic Pallet Trucks

Unit of measure: Each

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Nylon exit roller facilitates entry and exit of pallets

Fork Length: 96"
Frame Width: 27"
Capacity: 4400 lbs.
Frame Material: Steel
Fork Width: 6-1/4"
Raised Height: 7.625"
Lowered Height: 3"
Manufacturer's Warranty: 2-Year Limited
Colour: Orange



OPS-11784


Long Fork Hydraulic Pallet Trucks

Unit of measure: Case of 6

- Pallet trucks shipped unassembled in a bulk crate for easy transportation & to maximize the usage of space
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Nylon exit roller facilitates entry and exit of pallets

Fork Length: 72"
Frame Width: 27"
Capacity: 3300 lbs.
Frame Material: Steel
Fork Width: 6-1/4"
Raised Height: 7.625"
Lowered Height: 3"
Colour: Yellow
Manufacturer's Warranty: 2 Years Limited

Low Profile Pallet Trucks



Low Profile Hydraulic Pallet Trucks

2 options · Unit of measure: Each

- Permits the handling of pallets and containers that are lower than the standard height
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and all steel rollers provide superior performance
- 1.5" exit ramp facilitates exit of pallets

Fork Length: 48"
Capacity: 3300 lbs.
Frame Material: Steel
Fork Width: 6"
Raised Height: 5.5"
Lowered Height: 2"
Colour: Orange
Manufacturer's Warranty: 2 Years Limited

ITEM #	FRAME WIDTH
OPS-11785	27"
OPS-11787	20.5"



OPS-11786

Low Profile Hydraulic Pallet Trucks

Unit of measure: Case of 6

- Pallet trucks shipped unassembled in a bulk crate for easy transportation & to maximize the usage of space
- Permits the handling of pallets and containers that are lower than the standard height
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and all steel rollers provide superior performance
- 1.5" exit ramp facilitates exit of pallets

Fork Length: 48"
Frame Width: 27"
Capacity: 3300 lbs.
Frame Material: Steel
Fork Width: 6"
Raised Height: 5.5"
Lowered Height: 2"
Colour: Orange
Manufacturer's Warranty: 2 Years Limited

Low Profile Shop Carts



Heavy-Duty Low Profile Shop Carts

2 options · Unit of measure: Each

- All-welded cart with low shelf means less distance to lift heavy objects
- Two 14-gauge steel shelves with a 1 1/2" lip down
- 1 1/4" diameter tubular steel handle
- Two rigid and two swivel bolted-on casters
- Durable industrial blue polyurethane finish 5" RUBBER CASTERS
- Non-marking casters are quiet rolling and ideal for both institutional and industrial applications
- Casters are resistant to wet and corrosive chemical conditions

No. of Shelves: 2
Capacity: 1200 lbs.
Cart Material: Steel
Overall Height: 40"
Clearance Between Shelves: 16"
Wheel Material: Rubber
Construction: All-Welded
Lip Configuration: Lip Down
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH	OVERALL DEPTH
OPS-11788	18"	30"
OPS-11790	24"	36"



Heavy-Duty Low Profile Shop Carts

9 options · Unit of measure: Each

- All-welded cart with low shelf means less distance to lift heavy objects

No. of Shelves: 2
Cart Material: Steel
Clearance Between Shelves: 16"
Construction: All-Welded
Lip Configuration: Lip Down
Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	WHEEL MATERIAL	SHELF DEPTH
OPS-11789	2400 lbs.	18"	41"	30"	Nylon	—
OPS-11791	2400 lbs.	24"	41"	40"	Nylon	36"
OPS-11792	1200 lbs.	24"	40"	48"	Rubber	—
OPS-11793	2400 lbs.	24"	41"	48"	Nylon	—
OPS-11799	2400 lbs.	24"	41"	60"	Nylon	—
OPS-11802	2400 lbs.	18"	41"	30"	Polyurethane	—
OPS-11803	2400 lbs.	24"	41"	36"	Polyurethane	—
OPS-11804	2400 lbs.	24"	41"	48"	Polyurethane	—
OPS-11805	2400 lbs.	30"	41"	60"	Polyurethane	—



Heavy-Duty Low Profile Shop Carts

10 options · Unit of measure: Each

- All-welded cart with low shelf means less distance to lift heavy objects
- Two 14-gauge steel shelves with a 1 1/2" lip down
- 1 1/4" diameter tubular steel handle
- Two rigid and two swivel bolted-on casters

No. of Shelves: 2
Cart Material: Steel
Clearance Between Shelves: 16"
Construction: All-Welded
Lip Configuration: Lip Down
Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	WHEEL MATERIAL	CASTER SIZE
OPS-11794	1200 lbs.	30"	40"	60"	Rubber	—
OPS-11795	2400 lbs.	30"	41"	60"	Nylon	6"
OPS-11796	1200 lbs.	24"	40"	60"	Rubber	—
OPS-11797	1200 lbs.	30"	40"	48"	Rubber	—
OPS-11798	1200 lbs.	30"	40"	72"	Rubber	—
OPS-11800	2400 lbs.	30"	41"	48"	Nylon	—
OPS-11801	2400 lbs.	30"	41"	72"	Nylon	—
OPS-11806	2400 lbs.	30"	41"	48"	Polyurethane	—
OPS-11807	2400 lbs.	30"	41"	60"	Polyurethane	—
OPS-11808	2400 lbs.	30"	41"	72"	Polyurethane	—

Machine Mover Handles



OPS-11809

Machine Roller Steering Bar Handle

Unit of measure: Each

- Steering bar offers precise control and superior maneuverability
- Extended handle length promotes ergonomic posture during transport
- Constructed from high-strength annealed ductile iron for exceptional durability and long service life
- Engineered for reliable performance with minimal maintenance required

Length: 36"
Weight: 15 lbs.
Colour: Blue

Machine Stands



Heavy-Duty Machine Stands

3 options · Unit of measure: Each

- Designed for use as machinery stand or work table when full-sized workbench is not necessary
- 14" shelf clearance
- All-welded construction
- 14-gauge steel lip-down shelves, with bolt-down footplates on 3/16" x 1 1/2" angle leg
- Capacity based on evenly distributed weight
- Durable industrial blue polyurethane finish

Height: 32"
Work Surface: Steel
Capacity: 1200 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH	WEIGHT
OPS-11810	30"	18"	60 lbs.
OPS-11811	36"	24"	70 lbs
OPS-11812	48"	24"	85 lbs.

Mail Carts



OPS-11813

Wire Mesh Office Mail Cart

Unit of measure: Each

- Ideal for carrying hanging folders, packages and office supplies
- Comes with three wire dividers and two removable baskets
- Shipped knocked down

Capacity: 250 lbs.
Colour: Chrome
Overall Depth: 23"
Overall Length: 42"
Overall Height: 38"
Cart Material: Chrome Plated
No. of Shelves: 2
No. of Baskets: 2
Manufacturer's Warranty: 1 Year Limited

Maintenance Platform



High Work Maintenance Platform

2 options · Unit of measure: Each

- Enclosed work area helps improve worker safety during elevated maintenance tasks
- Non-slip steel deck provides sure footing while working at height
- Fork pockets allow secure mounting to compatible forklifts
- Heavy-duty welded steel construction supports demanding industrial use
- Note: When used with a compliant safety harness and lanyard, Maintenance Platforms meet or exceed the requirements of ASME B56.1 (Safety Standard for Low Lift and High Lift Trucks)

Frame Material: Steel
Capacity: 1000 lbs.
Platform Type: Anti-Skid
Mesh Backscreen Height: 72"
With Gate/ Without Gate: With Gate
Gate Type: Hinged
Step Type: Non-Skid
Fork Channel Openings: 7" W x 3" H
Manufacturer's Warranty: 1 Year Limited
For Use With: Facility & Building Maintenance, Lighting & Electrical Service, HVAC Inspection & Repairs, Inventory & Rack Maintenance, Overhead Equipment Servicing, Warehouse & Plant Operations

ITEM #	PLATFORM WIDTH	PLATFORM DEPTH	OVERALL DIMENSIONS	PLATFORM DIMENSIONS	WEIGHT	COLOUR	MATERIAL
OPS-11814	36"	36"	36" L x 36" W x 72" H	36" x 36"	230 lbs.	Blue	Steel
OPS-11815	48"	48"	48" L x 48" W x 72" H	48" x 48"	300 lbs.	—	—

Manual Chain Hoists



Chain Hoist

13 options · Unit of measure: Each

- Lightweight steel construction
- Triple spur geared for easy lifting
- Load brake assures safety and load control
- High tensile alloy steel load chain for increased strength and durability
- Latched swivel hooks for added security
- Enclosed chain guide ensures dirt and dust do not affect operation
- Meets ASME B30.16

Chain Material: Alloy Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	LIFT	WEIGHT
OPS-11816	10000 lbs.	10'	95 lbs.
OPS-11817	1000 lbs. (0.45 tons)	10'	—
OPS-11818	2000 lbs. (1 tons)	10'	—
OPS-11819	3000 lbs. (1.5 tons)	10'	—
OPS-11820	4000 lbs. (2 tons)	10'	—
OPS-11821	6000 lbs. (3 tons)	10'	—
OPS-11822	10000 lbs. (5 tons)	10'	—
OPS-11823	1000 lbs. (0.45 tons)	20'	—
OPS-11824	2000 lbs. (1 tons)	20'	—
OPS-11825	3000 lbs. (1.5 tons)	20'	—
OPS-11826	4000 lbs. (2 tons)	20'	—
OPS-11827	6000 lbs. (3 tons)	20'	—
OPS-11828	10000 lbs. (5 tons)	20'	—

Manual Hydraulic Lift Tables



Heavy-Duty Hydraulic Scissor Lift Table

9 options · Unit of measure: Each

- Heavy-duty construction with captured scissor rollers for maximum stability
- Superior hydraulic systems feature an integrated pump-cylinder for maximum reliability
- High quality casters and wheels for exceptional roll ability (two fixed, two swivel)
- Ergonomic push handle with convenient lowering control
- Lowering control automatically stops when released for added safety
- Convenient maintenance pins secure the scissor legs for inspection and maintenance on larger models
- Quality powder coated finish provides exceptional durability and corrosion resistance
- Platform height dimensions include the wheels
- Includes caster locking brakes which keep table stationary on inclined or uneven surfaces

Frame Material: Steel
Manufacturer's Warranty: 1 Year Limited
Colour: Industrial blue

ITEM #	PLATFORM DIMENSIONS	CAPACITY	RAISED HEIGHT	LOWERED HEIGHT	HANDLE HEIGHT	PEDAL STROKES TO MAX	WEIGHT	WHEEL DIAMETER	TREAD WIDTH	PEDAL STROKES TO MAX.
OPS-11829	27-1/2" L x 17-3/4" W	330 lbs.	29"	8.625"	37.375"	28	94.6 lbs.	4"	1"	—
OPS-11830	32" L x 19-3/4" W	660 lbs.	34.625"	11.25"	39"	—	170 lbs.	5"	1-5/16"	27
OPS-11831	35-3/4" L x 19-3/4" W	770 lbs.	51.25"	14"	39"	—	220 lbs.	5"	1-3/8"	53
OPS-11832	32" L x 19-3/4" W	1100 lbs.	34.625"	11.25"	39"	—	201 lbs.	—	1-9/16"	27
OPS-11833	63" L x 31-7/8" W	1100 lbs.	36"	11.25"	39"	—	398 lbs.	5"	1-9/16"	55
OPS-11834	39-3/8" L x 20-1/8" W	1650 lbs.	35.375"	14.5"	40"	—	236 lbs.	5.75"	2"	45
OPS-11835	40" L x 20-1/8" W	2200 lbs.	39"	15"	39"	—	212 lbs.	5"	2"	82
OPS-11836	80-1/8" L x 29-1/2" W	2200 lbs.	53.5"	15"	40"	—	817 lbs.	5"	2"	200
OPS-11837	48" L x 24" W	1545 lbs.	59.125"	17.5"	40"	97	430 lbs.	5"	1-9/16"	—



Hydraulic Scissor Lift Table

4 options · Unit of measure: Each

- Hydraulic foot pump raises the platform
- Ergonomic push handle with easy to use release handle to lower the platform
- Quality powder coated finish provides exceptional durability and corrosion resistance
- (2) Rigid polyurethane casters
- (2) Swivel polyurethane casters with brake
- Conforms to Machinery Directive 2006/42/EC

Frame Material: Steel
Manufacturer's Warranty: 1 Year Limited
Colour: Orange

ITEM #	PLATFORM DIMENSIONS	CAPACITY	RAISED HEIGHT	LOWERED HEIGHT	HANDLE HEIGHT	PEDAL STROKES TO MAX	WEIGHT	WHEEL DIAMETER	TREAD WIDTH
OPS-11838	27-1/2" L x 17-3/4" W	330 lbs.	29.13"	8.85"	36.8"	≤ 25	92.5 lbs	4"	1-1-/8"
OPS-11839	32" L x 19-3/4" W	660 lbs.	35.4"	11"	39.2"	≤ 36	169.7 lbs	5"	1-9/16"
OPS-11840	35-3/4" L x 19-3/4" W	770 lbs.	51.1"	13.7"	38.1"	≤ 60	275 lbs	5"	1-9/16"
OPS-11841	32" L x 19-3/4" W	1100 lbs.	35.4"	11"	39.2"	≤ 45	187.3 lbs	5"	1-9/16"



Hydraulic Scissor Lift Table

3 options · Unit of measure: Each

- Hydraulic foot pump raises the platform
- Ergonomic push handle with easy to use release handle to lower the platform
- Quality powder coated finish provides exceptional durability and corrosion resistance
- (2) Rigid polyurethane casters
- (2) Swivel polyurethane casters with brake
- Conforms to Machinery Directive 2006/42/EC

Frame Material: Steel
Colour: Orange
Tread Width: 1-9/16"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PLATFORM DIMENSIONS	CAPACITY	RAISED HEIGHT	LOWERED HEIGHT	HANDLE HEIGHT	PEDAL STROKES TO MAX	WEIGHT	WHEEL DIAMETER
OPS-11842	63" L x 31-1/2" W	1100 lbs.	35.4"	12.2"	38.1"	≤ 55	299.8 lbs	5"
OPS-11843	39-1/2" L x 20" W	1650 lbs.	39.3"	16.5"	39.2"	≤ 70	227 lbs	6"
OPS-11845	48" L x 24" W	1540 lbs.	59"	18.7"	37.8"	≤ 70	379 lbs	6"



OPS-11844

Hydraulic Scissor Lift Table

Unit of measure: Each

- Hydraulic foot pump raises the platform
- Ergonomic push handle with easy to use release handle to lower the platform
- Quality powder coated finish provides exceptional durability and corrosion resistance
- (2) Rigid polyurethane casters
- (2) Swivel polyurethane casters with brake
- Conforms to Machinery Directive 2006/42/EC

Platform Dimensions: 40" L x 20 " W
Capacity: 2200 lbs.
Raised Height: 39.3"
Lowered Height: 14.9"
Frame Material: Steel
Handle Height: 37.8"
Pedal Strokes To Max: ≤ 55
Weight: 253.5 lbs
Wheel Diameter: 6"
Colour: Orange
Tread Width: 1-9/16"
Manufacturer's Warranty: 1 Year Limited



OPS-11846

Hydraulic Work Table

Unit of measure: Each

- Ideal for use on production lines or on loading docks as an adjustable workbench/positioning table.
- Heavy-duty steel construction suitable for industrial applications and workplaces
- Features telescopic posts which help stabilize and balance loads during operation
- Foot operated piston allows for ergonomic and stable raising and lowering of the work platform
- High quality casters and wheels for exceptional roll ability (two 4" swivel casters, two 4" rigid load wheels)
- Durable enamel paint finish is long lasting and has exceptional wear resistance.
- Platform height and dimensions include wheels

Platform Dimensions: 18" L x 18" W
Capacity: 500 lbs.
Raised Height: 48"
Lowered Height: 29.92"
Frame Material: Steel
Handle Height: 48"
Weight: 153 lbs.
Colour: Industrial Blue
Wheel Diameter: 4"
Manufacturer's Warranty: 1 Year Limited



OPS-11847

Manual Scissor Lift Table

Unit of measure: Each

- Heavy-duty construction provides an ergonomic and reliable way to raise or lower materials
- Quickly and easily raise or lower the table with the manual handle
- Two ridgid and two swivel poly-on-poly casters provide smooth and easy movement
- Precise positioning without downward drift is provided by the mechanical screw drive
- Frame is powder-coated for exceptional durability and corrosion resistance

Platform Dimensions: 37-3/8" L x 23-5/8" W
Capacity: 660 lbs.
Raised Height: 39.5"
Lowered Height: 18"
Frame Material: Steel

Manual Pallet Trucks



Product range

4 options · Unit of measure: Case of 6

- Pallet trucks shipped unassembled in a bulk crate for easy transportation & to maximize the usage of space
- Equipped with a hydraulic lift for raising and lowering loads

Capacity: 5500 lbs.
Frame Material: Steel
Raised Height: 7.75"
Manufacturer's Warranty: 2 Years Limited

ITEM #	PRODUCT	FORK LENGTH	FRAME WIDTH	FORK WIDTH	LOWERED HEIGHT	COLOUR
OPS-11848	Heavy Duty Knocked Down Manual Pallet Trucks	48"	20.5"	6"/6-1/4"	3"/2.9"	High visibility orange
OPS-11867	Heavy-Duty Manual Pallet Trucks	42"	20.5"	6"	3"	—
OPS-11868	Heavy-Duty Manual Pallet Trucks	36"	27"	6"	3"	—
OPS-11869	Heavy-Duty Manual Pallet Trucks	42"	27"	6"	3"	—



Product range

7 options

- Pallet trucks shipped unassembled in a bulk crate for easy transportation & to maximize the usage of space

Frame Material: Steel

ITEM #	PRODUCT	FORK LENGTH	FRAME WIDTH	CAPACITY	FORK WIDTH	RAISED HEIGHT	LOWERED HEIGHT	COLOUR	MANUFACTURER'S WARRANTY	UNIT
OPS-11849	Heavy Duty Knocked Down Manual Pallet Trucks	48"	27"	5500 lbs.	6"/6-1/4"	7.75"	3"/2.9"	High visibility orange	2 Years Limited	Case of 6
OPS-11907	Quick-Lift Pallet Trucks	36"	20.5"	5500 lbs.	6-1/4"	7.75"	3.25"	—	1 Year Limited	Each
OPS-11908	Quick-Lift Pallet Trucks	42"	20.5"	5500 lbs.	6-1/4"	7.75"	3.25"	—	1 Year Limited	Each

ITEM #	PRODUCT (cont.)	FORK LENGTH	FRAME WIDTH	CAPACITY	FORK WIDTH	RAISED HEIGHT	LOWERED HEIGHT	COLOUR	MANUFACTURER'S WARRANTY	UNIT
OPS-11909	Quick-Lift Pallet Trucks	36"	27"	5500 lbs.	6-1/4"	7.75"	3.25"	—	1 Year Limited	Each
OPS-11910	Quick-Lift Pallet Trucks	42"	27"	5500 lbs.	6-1/4"	7.75"	3.25"	—	1 Year Limited	Each
OPS-11911	Quick-Lift Pallet Trucks	48"	27"	5500 lbs.	6-1/4"	7.75"	3.25"	—	1 Year Limited	Each
OPS-11914	Super Heavy-Duty Manual Pallet Trucks	48"	27"	11000 lbs.	6-1/4"	5.5"	3"	Orange	2 Years Limited	Case of 6




Product range

5 options · Unit of measure: Case of 6

- Pallet trucks shipped unassembled in a bulk crate for easy transportation & to maximize the usage of space
- Equipped with a hydraulic lift for raising and lowering loads

Capacity: 6600 lbs.
Frame Material: Steel
Raised Height: 7.75"
Manufacturer's Warranty: 2 Years Limited

ITEM #	PRODUCT	FORK LENGTH	FRAME WIDTH	FORK WIDTH	LOWERED HEIGHT	COLOUR
OPS-11850	Heavy Duty Knocked Down Manual Pallet Trucks	48"	20.5"	6"/6-1/4"	3"/2.9"	Industrial Blue
OPS-11870	Heavy-Duty Manual Pallet Trucks	36"	20.5"	6"	3"	—
OPS-11871	Heavy-Duty Manual Pallet Trucks	42"	20.5"	6"	3"	—
OPS-11872	Heavy-Duty Manual Pallet Trucks	36"	27"	6"	3"	—
OPS-11873	Heavy-Duty Manual Pallet Trucks	42"	27"	6"	3"	—



OPS-11851

Heavy Duty Knocked Down Manual Pallet Trucks

Unit of measure: Case of 6

- Pallet trucks shipped unassembled in a bulk crate for easy transportation & to maximize the usage of space
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Equipped with a hydraulic lift for raising and lowering loads
- Reinforced fork channels deliver exceptional durability

Fork Length: 48"
Frame Width: 27"
Capacity: 6600 lbs.
Frame Material: Steel
Fork Width: 6"/6-1/4"
Raised Height: 7.75"
Lowered Height: 3"/2.9"
Colour: Industrial Blue
Manufacturer's Warranty: 2 Years Limited



Heavy-Duty Manual Pallet Truck

7 options · Unit of measure: Each

- Equipped with a hydraulic lift for raising and lowering loads

Capacity: 5500 lbs.
Frame Material: Steel
Fork Width: 6-1/4"
Raised Height: 7.75"
Lowered Height: 2.9"
Colour: Orange
Manufacturer's Warranty: 2 Years Limited

ITEM #	FORK LENGTH	FRAME WIDTH	NOTE
OPS-11852	36"	20.5"	—
OPS-11853	42"	20.5"	—
OPS-11854	48"	20.5"	—
OPS-11855	36"	27"	—
OPS-11856	42"	27"	—
OPS-11857	48"	27"	—
OPS-11864	48"	27"	All nylon steering wheels and rollers



Heavy-Duty Manual Pallet Truck

7 options · Unit of measure: Each

- Equipped with a hydraulic lift for raising and lowering loads

Capacity: 6600 lbs.
Frame Material: Steel
Fork Width: 6-1/4"
Manufacturer's Warranty: 2 Years Limited

ITEM #	FORK LENGTH	FRAME WIDTH	RAISED HEIGHT	LOWERED HEIGHT	COLOUR	NOTE	LOWERED PALLET TRUCK HEIGHT	RAISED PALLET TRUCK HEIGHT
OPS-11858	36"	20-1/2"	7-3/4"	2.875"	Industrial blue	—	—	—
OPS-11859	42"	20-1/2"	7-3/4"	2.875"	Industrial blue	—	—	—
OPS-11860	48"	20-1/2"	7-3/4"	2.875"	Industrial blue	—	—	—
OPS-11861	36"	27"	7-3/4"	2.875"	Industrial blue	—	—	—
OPS-11862	42"	27"	7-3/4"	2.875"	Industrial blue	—	—	—
OPS-11863	48"	27"	7-3/4"	2.875"	Industrial blue	—	—	—
OPS-11865	48"	27"	7.75"	2.9"	Industrial blue for heavy-duty	All nylon steering wheels and rollers	2 7/8"	7 3/4"



OPS-11866

Heavy-Duty Manual Pallet Trucks

Unit of measure: Case of 6

- Pallet trucks shipped unassembled in a bulk crate for easy transportation & to maximize the usage of space
- Equipped with a hydraulic lift for raising and lowering loads

Fork Length: 36"
Frame Width: 20.5"
Capacity: 5500 lbs.
Frame Material: Steel
Fork Width: 6"
Raised Height: 7.75"
Lowered Height: 3"
Manufacturer's Warranty: 2 Years Limited



Product range

9 options

- Pallet trucks shipped unassembled in a bulk crate for easy transportation & to maximize the usage of space

Capacity: 5500 lbs.
Frame Material: Steel

ITEM #	PRODUCT	FORK LENGTH	FRAME WIDTH	FORK WIDTH	RAISED HEIGHT	LOWERED HEIGHT	COLOUR	MANUFACTURER'S WARRANTY	WEIGHT	WHEEL MATERIAL	UNIT
OPS-11874	Long Fork Manual Pallet Trucks	72"	27"	6-1/4"	7.625"	3"	Yellow	2 Years Limited	—	—	Case of 6
OPS-11889	Manual Pallet Trucks	36"	20.5"	6-1/4"	7.75"	3.25"	—	1 Year Limited	810 lbs.	—	Each
OPS-11890	Manual Pallet Trucks	42"	20.5"	6-1/4"	7.75"	3.25"	—	1 Year Limited	864 lbs.	—	Each
OPS-11891	Manual Pallet Trucks	48"	20.5"	6-1/4"	7.75"	3.25"	—	1 Year Limited	888 lbs.	—	Each
OPS-11892	Manual Pallet Trucks	36"	27"	6-1/4"	7.75"	3.25"	—	1 Year Limited	876 lbs.	—	Each
OPS-11893	Manual Pallet Trucks	42"	27"	6-1/4"	7.75"	3.25"	—	1 Year Limited	942 lbs.	—	Each
OPS-11894	Manual Pallet Trucks	48"	27"	6-1/4"	7.75"	3.25"	—	1 Year Limited	960 lbs.	—	Each
OPS-11895	Manual Pallet Trucks	48"	27"	6-1/4"	7.75"	3.25"	—	1 Year Limited	900 lbs.	Nylon	Each
OPS-11899	Pallet Trucks	36"	20.5"	6"	7.75"	3"	—	1 Year Limited	—	—	Case of 6



Manual Pallet Truck

6 options · **Unit of measure: Each**

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Heavy-duty plastic roller facilitates entry and exit of pallets
- Equipped with a hydraulic lift for raising and lowering loads

Capacity: 5500 lbs.
Frame Material: Steel
Fork Width: 6-1/4"
Raised Height: 7.75"
Lowered Height: 3"

ITEM #	FORK LENGTH	FRAME WIDTH	MANUFACTURER'S WARRANTY	WEIGHT	COLOUR
OPS-11875	36"	20.5"	1-Year Warranty	135 lbs.	—
OPS-11876	42"	20.5"	1-Year Warranty	144 lbs.	—
OPS-11877	48"	20.5"	1 Year Limited	148 lbs.	—
OPS-11878	36"	27"	1-Year Warranty	146 lbs.	Yellow
OPS-11879	42"	27"	1 Year Limited	157 lbs.	Yellow

ITEM #	FORK LENGTH (cont.)	FRAME WIDTH	MANUFACTURER'S WARRANTY	WEIGHT	COLOUR
OPS-11880	48"	27"	1 Year Limited	160 lbs.	Yellow



OPS-11881

Manual Pallet Truck

Unit of measure: Each

- Heavy-duty nylon wheels provide easy mobility
- Heavy-duty plastic roller facilitates entry and exit of pallets
- Equipped with a hydraulic lift for raising and lowering loads

Fork Length: 48"
Frame Width: 27"
Capacity: 5500 lbs.
Frame Material: Steel
Fork Width: 6-1/4"
Raised Height: 7.75"
Lowered Height: 3"
Manufacturer's Warranty: 1-Year Warranty
Weight: 150 lbs.
Colour: Yellow



Manual Pallet Truck

2 options · Unit of measure: Each

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Heavy-duty plastic roller facilitates entry and exit of pallets
- Equipped with a hydraulic lift for raising and lowering loads

Fork Length: 48"
Capacity: 5500 lbs.
Frame Material: Steel
Fork Width: 6-1/4"
Raised Height: 7.75"
Lowered Height: 3.25"
Colour: Red
Manufacturer's Warranty: 1 Year Against Manufacturing Defects

ITEM #	FRAME WIDTH	WEIGHT
OPS-11882	21"	—
OPS-11883	27"	160 lbs.



Manual Pallet Trucks

4 options

- Heavy-duty all nylon steering wheels and rollers provide superior mobility and performance
- Nylon exit roller facilitates entry and exit of pallets
- Equipped with a hydraulic lift for raising and lowering loads

Frame Width: 27"
Capacity: 5500 lbs.
Fork Width: 6-1/4"
Raised Height: 7.09"
Lowered Height: 3"
Manufacturer's Warranty: 2 Years Limited

ITEM #	FORK LENGTH	FRAME MATERIAL	UNIT
OPS-11884	48"	Galvanized	Each
OPS-11885	48"	Stainless Steel	Each
OPS-11886	42"	Galvanized	Each
OPS-11888	48"	Stainless Steel	Case of 6



Manual Pallet Trucks

2 options · Unit of measure: Case of 6

- Pallet trucks shipped unassembled in a bulk crate for easy transportation & to maximize the usage of space
- Heavy-duty all nylon steering wheels and rollers provide superior mobility and performance
- Nylon exit roller facilitates entry and exit of pallets
- Galvanized finish offers corrosion resistance and is ideal for wet and cold conditions
- Equipped with a hydraulic lift for raising and lowering loads

Frame Width: 27"
Capacity: 5500 lbs.
Frame Material: Galvanized
Fork Width: 6-1/4"
Raised Height: 7.09"
Lowered Height: 3"
Manufacturer's Warranty: 2 Years Limited

ITEM #	FORK LENGTH
OPS-11887	42"
OPS-11896	48"



OPS-11897

Pallet Trucks

Unit of measure: Case of 6

- Pallet trucks shipped unassembled in a bulk crate for easy transportation & to maximize the usage of space

Fork Length: 48"
Frame Width: 27"
Capacity: 5500 lbs.
Frame Material: Steel
Fork Width: 6"
Raised Height: 7.75"
Lowered Height: 3"
Manufacturer's Warranty: 2 Years Limited



OPS-11898

Pallet Trucks

Unit of measure: Case of 6

- Pallet trucks shipped unassembled in a bulk crate for easy transportation & to maximize the usage of space

Fork Length: 48"
Frame Width: 27"
Capacity: 6600 lbs.
Frame Material: Steel
Fork Width: 6"
Raised Height: 7.75"
Lowered Height: 3"
Manufacturer's Warranty: 2 Years Limited



Quick-Lift Manual Pallet Truck

7 options · Unit of measure: Each

- Lifts to full height with only four pumps when empty
- Two-speed pump automatically switches to low-speed operation
- Allows forks to quickly rise to upper pallet boards for quicker operation
- Equipped with a hydraulic lift for raising and lowering loads

Capacity: 5500 lbs.
Frame Material: Steel
Fork Width: 6-1/4"
Raised Height: 7.5"
Lowered Height: 3"

ITEM #	FORK LENGTH	FRAME WIDTH	WHEEL MATERIAL	WEIGHT	MANUFACTURER'S WARRANTY
OPS-11900	48"	20.5"	Poly on Steel	—	—
OPS-11901	48"	27"	Poly on Steel	—	—
OPS-11902	36"	20.5"	Poly on Steel	135 lbs.	1 Year Limited
OPS-11903	42"	20.5"	Poly on Steel	144 lbs.	1 Year Limited

ITEM #	FORK LENGTH (cont.)	FRAME WIDTH	WHEEL MATERIAL	WEIGHT	MANUFACTURER'S WARRANTY
OPS-11904	36"	27"	Poly on Steel	146 lbs.	1 Year Limited
OPS-11905	42"	27"	Poly on Steel	157 lbs.	1 Year Limited
OPS-11906	48"	27"	Nylon	150 lbs.	1 Year Limited




OPS-11912

Steel Wheel Pallet Truck

Unit of measure: Each

- Heavy-duty steel wheels and rollers ensure long-lasting, high-performance operation in tough industrial settings.
- Heavy-duty plastic roller facilitates entry and exit of pallets
- Allows forks to quickly rise to upper pallet boards for quicker operation
- Ships pre-assembled
- Recommended for foundries, machine shops and junkyards.

Fork Length: 48"
Frame Width: 27"
Capacity: 5500 lbs.
Frame Material: Steel
Fork Width: 6-1/4"
Raised Height: 7.5"
Lowered Height: 3"
Manufacturer's Warranty: 1 Year Limited
Weight: 171 lbs.
Colour: Yellow



OPS-11913

Super Heavy-Duty Manual Pallet Truck

Unit of measure: Each

- Heavy-duty nylon steering wheels and rollers provide maximum mobility and performance
- Double rollers for easy moving of extra heavy loads
- Equipped with a hydraulic lift for raising and lowering loads

Fork Length: 48"
Frame Width: 27"
Capacity: 11000 lbs.
Frame Material: Steel
Fork Width: 6-1/4"
Raised Height: 5.5"
Lowered Height: 3"
Colour: Orange
Manufacturer's Warranty: 2 Years Limited

Mechanics Rolling Ladders



Mechanics/Maintenance Rolling Ladder

4 options · Unit of measure: Each

- Double-straddle base puts worker in close proximity for hard-to-reach jobs
- Tilt and roll wheelbarrow style mobility allows easy movement over rough surfaces
- Oversize 22" x 24" top step for easier worker movement
- Removable 10" D x 24" W tool tray fits on front or side railing included
- Durable industrial blue polyurethane finish
- Meets ANSI standard A14.7

Frame Material: Steel
Platform Depth: 24"
Step Width: 22"
Step Type: Perforated
Step Depth: 8"
Overall Width: 24"
Rise Height: 9"
Top Step Width: 22"
Height Top Rail: 30"
Capacity: 300 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF STEPS	PLATFORM HEIGHT	OVERALL DEPTH	OVERALL HEIGHT	WEIGHT
OPS-11915	3	28"	44"	58"	85 lbs.
OPS-11916	4	38"	50"	68"	98 lbs.
OPS-11917	5	47"	56"	77"	112 lbs.
OPS-11918	6	57"	68"	87"	125 lbs.

Mesh Perimeter Guards




Mesh Style Perimeter Guard

4 options · Unit of measure: Each

- Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Both feature a unique 49 1/2" overall height and are easily installed
- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Hardware to attach add-on sections is included
- Safety yellow finish

Height: 4'
Colour: Yellow
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	TYPE	WEIGHT
OPS-11919	4'	Starter section	46 lbs.
OPS-11920	4'	Add-on section	34 lbs.
OPS-11921	8'	Starter section	65 lbs.
OPS-11922	8'	Add-on section	53 lbs.




OPS-11923

Perimeter Guards

Unit of measure: Each

- Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Both feature a 49 1/2" overall height and are easily installed
- Safety yellow powder coat finish
- Post caps (KD116) sold separately

Width: 2"
Height: 4.125'
Colour: Yellow
Type: MESH STYLE
Post Type: Universal Post
Weight: 13 lbs.
Manufacturer's Warranty: 1 Year Limited



Perimeter Guards - Mesh Style

4 options · Unit of measure: Each

- Create your own barrier guards with two styles to choose from: 2" x 2" welded wire mesh or 2" square tube
- Both feature a unique 49 1/2" overall height and are easily installed
- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Hardware to attach add-on sections is included
- Industrial blue finish

Height: 4'
Colour: Blue
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	TYPE	WEIGHT
OPS-11924	4'	Starter section	46 lbs.
OPS-11925	4'	Add-on section	34 lbs.
OPS-11926	8'	Starter section	65 lbs.
OPS-11927	8'	Add-on section	53 lbs.



OPS-11928


Universal Post

Unit of measure: Each

- Post caps (KD116) sold separately

Width: 2"
Height: 4.125'
Colour: Blue
Type: Mesh Style Individual Components

Description: Post Universal
Weight: 13 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-11929

Wire Mesh Partition Components - Panels

Unit of measure: Each

- 2" x 2" welded wire mesh
- 10 gauge steel panels are easy to install and require no maintenance
- Permits full visibility and allows for unrestricted circulation of air, heat and light
- Hardware not included - required hardware per additional stacked panel: (2) MMH254 Bolts, (2) MMM966 Nuts

Width: 4'
Height: 4'
Colour: Yellow

Frame Dimensions W' x H': 4 x 4
Weight: 23 lbs.
Manufacturer's Warranty: 1 Year Limited

Metal Gear Lockers



Gear Locker

2 options · Unit of measure: Each

- Lower shelf saves space as it also functions as a locker room bench
- Ventilated sides for optimal air flow
- Lockable safety box and foot locker for secure storage
- Coat rod and hooks provide ample room for hanging uniforms, bags, and other gear, while the upper and lower shelves provide plenty of flat storage area
- Fully open front for easy accessibility
- Foot locker - 14 Gauge
- Shelf/Side & Top Panels/Security box - 16 Gauge

Overall Height: 72"
Overall Width: 24"
Colour: Grey

Material: Steel
Assembly Type: Knocked Down
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL DEPTH
OPS-11930	24"
OPS-11931	18"



Gear Locker

2 options · Unit of measure: Each

- Lower shelf saves space as it also functions as a locker room bench
- Ventilated sides for optimal air flow
- Lockable safety box and foot locker for secure storage
- Coat rod and hooks provide ample room for hanging uniforms, bags, and other gear, while the upper and lower shelves provide plenty of flat storage area
- Fully open front for easy accessibility

Overall Height: 72"
Overall Width: 24"
Colour: Dark Blue
Material: Steel
Assembly Type: Knocked Down
Manufacturer's Warranty: 1 Year Limited
Foot Locker Gauge: 14
Shelf/Side & Top Panels/Security Box Gauge: 16

ITEM #	OVERALL DEPTH
OPS-11932	18"
OPS-11933	24"



Gear Locker with Door

2 options · Unit of measure: Each

- Lower shelf saves space as it also functions as a locker room bench
- Ventilated sides for optimal air flow
- Lockable safety box and foot locker for secure storage
- Coat rod and hooks provide ample room for hanging uniforms, bags, and other gear, while the upper and lower shelves provide plenty of flat storage area
- Lockable door offers extra security
- Door/Foot locker - 14 Gauge
- Shelf/Side & Top Panels/Security box - 16 Gauge

Overall Height: 72"
Overall Width: 24"
Colour: Grey
Material: Steel
Assembly Type: Knocked Down
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL DEPTH
OPS-11934	24"
OPS-11935	18"



Gear Locker with Door

2 options · Unit of measure: Each

- Lower shelf saves space as it also functions as a locker room bench
- Ventilated sides for optimal air flow
- Lockable safety box and foot locker for secure storage
- Coat rod and hooks provide ample room for hanging uniforms, bags, and other gear, while the upper and lower shelves provide plenty of flat storage area
- Lockable door offers extra security

Overall Height: 72"
Overall Width: 24"
Colour: Dark Blue
Material: Steel
Assembly Type: Knocked Down
Manufacturer's Warranty: 1 Year Limited
Door/Foot Locker Gauge: 14
Shelf/Side & Top Panels/Security Box Gauge: 16

ITEM #	OVERALL DEPTH
OPS-11936	18"
OPS-11937	24"

Metal Locker



Add-On Bulk Storage Locker

4 options · Unit of measure: Each

- Provides a safe, organized storage solution for tenants, contractors, and maintenance teams
- Can be installed on either wall or floor; all mounting hardware is included
- Built from durable, powder-coated steel with ventilated mesh sides for visibility and airflow
- Add-On Units connect to a Starter Unit for extended, continuous storage

Bank of: 1
Overall Height: 90"
Colour: Grey
Material: Steel
Top Style: Unfinished
Base Style: Unfinished
Assembly Type: Knocked Down
Perforated/Non-Perforated: Perforated

ITEM #	NO. OF TIERS	OVERALL WIDTH	OVERALL DEPTH
OPS-11938	1	36"	36"
OPS-11939	1	48"	48"
OPS-11940	2	36"	36"
OPS-11941	2	48"	48"



Product range

10 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately

Bank of: 1
Overall Width: 12"
Overall Depth: 18"
Door Width: 9-7/8"
Colour: Grey
Material: Steel
Top Style: Slope
Perforated/Non-Perforated: Non-Perforated

ITEM #	PRODUCT	NO. OF TIERS	OVERALL HEIGHT	DOOR HEIGHT	BASE STYLE	ASSEMBLY TYPE	WEIGHT	MANUFACTURER'S WARRANTY
OPS-11942	Assembled Lockers	1	82"	66-5/8"	Unfinished	Rivet (Assembled)	56 lbs.	1 Year Limited
OPS-11945	Assembled Lockers	2	72"	33-1/4"	Unfinished	Rivet (Assembled)	57 lbs.	1 Year Limited
OPS-11954	Assembled Lockers	1	72"	66-5/8"	Raised	Rivet (Assembled)	60 lbs.	—
OPS-11957	Assembled Lockers	2	72"	33-1/4"	Raised	Rivet (Assembled)	61 lbs.	—
OPS-11973	Lockers	1	82"	66-5/8"	Unfinished	Knocked Down	56 lbs	1 Year Limited
OPS-11976	Lockers	2	82"	33-1/4"	Unfinished	Knocked Down	57 lbs	1 Year Limited
OPS-11979	Lockers	6	82"	11"	Unfinished	Knocked Down	66 lbs	1 Year Limited
OPS-11991	Lockers	1	86"	66-5/8"	Raised	Knocked Down	60 lbs	1 Year Limited
OPS-11994	Lockers	2	86"	33-1/4"	Raised	Knocked Down	61 lbs	1 Year Limited
OPS-11997	Lockers	6	86"	11"	Raised	Knocked Down	71 lbs	1 Year Limited



Product range


2 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately

No. of Tiers: 1
Bank of: 2
Overall Width: 24"
Overall Depth: 18"
Overall Height: 82"
Door Height: 66-5/8"
Door Width: 9-7/8"

Colour: Grey
Material: Steel
Top Style: Slope
Base Style: Unfinished
Perforated/Non-Perforated: Non-Perforated
Bank Width: 12"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	ASSEMBLY TYPE	WEIGHT
OPS-11943	Assembled Lockers	Rivet (Assembled)	104 lbs.
OPS-11974	Lockers	Knocked Down	104 lbs



Product range

2 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately

No. of Tiers: 1
Bank of: 3
Overall Width: 36"
Overall Depth: 18"
Overall Height: 82"
Door Height: 66-5/8"
Door Width: 9-7/8"

Colour: Grey
Material: Steel
Top Style: Slope
Base Style: Unfinished
Perforated/Non-Perforated: Non-Perforated
Bank Width: 12"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	ASSEMBLY TYPE	WEIGHT
OPS-11944	Assembled Lockers	Rivet (Assembled)	151 lbs.
OPS-11975	Lockers	Knocked Down	151 lbs



Product range

2 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately

No. of Tiers: 2
Bank of: 2
Overall Width: 24"
Overall Depth: 18"
Door Height: 33-1/4"
Door Width: 9-7/8"
Colour: Grey

Material: Steel
Top Style: Slope
Base Style: Unfinished
Perforated/Non-Perforated: Non-Perforated
Bank Width: 12"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	OVERALL HEIGHT	ASSEMBLY TYPE	WEIGHT
OPS-11946	Assembled Lockers	72"	Rivet (Assembled)	106 lbs.
OPS-11977	Lockers	82"	Knocked Down	106 lbs



Product range

2 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately

No. of Tiers: 2
Bank of: 3
Overall Width: 36"
Overall Depth: 18"
Door Height: 33-1/4"
Door Width: 9-7/8"
Colour: Grey

Material: Steel
Top Style: Slope
Base Style: Unfinished
Perforated/Non-Perforated: Non-Perforated
Bank Width: 12"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	OVERALL HEIGHT	ASSEMBLY TYPE	WEIGHT
OPS-11947	Assembled Lockers	72"	Rivet (Assembled)	153 lbs.
OPS-11978	Lockers	82"	Knocked Down	153 lbs



Product range

5 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately

Bank of: 1
Overall Width: 12"
Overall Depth: 18"
Door Width: 9-7/8"
Colour: Grey
Material: Steel
Top Style: Basic
Base Style: Raised
Perforated/Non-Perforated: Non-Perforated

ITEM #	PRODUCT	NO. OF TIERS	OVERALL HEIGHT	DOOR HEIGHT	ASSEMBLY TYPE	WEIGHT	MANUFACTURER'S WARRANTY
OPS-11948	Assembled Lockers	1	72"	66-5/8"	Rivet (Assembled)	56 lbs.	—
OPS-11951	Assembled Lockers	2	72"	33-1/4"	Rivet (Assembled)	57 lbs.	—
OPS-11982	Lockers	1	76"	66-5/8"	Knocked Down	56 lbs	1 Year Limited
OPS-11985	Lockers	2	76"	33-1/4"	Knocked Down	57 lbs	1 Year Limited
OPS-11988	Lockers	6	76"	11"	Knocked Down	65 lbs	1 Year Limited



Product range

2 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately

No. of Tiers: 1
Bank of: 2
Overall Width: 24"
Overall Depth: 18"
Door Height: 66-5/8"
Door Width: 9-7/8"
Colour: Grey
Material: Steel
Top Style: Basic
Base Style: Raised
Perforated/Non-Perforated: Non-Perforated
Bank Width: 12"

ITEM #	PRODUCT	OVERALL HEIGHT	ASSEMBLY TYPE	WEIGHT	MANUFACTURER'S WARRANTY
OPS-11949	Assembled Lockers	72"	Rivet (Assembled)	104 lbs.	—
OPS-11983	Lockers	76"	Knocked Down	104 lbs	1 Year Limited



Product range

2 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately

No. of Tiers: 1
Bank of: 3
Overall Width: 36"
Overall Depth: 18"
Door Height: 66-5/8"
Door Width: 9-7/8"
Colour: Grey
Material: Steel
Top Style: Basic
Base Style: Raised
Perforated/Non-Perforated: Non-Perforated
Bank Width: 12"

ITEM #	PRODUCT	OVERALL HEIGHT	ASSEMBLY TYPE	WEIGHT	MANUFACTURER'S WARRANTY
OPS-11950	Assembled Lockers	72"	Rivet (Assembled)	151 lbs.	—
OPS-11984	Lockers	76"	Knocked Down	151 lbs	1 Year Limited



Product range

2 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately

No. of Tiers: 2
Bank of: 2
Overall Width: 24"
Overall Depth: 18"
Door Height: 33-1/4"
Door Width: 9-7/8"
Colour: Grey
Material: Steel
Top Style: Basic
Base Style: Raised
Perforated/Non-Perforated: Non-Perforated
Bank Width: 12"

ITEM #	PRODUCT	OVERALL HEIGHT	ASSEMBLY TYPE	WEIGHT	MANUFACTURER'S WARRANTY
OPS-11952	Assembled Lockers	72"	Rivet (Assembled)	106 lbs.	—
OPS-11986	Lockers	76"	Knocked Down	106 lbs	1 Year Limited



Product range

2 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately

No. of Tiers: 2
Bank of: 3
Overall Width: 36"
Overall Depth: 18"
Door Height: 33-1/4"
Door Width: 9-7/8"
Colour: Grey
Material: Steel
Top Style: Basic
Base Style: Raised
Perforated/Non-Perforated: Non-Perforated
Bank Width: 12"

ITEM #	PRODUCT	OVERALL HEIGHT	ASSEMBLY TYPE	WEIGHT	MANUFACTURER'S WARRANTY
OPS-11953	Assembled Lockers	72"	Rivet (Assembled)	153 lbs.	—
OPS-11987	Lockers	76"	Knocked Down	153 lbs	1 Year Limited




Product range

5 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately

Bank of: 2
Overall Width: 24"
Overall Depth: 18"
Door Width: 9-7/8"
Colour: Grey
Material: Steel
Top Style: Slope
Base Style: Raised
Perforated/Non-Perforated: Non-Perforated
Bank Width: 12"

ITEM #	PRODUCT	NO. OF TIERS	OVERALL HEIGHT	DOOR HEIGHT	ASSEMBLY TYPE	WEIGHT	MANUFACTURER'S WARRANTY	LOCKERETTE DOOR HEIGHT
OPS-11955	Assembled Lockers	1	72"	66-5/8"	Rivet (Assembled)	112 lbs.	—	—
OPS-11958	Assembled Lockers	2	72"	33-1/4"	Rivet (Assembled)	114 lbs.	—	—
OPS-11992	Lockers	1	86"	66-5/8"	Knocked Down	112 lbs	1 Year Limited	—
OPS-11995	Lockers	2	86"	33-1/4"	Knocked Down	114 lbs	1 Year Limited	—
OPS-11998	Lockers	6	86"	11"	Knocked Down	129 lbs	1 Year Limited	11"




Product range

2 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately

No. of Tiers: 1
Bank of: 3
Overall Width: 36"
Overall Depth: 18"
Door Height: 66-5/8"
Door Width: 9-7/8"
Colour: Grey
Material: Steel
Top Style: Slope
Base Style: Raised
Perforated/Non-Perforated: Non-Perforated
Bank Width: 12"

ITEM #	PRODUCT	OVERALL HEIGHT	ASSEMBLY TYPE	WEIGHT	MANUFACTURER'S WARRANTY
OPS-11956	Assembled Lockers	72"	Rivet (Assembled)	163 lbs.	—
OPS-11993	Lockers	86"	Knocked Down	163 lbs	1 Year Limited



Product range

3 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier lockers
- Durable powder-coated grey paint finish
- Number plates available separately

Bank of: 3
Overall Width: 36"
Overall Depth: 18"
Door Width: 9-7/8"
Colour: Grey
Material: Steel
Top Style: Slope
Base Style: Raised
Perforated/Non-Perforated: Non-Perforated
Bank Width: 12"

ITEM #	PRODUCT	NO. OF TIERS	OVERALL HEIGHT	DOOR HEIGHT	ASSEMBLY TYPE	WEIGHT	MANUFACTURER'S WARRANTY	LOCKERETTE DOOR HEIGHT
OPS-11959	Assembled Lockers	2	72"	33-1/4"	Rivet (Assembled)	176 lbs.	—	—
OPS-11996	Lockers	2	86"	33-1/4"	Knocked Down	176 lbs	1 Year Limited	—
OPS-11999	Lockers	6	86"	11"	Knocked Down	190 lbs	1 Year Limited	11"



Bulk Storage Locker

4 options · Unit of measure: Each

- Provides a safe, organized storage solution for tenants, contractors, and maintenance teams
- Can be installed on either wall or floor; all mounting hardware is included
- Built from durable, powder-coated steel with ventilated mesh sides for visibility and airflow

Bank of: 1
Overall Height: 90"
Colour: Grey
Material: Steel
Top Style: Unfinished
Base Style: Unfinished
Assembly Type: Knocked Down
Perforated/Non-Perforated: Perforated

ITEM #	NO. OF TIERS	OVERALL WIDTH	OVERALL DEPTH
OPS-11960	1	36"	36"
OPS-11961	1	48"	48"
OPS-11962	2	36"	36"
OPS-11963	2	48"	48"



Lockers

31 options · Unit of measure: Each

- 16-gauge frames, 24-gauge body and shelves
- Double pan construction doors, 20-gauge outer and 24-gauge inner pans
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Durable powder-coated grey paint finish
- Number plates available separately

Overall Depth: 18"
Door Width: 9-7/8"
Colour: Grey
Material: Steel
Perforated/Non-Perforated: Non-Perforated
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF TIERS	BANK OF	OVERALL WIDTH	OVERALL HEIGHT	DOOR HEIGHT	TOP STYLE	BASE STYLE	ASSEMBLY TYPE	WEIGHT	BANK WIDTH	LOCKERETTES DOOR HEIGHT	LOCKER DOOR H
OPS-11964	1	1	12"	72"	66-5/8"	Basic	Unfinished	Knocked Down	51.7 lbs	—	—	—
OPS-11965	1	2	24"	72"	66-5/8"	Basic	Unfinished	Knocked Down	96 lbs	12"	—	—
OPS-11966	1	3	36"	72"	66-5/8"	Basic	Unfinished	Knocked Down	139 lbs	12"	—	—

ITEM #	NO. OF TIERS (cont.)	BANK OF	OVERALL WIDTH	OVERALL HEIGHT	DOOR HEIGHT	TOP STYLE	BASE STYLE	ASSEMBLY TYPE	WEIGHT	BANK WIDTH	LOCKERETTES DOOR HEIGHT	LOCKER DOOR H
OPS-11967	2	1	12"	72"	33-1/4"	Basic	Unfinished	Knocked Down	53.9 lbs	—	—	—
OPS-11968	2	2	24"	72"	33-1/4"	Basic	Unfinished	Knocked Down	98 lbs	12"	—	—
OPS-11969	2	3	36"	72"	33-1/4"	Basic	Unfinished	Knocked Down	141 lbs	12"	—	—
OPS-11970	6	1	12"	72"	11"	Basic	Unfinished	Knocked Down	60 lbs	—	11"	—
OPS-11971	6	2	24"	72"	11"	Basic	Unfinished	Knocked Down	108 lbs	12"	—	—
OPS-11972	6	3	36"	72"	11"	Basic	Unfinished	Knocked Down	159 lbs	12"	—	—
OPS-11980	6	2	24"	82"	11"	Slope	Unfinished	Knocked Down	119 lbs	12"	—	—
OPS-11981	6	3	36"	82"	11"	Slope	Unfinished	Knocked Down	175 lbs	12"	—	—
OPS-11989	6	2	24"	76"	11"	Basic	Raised	Knocked Down	118 lbs	12"	—	11"
OPS-11990	6	3	36"	76"	11"	Basic	Raised	Knocked Down	174 lbs	12"	—	—
OPS-12000	1	1	12"	72"	66-5/8"	Basic	Unfinished	Rivet (Assembled)	51.7 lbs.	—	—	—
OPS-12001	1	2	24"	72"	66-5/8"	Basic	Unfinished	Rivet (Assembled)	96 lbs.	12"	—	—
OPS-12002	1	3	36"	72"	66-5/8"	Basic	Unfinished	Rivet (Assembled)	139 lbs.	12"	—	—
OPS-12003	2	1	12"	72"	33-1/4"	Basic	Unfinished	Rivet (Assembled)	53.9 lbs.	—	—	—
OPS-12004	2	2	24"	72"	33-1/4"	Basic	Unfinished	Rivet (Assembled)	98 lbs.	12"	—	—
OPS-12005	2	3	36"	72"	33-1/4"	Basic	Unfinished	Rivet (Assembled)	141 lbs.	12"	—	—
OPS-12006	3	1	12"	72"	22-1/8"	Basic	Unfinished	Knocked Down	53.9 lbs.	—	—	—
OPS-12007	3	2	24"	72"	22-1/8"	Basic	Unfinished	Knocked Down	98 lbs.	12"	—	—
OPS-12008	3	3	36"	72"	22-1/8"	Basic	Unfinished	Knocked Down	145 lbs.	—	—	—
OPS-12009	3	1	12"	82"	22-1/8"	Slope	Unfinished	Knocked Down	63.38 lbs.	—	—	—
OPS-12010	3	2	24"	82"	22-1/8"	Slope	Unfinished	Knocked Down	115.76 lbs.	—	—	—
OPS-12011	3	3	36"	82"	22-1/8"	Slope	Unfinished	Knocked Down	161.14 lbs.	—	—	—
OPS-12012	3	1	12"	76"	22-1/8"	Basic	Raised	Knocked Down	63.07 lbs.	—	—	—
OPS-12013	3	2	24"	76"	22-1/8"	Basic	Raised	Knocked Down	115.15 lbs.	—	—	—
OPS-12014	3	3	36"	76"	22-1/8"	Basic	Raised	Knocked Down	160.22 lbs.	—	—	—
OPS-12015	3	1	12"	86"	33-1/4"	Slope	Raised	Knocked Down	68.45 lbs.	—	—	—
OPS-12016	3	2	24"	86"	33-1/4"	Slope	Raised	Knocked Down	125.91 lbs.	—	—	—
OPS-12017	3	3	36"	86"	33-1/4"	Slope	Raised	Knocked Down	176.36 lbs.	—	—	—



Stackable Cube Locker

2 options · Unit of measure: Each

- Expand your locker setup as your team grows—ideal for warehouses, gyms, or staff areas
- Modular design allows units to connect vertically and horizontally for flexible layouts
- Can be floor-stacked or securely wall-mounted; mounting hardware is provided
- Fitted with a hasp handle for easy use and padlock compatibility
- Cube Lockers can be bolted together for stacking or mounted to the wall with the included hardware
- Ships knocked-down for efficient transport and requires simple assembly
- Pre-drilled holes for number plates

No. of Tiers: 1
Bank of: 1
Overall Width: 12"
Overall Height: 12"
Colour: Grey

Material: Steel
Top Style: Flat
Assembly Type: Knocked Down
Perforated/Non-Perforated: Non-Perforated

ITEM #	OVERALL DEPTH
OPS-12018	12"
OPS-12019	18"



Stackable Cube Locker

2 options · Unit of measure: Each

- Expand your locker setup as your team grows—ideal for warehouses, gyms, or staff areas
- Modular design allows units to connect vertically and horizontally for flexible layouts
- Can be floor-stacked or securely wall-mounted; mounting hardware is provided
- Fitted with a hasp handle for easy use and padlock compatibility
- Cube Lockers can be bolted together for stacking or mounted to the wall with the included hardware
- Ships knocked-down for efficient transport and requires simple assembly
- Pre-drilled holes for number plates

No. of Tiers: 1
Bank of: 1
Overall Width: 12"
Overall Height: 12"
Colour: Blue

Material: Steel
Top Style: Flat
Assembly Type: Knocked Down
Perforated/Non-Perforated: Non-Perforated

ITEM #	OVERALL DEPTH
OPS-12020	12"
OPS-12021	18"



Stackable Cube Locker

2 options · Unit of measure: Each

- Expand your locker setup as your team grows—ideal for warehouses, gyms, or staff areas
- Modular design allows units to connect vertically and horizontally for flexible layouts
- Can be floor-stacked or securely wall-mounted; mounting hardware is provided
- Fitted with a hasp handle for easy use and padlock compatibility
- Cube Lockers can be bolted together for stacking or mounted to the wall with the included hardware
- Ships knocked-down for efficient transport and requires simple assembly
- Pre-drilled holes for number plates

No. of Tiers: 1
Bank of: 1
Overall Width: 12"
Overall Height: 12"
Colour: Black

Material: Steel
Top Style: Flat
Assembly Type: Knocked Down
Perforated/Non-Perforated: Non-Perforated

ITEM #	OVERALL DEPTH
OPS-12022	12"
OPS-12023	18"



Vented Lockers

24 options · Unit of measure: Each

- Ships knocked down, ready to assemble with nuts and bolts included
- 14-gauge doors, 18-gauge body, 16-gauge frame
- Stainless steel recessed padlock handles
- Magnetic latch ensures door is properly fastened when closed
- Three zinc-plated coat hooks and one shelf included with single and double tier locker
- Durable powder-coated grey paint finish
- Number plates available separately

Overall Depth: 18"
Door Width: 10"
Colour: Grey
Material: Steel

Assembly Type: Knocked Down
Perforated/Non-Perforated: Perforated
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF TIERS	BANK OF	OVERALL WIDTH	OVERALL HEIGHT	DOOR HEIGHT	TOP STYLE	WEIGHT	BASE STYLE	DETAILS
OPS-12024	1	1	12"	78"	65-1/2"	Basic	86 lbs.	—	—
OPS-12025	1	2	24"	78"	65-1/2"	Basic	152.15 lbs.	—	—
OPS-12026	1	3	36"	78"	65-1/2"	Basic	218.3 lbs.	—	—
OPS-12027	2	1	12"	78"	34-3/8"	Basic	86 lbs.	—	—
OPS-12028	2	2	24"	78"	34-3/8"	Basic	152.15 lbs.	—	—
OPS-12029	2	3	36"	78"	34-3/8"	Basic	213.89 lbs.	—	—
OPS-12030	1	1	12"	78"	65-1/2"	Basic	86 lbs.	Legs	Base panels enclose legs to keep floors clean and free of dust and debris
OPS-12031	1	2	24"	78"	65-1/2"	Basic	152.15 lbs.	Legs	Base panels enclose legs to keep floors clean and free of dust and debris
OPS-12032	1	3	36"	78"	65-1/2"	Basic	218.3 lbs.	Legs	Base panels enclose legs to keep floors clean and free of dust and debris
OPS-12033	2	1	12"	78"	34 3/8"	Basic	86 lbs.	Legs	Base panels enclose legs to keep floors clean and free of dust and debris
OPS-12034	2	2	24"	78"	34 3/8"	Basic	152.15 lbs.	Legs	Base panels enclose legs to keep floors clean and free of dust and debris
OPS-12035	2	3	36"	78"	34 3/8"	Basic	152.15 lbs.	Legs	Base panels enclose legs to keep floors clean and free of dust and debris
OPS-12036	1	1	12"	88"	65-1/2"	Slope	86 lbs.	Legs	—
OPS-12037	1	2	24"	88"	65-1/2"	Slope	152.15 lbs.	Legs	—
OPS-12038	1	3	36"	88"	65-1/2"	Slope	218.3 lbs.	Legs	—
OPS-12039	2	1	12"	88"	34 3/8"	Slope	86 lbs.	Legs	—
OPS-12040	2	2	24"	88"	34 3/8"	Slope	152.15 lbs.	Legs	—
OPS-12041	2	3	36"	88"	34 3/8"	Slope	152.15 lbs.	Legs	—
OPS-12042	1	1	12"	88"	65-1/2"	Slope	86 lbs.	Legs	Base panels enclose legs to keep floors clean and free of dust and debris
OPS-12043	1	2	24"	88"	65-1/2"	Slope	152.15 lbs.	Legs	Base panels enclose legs to keep floors clean and free of dust and debris
OPS-12044	1	3	36"	88"	65-1/2"	Slope	218.3 lbs.	Legs	Base panels enclose legs to keep floors clean and free of dust and debris
OPS-12045	2	1	12"	88"	34 3/8"	Slope	86 lbs.	Legs	Base panels enclose legs to keep floors clean and free of dust and debris
OPS-12046	2	2	24"	88"	34 3/8"	Slope	152.15 lbs.	Legs	Base panels enclose legs to keep floors clean and free of dust and debris

ITEM #	NO. OF TIERS (cont.)	BANK OF	OVERALL WIDTH	OVERALL HEIGHT	DOOR HEIGHT	TOP STYLE	WEIGHT	BASE STYLE	DETAILS
OPS-12047	2	3	36"	88"	34 3/8"	Slope	152.15 lbs.	Legs	Base panels enclose legs to keep floors clean and free of dust and debris

Metal Locker Parts & Accessories



OPS-12048
Coat Hook

Unit of measure: Each

- Replacement hook for lockers

Manufacturer's Warranty: 1 Year Limited

Material: Galvanized Steel



Number Plates

4 options · Unit of measure: Each

- Number plates are ideal for multiple lockers to facilitate identification

Hole Size: 1/8"

Plate Dimensions: 2 ¼"L x 7/8" W

Manufacturer's Warranty: 1 Year Limited

ITEM #	NUMBER RANGE
OPS-12049	1 - 25
OPS-12050	26 - 50
OPS-12051	51 - 75
OPS-12052	76 - 100



OPS-12053
Nuts & Bolts

Unit of measure: Each

- Spare nut and bolt for lockers

Manufacturer's Warranty: 1 Year Limited

Mobile Bin Racks



OPS-12054

Bin Cart with Bins

Unit of measure: Each

- All-welded bin cart
- Work surface made of 14-gauge steel
- Includes bolted on 5" non-marking casters and 2 louvered bin panels
- 1000-lb. capacity
- Durable industrial blue finish
- Bins supplied: 16x 8 1/4" W x 14 3/4" D x 7" H; 4x 16 1/2" W x 14 3/4" D x 7" H

Width: 24"
Depth: 38-1/2"
Height: 36-1/2"
Capacity: 1000 lbs.
Unit Type: Double-sided
No. of Bins: 20
Colour: Blue
Weight: 133 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12055

Bin Cart with Bins

Unit of measure: Each

- All-welded bin cart
- Work surface made of 14-gauge steel
- Includes bolted on 5" non-marking casters and 2 louvered bin panels
- 1000-lb. capacity
- Durable industrial blue finish
- Bins supplied: 16x 8 1/4" W x 14 3/4" D x 7" H; 4x 16 1/2" W x 14 3/4" D x 7" H

Width: 24"
Depth: 38-1/2"
Height: 36-1/2"
Capacity: 1000 lbs.
Unit Type: Double-sided
No. of Bins: 20
Colour: Red
Weight: 133 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12056

Bin Cart with Bins

Unit of measure: Each

- All-welded bin cart
- Work surface made of 14-gauge steel
- Includes bolted on 5" non-marking casters and 2 louvered bin panels
- 1000-lb. capacity
- Durable industrial blue finish
- Bins supplied: 16x 8 1/4" W x 14 3/4" D x 7" H; 4x 16 1/2" W x 14 3/4" D x 7" H

Width: 24"
Depth: 38-1/2"
Height: 36-1/2"
Capacity: 1000 lbs.
Unit Type: Double-sided
No. of Bins: 20
Colour: Yellow
Weight: 135 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12057
Bin Cart with Bins
Unit of measure: Each

- All-welded bin cart
- Work surface made of 14-gauge steel
- Includes bolted on 5" non-marking casters and 2 louvered bin panels
- 1000-lb. capacity
- Durable industrial blue finish
- Bins supplied: 16x 8 1/4" W x 14 3/4" D x 7" H; 4x 16 1/2" W x 14 3/4" D x 7" H

Width: 24"
Depth: 38-1/2"
Height: 36-1/2"
Capacity: 1000 lbs.
Unit Type: Double-sided
No. of Bins: 20
Colour: Green
Weight: 133 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12058
Bin Carts - Cart Only
Unit of measure: Each

- All-welded bin cart
- Work surface made of 14-gauge steel
- Includes bolted on 5" non-marking casters and 2 louvered bin panels
- 1000-lb. capacity
- Durable industrial blue finish

Width: 24"
Depth: 38-1/2"
Height: 36-1/2"
Capacity: 1000 lbs.
Unit Type: Double-sided
No. of Bins: None
Weight: 95 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12059
Bin/Pegboard Combo Rack
Unit of measure: Each

- Mobile rack designed with (1) side pegboard & (1) side louvered panels (2 continuous)
- All-welded construction
- Square tube frame with angle iron base
- Equipped with (4) 5" non-marking, blue rubber casters (2 swivel, 2 rigid)
- Durable Industrial Blue polyurethane finish
- Bins not included

Width: 38"
Depth: 24-1/2"
Height: 55"
Capacity: 1000 lbs.
Unit Type: Double-sided
No. of Bins: 0
Manufacturer's Warranty: 1 Year Limited



OPS-12060
Double-Sided Mobile Bin Rack
Unit of measure: Each

- Ideal for transportation of small parts
- All-welded mobile bin rack
- Durable industrial blue polyurethane finish
- Includes bolted-on 5" non-marking casters and six louvered panels

Width: 36"
Depth: 24"
Height: 63"
Capacity: 1000 lbs.
Unit Type: Double-sided
No. of Bins: 96
Colour: Blue
Weight: 187 lbs.
Includes: (32) 4-1/8" W x 5-3/8" D x 3" H Bins; (24) 5-1/2" W x 10-7/8" D x 5" H Bins; (16) 4-1/8" W x 7-3/8" D x 3" H Bins; (16) 8-1/4" W x 14-3/4" D x 7" H Bins; (8) 16-1/2" W x 14-3/4" D x 7" H Bins
Manufacturer's Warranty: 1 Year Limited



OPS-12061

Double-Sided Mobile Bin Rack

Unit of measure: Each

- Ideal for transportation of small parts
- All-welded mobile bin rack
- Durable industrial blue polyurethane finish
- Includes bolted-on 5" non-marking casters and six louvered panels

Width: 36"
Depth: 24"
Height: 63"
Capacity: 1000 lbs.
Unit Type: Double-sided
No. of Bins: 96
Colour: Red
Weight: 187 lbs.
Includes: (32) 4-1/8" W x 5-3/8" D x 3" H Bins; (24) 4-1/8" W x 7-3/8" D x 3" H Bins; (24) 5-1/2" W x 10-7/8" D x 5" H Bins; (16) 4-1/8" W x 7-3/8" D x 3" H Bins; (8) 16-1/2" W x 14-3/4" D x 7" H Bins
Manufacturer's Warranty: 1 Year Limited



OPS-12062

Double-Sided Mobile Bin Rack

Unit of measure: Each

- Ideal for transportation of small parts
- All-welded mobile bin rack
- Durable industrial blue polyurethane finish
- Includes bolted-on 5" non-marking casters and six louvered panels
- Bins supplied: 32 - 4 1/8" W x 5 3/8" D x 3" H; 24 - 4 1/8" W x 7 3/8" D x 3" H; 24 - 5 1/2" W x 10 7/8" D x 5" H; 16 - 8 1/4" W x 14 3/4" D x 7" H; 8 - 16 1/2" W x 14 3/4" D x 7" H

Width: 36"
Depth: 24"
Height: 63"
Capacity: 1000 lbs.
Unit Type: Double-sided
No. of Bins: 96
Colour: Yellow
Weight: 187 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12063

Double-Sided Mobile Bin Rack

Unit of measure: Each

- Ideal for transportation of small parts
- All-welded mobile bin rack
- Durable industrial blue polyurethane finish
- Includes bolted-on 5" non-marking casters and six louvered panels
- Bins supplied: 32 - 4 1/8" W x 5 3/8" D x 3" H; 24 - 4 1/8" W x 7 3/8" D x 3" H; 24 - 5 1/2" W x 10 7/8" D x 5" H; 16 - 8 1/4" W x 14 3/4" D x 7" H; 8 - 16 1/2" W x 14 3/4" D x 7" H

Width: 36"
Depth: 24"
Height: 63"
Capacity: 1000 lbs.
Unit Type: Double-sided
No. of Bins: 96
Colour: Green
Weight: 187 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12064

Mobile Bin Racks - Singled Sided

Unit of measure: Each

- Ideal for transportation of small parts
- All-welded mobile bin rack
- Durable industrial blue polyurethane finish
- Includes 3" poly casters and two louvered panels
- Casters do not include brakes

Width: 36"
Depth: 16"
Height: 46-1/2"
Capacity: 800 lbs.
Unit Type: Single-sided
No. of Bins: None
Weight: 60 lbs.
Manufacturer's Warranty: 1 Year Limited



Mobile Tilt Bin Rack

2 options · Unit of measure: Each

- Heavy duty steel frame
- Durable powder coat paint finish on galvanized steel
- 3" swivel casters with brake
- Takes up to six mounting channels per side

Width: 26-1/4"
Depth: 22"
Height: 57-1/2"

Colour: Grey
Overall dimensions: 26 1/4" W 22" D x 57 1/2" H
Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	UNIT TYPE	NO. OF BINS	BIN UNITS INCLUDED
OPS-12065	130 lbs.	Single-sided	46	2 of each OPS-13121, OPS-13122, OPS-13123, OPS-13124
OPS-12066	260 lbs.	Double-sided	92	4 of each OPS-13121, OPS-13122, OPS-13123, OPS-13124



OPS-12067

Mobile Tilt Bin Rack - Cart Only

Unit of measure: Each

- Heavy duty steel frame
- Durable powder coat paint finish on galvanized steel
- 3" swivel casters with brake
- Single or double sided use
- Takes up to six mounting channels per side

Width: 26-1/4"
Depth: 22"
Height: 57-1/2"
Unit Type: Double-sided

Colour: Grey
Overall dimensions: 26 1/4" W 22" D x 57 1/2" H
Note: Mounting channels and bins not included
Manufacturer's Warranty: 1 Year Limited



OPS-12068

Single-Sided Mobile Bin Rack

Unit of measure: Each

- Ideal for transportation of small parts
- All-welded mobile bin rack
- Durable industrial blue polyurethane finish
- Includes 3" casters and two louvered panels
- Bins supplied: 36 - 5 1/2" W x 10 7/8" D x 5" H

Width: 36"
Depth: 16"
Height: 46-1/2"
Capacity: 800 lbs.
Unit Type: Single-sided

No. of Bins: 36
Colour: Blue
Weight: 83 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12069

Single-Sided Mobile Bin Rack

Unit of measure: Each

- Ideal for transportation of small parts
- All-welded mobile bin rack
- Durable industrial blue polyurethane finish
- Includes 3" casters and two louvered panels
- Bins supplied: 36 - 5 1/2" W x 10 7/8" D x 5" H

Width: 36"
Depth: 16"
Height: 46-1/2"
Capacity: 800 lbs.
Unit Type: Single-sided

No. of Bins: 36
Colour: Red
Weight: 83 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12070

Single-Sided Mobile Bin Rack

Unit of measure: Each

- Ideal for transportation of small parts
- All-welded mobile bin rack
- Durable industrial blue polyurethane finish
- Includes 3" casters and two louvered panels
- Bins supplied: 36 - 5 1/2" W x 10 7/8" D x 5" H

Width: 36"
Depth: 16"
Height: 46-1/2"
Capacity: 800 lbs.
Unit Type: Single-sided

No. of Bins: 36
Colour: Yellow
Weight: 83 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12071

Single-Sided Mobile Bin Rack

Unit of measure: Each

- Ideal for transportation of small parts
- All-welded mobile bin rack
- Durable industrial blue polyurethane finish
- Includes 3" casters and two louvered panels
- Bins supplied: 36 - 5 1/2" W x 10 7/8" D x 5" H

Width: 36"
Depth: 16"
Height: 46-1/2"
Capacity: 800 lbs.
Unit Type: Single-sided

No. of Bins: 36
Colour: Green
Weight: 83 lbs.
Manufacturer's Warranty: 1 Year Limited

Mobile Cabinet Workbenches



Industrial Duty Mobile Service Workbenches

4 options · Unit of measure: Each

- Designed for moving heavy parts and tools to the job site
- Four 5" non-marking casters: two rigids and two swivels with brake
- Provides a strong maintenance-free surface to work on
- 16-gauge all-welded steel construction
- Laminated hardwood top
- Shell durable industrial blue polyurethane finish
- Cabinets are powder paint grey and industrial blue
- Shipped assembled
- Based on evenly distributed weight capacity

Work Surface: Wood
Depth: 24"
Overall dimensions: 42" W x 24" D x 37"H

Width: 42"
Height: 37"
Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	CONFIGURATION	WEIGHT	STYLE
OPS-12072	1200 lbs.	Dual Doors	237 lbs.	—
OPS-12073	222 lbs.	Door & Drawer	190 lbs.	—
OPS-12074	316 lbs.	Door & Drawers	275 lbs.	4 Drawers/1 Door
OPS-12075	1200 lbs.	Dual Drawers	300 lbs.	8 Drawers

Mobile Work Platforms



OPS-12076

Snow Ladder

Unit of measure: Each

- Facilitates safe snow removal from freight vehicle roofs, preventing transit hazards
- Hand railings and a sturdy platform enhance stability and reduce slip risks
- Serrated steps prevent snow/ice buildup, ensuring clear, safe footing
- Heavy-duty, welded steel construction for long-lasting durability
- Polyurethane-coated steel resists harsh weather for reliable performance and longevity
- Removable safety chains enable safe entry and exit to the platform
- Side-locking pneumatic wheels provide smooth maneuvering and easy repositioning
- Tested to to 1.5 safety factor for capacity
- Recommended for one operator at any given time
- Unit ships on a flat-bed trailer and must be loaded & off-loaded with a crane

Frame Material: Steel
No. of Steps: 10
Platform Height: 99"
Platform Depth: 85-1/2"
Step Width: 48"
Step Type: Serrated
Wheel Material: Pneumatic
Step Height: 10"
Ladder Step Angle: 50 degrees
Railing Height: 40.5"
Platform Dimensions: 85.5"D x 48"W
Overall Dimensions: 85.5"D x 48"W x 140-1/4"H
Weight: 1600 lbs.
Capacity: 300 lbs.

Mold-On Rubber Wheels



Mold-On Rubber Wheel

2 options · Unit of measure: Each

Bore Size: 3/4"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CAPACITY	BEARING TYPE	TREAD WIDTH	WHEEL MATERIAL	WHEEL SIZE	WEIGHT	AXLE SHAFT LENGTH	NO. OF SPOOLS	RUBBER THICKNESS
OPS-12077	8" (203 mm)	400 lbs. (181 kg.)	Roller	2" (51 mm)	Rubber	8" H x 2" W	5.14 lbs.	—	—	—
OPS-12078	10" (254 mm)	948 lbs. (430 kg)	—	2" (50.8 mm)	—	—	3.6 kg (7.94 lbs.)	60.4 mm (2.38")	4	26 mm (1.02")

Molded Dock Bumpers



OPS-12079

Molded Dock Bumpers

Unit of measure: Each

- Protects building and dock areas
- Shockproof, tear and freeze resistant

Material: Rubber
Depth: 4"
Overall Width: 13"
Overall Height: 10"
Weight: 16 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12080

Molded Dock Bumpers

Unit of measure: Each

- Protects building and dock areas
- Shockproof, tear and freeze resistant

Material: Rubber
Depth: 4"
Overall Width: 18"
Overall Height: 10"
Weight: 32 lbs.
Manufacturer's Warranty: 1 Year Limited

Order Picking Carts



Order Picking Carts

6 options · Unit of measure: Each

- All-welded design, ready to use
- Picking list holder eliminates the need to handle loose papers
- 14-gauge steel shelves with 1 1/2" lip, configured up
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Durable industrial blue polyurethane finish

Capacity: 1200 lbs.
Cart Material: Steel
Overall Height: 36"
Wheel Material: Rubber
Construction: All-Welded
Lip Configuration: Lip Up
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	OVERALL WIDTH	OVERALL DEPTH	CLEARANCE BETWEEN SHELVES	SHELF SIZE
OPS-12081	2	18"	46"	27"	18" W x 30" D
OPS-12082	2	24"	52"	27"	24" W x 36" D
OPS-12083	3	18"	46"	12"	18" W x 30" D
OPS-12084	3	24"	52"	12"	24" W x 36" D
OPS-12085	2	24"	64"	27"	24" W x 48" D
OPS-12086	3	24"	64"	12"	24" W x 48" D

Overhead Drum Liftings



OPS-12087
Horizontal Drum Lifting Hook

Unit of measure: Each

- Horizontally lifts 45 imp. gal./55 US gal. steel drums, 34"-36" long
- Alloy steel lifting ring, steel rods, malleable iron hooks

Drum Capacity: 55 US gal. (45 Imperial Gal.)
Frame Material: Steel
No. of Drums: 1
Lifting Capacity: 1000 lbs./454 kg
Drum Type: Steel
Weight: 5 lbs.
Manufacturer's Warranty: 1 Year Limited

Pail Liners




OPS-12088
Plastic Pail Liner

Unit of measure: Each

- Ideal for mixing and storing a variety of liquids, powders, pastes such as chemicals, adhesives, greases, paints, and more
- Seamless vacuum-formed LDPE insert
- Snap-on contoured lip prevents leakage between insert and pail wall

Liner Type: Anti-Static
Wall Thickness: 15 mils
For Drum Capacity: 5 US gal (4.16 imp. Gal.)
Height: 14"
Diameter: 11-1/4"
Manufacturer's Warranty: 1 Year Limited

Pail Openers



OPS-12089
Pail Opener

Unit of measure: Each

- For use on plastic pails/buckets
- Made from durable plastic (nylon)
- Ergonomic and easy to use
- Non-sparking
- Rustproof

Frame Material: Polymer
Handle Length: 5"
Material: Plastic (Nylon)
Colour: Black
Weight: 3.7 oz.
Manufacturer's Warranty: 1 Year Limited

Paint/Ink Cabinets



OPS-12090
Paint/Ink Cabinet

Unit of measure: Each

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids
- 10 Year Limited Warranty

Capacity: 20 gal.
Width: 23"
Depth: 18"
Height: 44"
No. of Shelves: 1

No. of Doors: 1
Door Type: Manual
Standard(s) Met: NFPA/OSHA/FM
Manufacturer's Warranty: 10 Years Limited



OPS-12091
Paint/Ink Cabinet

Unit of measure: Each

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids
- 10 Year Limited Warranty

Capacity: 45 gal.
Width: 43"
Depth: 18"
Height: 44"
No. of Shelves: 3

No. of Doors: 2
Door Type: Manual
Standard(s) Met: NFPA/OSHA/FM
Manufacturer's Warranty: 10 Years Limited



OPS-12092
Paint/Ink Cabinet

Unit of measure: Each

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids
- 10 Year Limited Warranty

Capacity: 60 gal.
Width: 43"
Depth: 18"
Height: 65"
No. of Shelves: 5

No. of Doors: 2
Door Type: Manual
Standard(s) Met: NFPA/OSHA/FM
Manufacturer's Warranty: 10 Years Limited



OPS-12093

Paint/Ink Cabinet

Unit of measure: Each

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- 2" high leak proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive resistant finish
- Meets NFPA Code 30 and OSHA standard 1910 106 for storage for class I, II and III liquids
- 10 Year Limited Warranty

Capacity: 96 gal.
Width: 34"
Depth: 34"
Height: 65"
No. of Shelves: 5
No. of Doors: 2
Door Type: Manual
Standard(s) Met: NFPA/OSHA/FM
Manufacturer's Warranty: 10 Years Limited

Pallet Lift Table



OPS-12094

Spring-Operated Pallet Lifter

Unit of measure: Each

- Shock absorber and heavy-duty springs allow the top of the load to remain at a convenient height by raising and lowering the pallet as its weight changes
- Equipped with forklift pockets for easy relocation
- Rotating top minimizes worker movement
- Ergonomic design helps prevent workplace injuries
- Easy to assemble

Platform Dimensions: 43-5/8" L x 43-5/8" W
Capacity: 4400 lbs.
Raised Height: 27.75"
Lowered Height: 9.5"
Frame Material: Steel
Base Frame Dimensions: 45-1/4" L x 36-3/4" W
Manufacturer's Warranty: 1 Year Limited

Pallet Pullers



OPS-12095

Pallet Puller

Unit of measure: Each

- Efficient way to unload pallets from trucks
- Hardened teeth give positive grip in any pallet
- One-person operation
- Pulls pallets straight or sideways to get out of tight spots

Weight: 16 lbs.
Jaw Opening: 7"
Pulling Capacity: 5000 lbs.
Jaw Height: 3"
Max Jaw Opening: 9-1/4"
Colour: Blue
Manufacturer's Warranty: 1 Year Limited

Pallet Truck Parts & Accessories



OPS-12096
Replacement Bearing For Heavy-Duty Pallet Truck Wheels

Unit of measure: Each

- Check Pallet Truck Compatibility guide in Resource section below

Manufacturer's Warranty: 1 Year Limited



OPS-12097
Replacement Entry Roller For Standard Duty Pallet Truck

Unit of measure: Each

- Bearings not included - Requires two corresponding bearings for installation
- Check Pallet Truck Compatibility guide in Resource section below

Manufacturer's Warranty: 1 Year Limited



OPS-12098
Replacement Load Wheel For Steel Wheel Pallet Truck

Unit of measure: Each

- Bearings not included - Requires two corresponding bearings for installation
- Check Pallet Truck Compatibility guide in Resource section below

Wheel Diameter: 2.91"
Wheel Type: Steel Wheel
Bore Depth: 3.66"



OPS-12099
Replacement Nylon Load Wheel For Heavy-Duty Pallet Truck

Unit of measure: Each

- Bearings not included - Requires two corresponding bearings for installation
- Check Pallet Truck Compatibility guide in Resource section below

Manufacturer's Warranty: 1 Year Limited
Bore Depth: 3.66"
Wheel Diameter: 2.91"
Tread thickness: 0.59"



OPS-12100

Replacement Nylon Steer Wheel For Heavy-Duty Pallet Truck

Unit of measure: Each

- Bearings not included - Requires two corresponding bearings for installation
- Check Pallet Truck Compatibility guide in Resource section below

Manufacturer's Warranty: 1 Year Limited
Bore Depth: 1.97"
Wheel Diameter: 7.09"
Tread thickness: 0.35"



OPS-12101

Replacement Nylon Wheel For Heavy-Duty Pallet Trucks

Unit of measure: Each

- Bearings not included - Requires two corresponding bearings for installation
- Check Pallet Truck Compatibility guide in Resource section below

Manufacturer's Warranty: 1 Year Limited
Bore Depth: 2.76"
Wheel Diameter: 2.91"
Tread thickness: 0.59"



OPS-12102

Replacement Polyurethane Steer Wheel For Low-Profile Pallet Trucks

Unit of measure: Each

- Bearings not included - Requires two corresponding bearings for installation
- Check Pallet Truck Compatibility guide in Resource section below

Manufacturer's Warranty: 1 Year Limited
Bore Depth: 1.97"
Wheel Diameter: 5.91"
Tread thickness: 0.35"



OPS-12103

Replacement Polyurethane Steer Wheel For Long fork and Multi-Direction Pallet Trucks

Unit of measure: Each

- Bearings not included - Requires two corresponding bearings for installation
- Check Pallet Truck Compatibility guide in Resource section below

Manufacturer's Warranty: 1 Year Limited
Bore Depth: 1.97"
Wheel Diameter: 7.09"
Tread thickness: 0.3"



OPS-12104

Replacement Polyurethane Steer Wheel For Standard Duty Pallet Truck

Unit of measure: Each

- Bearings not included - Requires two corresponding bearings for installation
- Check Pallet Truck Compatibility guide in Resource section below

Manufacturer's Warranty: 1 Year Limited



OPS-12105

Replacement Polyurethane Wheel For Heavy-Duty Pallet Trucks

Unit of measure: Each

- Bearings not included - Requires two corresponding bearings for installation
- Check Pallet Truck Compatibility guide in Resource section below

Manufacturer's Warranty: 1 Year Limited
Bore Depth: 2.76"
Wheel Diameter: 2.91"
Tread thickness: 0.31"



OPS-12106

Replacement Polyurethane Wheel For Standard Duty Pallet Truck

Unit of measure: Each

- Bearings not included - Requires two corresponding bearings for installation
- Check Pallet Truck Compatibility guide in Resource section below

Manufacturer's Warranty: 1 Year Limited
Bore Depth: 3.66"
Wheel Diameter: 2.91"
Tread thickness: 0.2"



OPS-12107

Replacement Steel Load Wheel For Steel Wheel Pallet Truck

Unit of measure: Each

- Bearings not included - Requires two corresponding bearings for installation
- Check Pallet Truck Compatibility guide in Resource section below

Manufacturer's Warranty: 1 Year Limited



OPS-12108

Replacement Steel Load Wheel For Steel Wheel Pallet Truck

Unit of measure: Each

- Bearings not included - Requires two corresponding bearings for installation
- Check Pallet Truck Compatibility guide in Resource section below

Manufacturer's Warranty: 1 Year Limited

Panel Trucks



A-Frame Sheet/Panel Truck

5 options · Unit of measure: Each

- Ideal for handling long, flat, awkward loads
- Frame is constructed of all-welded 2" angle
- Available with open or closed base
- Four bolted-on 5" non-marking rubber swivel casters
- Durable industrial blue polyurethane finish

Overall Height: 55"
Capacity: 1200 lbs.
Wheel Diameter: 5"
Frame Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL LENGTH	OVERALL WIDTH	WHEEL MATERIAL	BASE TYPE	WIDTH	DEPTH	HEIGHT	WEIGHT
OPS-12109	36"	24"	Rubber	Open	24"	36"	55"	107 lbs.
OPS-12110	42"	30"	Rubber	Open	30"	42"	55"	117 lbs.
OPS-12112	36"	24"	Non-marking Rubber	Closed	—	—	—	132 lbs.
OPS-12113	42"	30"	Non-marking Rubber	Closed	—	—	—	150 lbs.
OPS-12114	72"	36"	Non-marking Rubber	Closed	—	—	—	222 lbs.



OPS-12111

A-Frame Sheet/Panel Truck

Unit of measure: Each

- Ideal for handling long, flat, awkward loads
- Frame is constructed of all-welded 2" angle
- Available with open or closed base
- Four bolted-on 5" non-marking rubber swivel casters
- Durable industrial blue polyurethane finish

Overall Height: 55"
Overall Length: 72"
Overall Width: 36"
Capacity: 1200 lbs.
Wheel Diameter: 5"
Wheel Material: Rubber
Base Type: Open
Width: 36"
Height: 55"
Depth: 72"
Frame Material: Steel
Weight: 152 lbs.
Manufacturer's Warranty: 1 Year Limited



Adjustable Panel Truck

2 options · Unit of measure: Each

- Features 7 socket positions for maximum capacity
- Ideal for transporting of large sheets and long parts
- Capacity is based on evenly distributed weight
- Two swivel and two rigid 6" casters
- Quality powder coated finish provides exceptional durability and corrosion resistance

Overall Height: 36"
Capacity: 2000 lbs.
Wheel Diameter: 6"
Wheel Material: Polyurethane
Adjustable Upright Height: 12", 24", 36"
No. of Casters: (2) Swivel, (2) Rigid
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL LENGTH	OVERALL WIDTH	INCLUDES
OPS-12115	48"	24"	—
OPS-12116	60"	30"	(2) 12" Uprights; (2) 24" Uprights; (2) 36" Uprights



Drywall Cart

2 options · Unit of measure: Each

- All-welded multi-purpose cart is ideal for transporting drywall, wood or metal sheets
- 1 1/4" tubular rail handle and thick 11-gauge steel platform
- Two rigid and two swivel 8" bolted-on casters
- Deck angle: 80°
- Industrial blue polyurethane finish

Overall Height: 44"
Overall Length: 44"
Overall Width: 24"
Wheel Diameter: 8"
Deck Dimensions: 15" W x 44" L x 14" H
Overall Depth: 44"
Cart Material: Steel
Overall Dimensions: 24" W x 44" L x 44" H
Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	WHEEL MATERIAL
OPS-12117	3500 lbs.	Polyurethane
OPS-12118	2000 lbs.	Mold-on Rubber



OPS-12119

Flat Bed Lumber Cart

Unit of measure: Each

- All-welded cart is ideal for transporting large panel or sheets in a horizontal position
- Four 6" swivel and two 6" rigid bolted-on non-marking polyurethane casters
- Durable industrial blue polyurethane finish

Overall Height: 33"
Overall Length: 60"
Overall Width: 30"
Capacity: 2500 lbs.
Wheel Diameter: 6"
Wheel Material: Polyurethane
Deck Dimension: 30" W x 60" L x 2" H
Overall Depth: 60"
Cart Material: Steel
Manufacturer's Warranty: 1 Year Limited



Heavy-Duty Panel Mover Truck

4 options · Unit of measure: Each

- Ideal for transporting of large sheets and long parts
- All-welded construction made from a 1 1/4" round tubing and 11-gauge deck
- Uprights extend 21" and 33" above deck
- Deck is 12" off the floor
- 8" clear space between tubes
- Two swivel and two rigid 8" casters
- Capacity is based on evenly distributed weight
- Durable industrial blue polyurethane finish

Overall Height: 45"
Overall Width: 30"
Wheel Diameter: 8"
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL LENGTH	CAPACITY	WHEEL MATERIAL	WEIGHT
OPS-12120	48"	2000 lbs.	Mold-on Rubber	160 lbs.
OPS-12121	48"	2500 lbs.	Polyurethane	175 lbs.
OPS-12122	60"	2000 lbs.	Mold-on Rubber	160 lbs.
OPS-12123	60"	2500 lbs.	Polyurethane	175 lbs.



Knocked-Down Panel Truck

2 options · Unit of measure: Each

- Move tables, drywall, plywood, and artwork with ease
- Move light to heavy duty objects at ease with (4) 5" non-marking blue elastic swivel casters
- Removable upright panel bars fit any size load
- Ships knocked-down for freight savings and damage avoidance
- Capacity is based on evenly distributed weight

Overall Height: 43"
Overall Length: 30"
Overall Width: 27"
Capacity: 1000 lbs.

Wheel Diameter: 5"
Wheel Material: Rubber
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK TYPE
OPS-12124	Open-Deck
OPS-12125	Carpet-Deck



Lumber Cart

2 options · Unit of measure: Each

- All-welded cart is ideal for transporting long and bulky items
- Welded 14-gauge 12" x 38" steel shelf
- Grey rubber bumpers protect walls and equipment
- Two rigid and two swivel bolted-on casters
- Industrial blue polyurethane finish

Overall Length: 39"
Overall Width: 26"
Capacity: 1200 lbs.

Wheel Material: Rubber
Cart Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL HEIGHT	WHEEL DIAMETER	DECK DIMENSIONS	DECK DIMENSION	OVERALL DEPTH
OPS-12126	42"	5"	24" W x 36" D x 8" H	—	—
OPS-12127	45"	6"	—	24" W x 36" L x 10" H	39"



Single Level Rails Heavy-Duty Panel Mover Truck

4 options · Unit of measure: Each

- Ideal for transporting large sheets and long parts
- All-welded construction made from 1 1/4" round tubing and reinforced 11-gauge deck
- Uprights extend 33" above deck
- Deck is 12" off the floor
- 8" clear space between tubes
- Two swivel and two rigid 8" casters
- Capacity is based on evenly distributed weight
- Durable industrial blue polyurethane finish

Overall Height: 45"
Overall Width: 30"

Wheel Diameter: 8"
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL LENGTH	CAPACITY	WHEEL MATERIAL	WEIGHT
OPS-12128	48"	2000 lbs.	Mold-on Rubber	139 lbs.
OPS-12129	48"	2500 lbs.	Polyurethane	139 lbs.
OPS-12130	60"	2000 lbs.	Mold-on Rubber	161 lbs.
OPS-12131	60"	2500 lbs.	Polyurethane	161 lbs.

Parts Cabinet



OPS-12132
KPC-100 Parts Cabinet
Unit of measure: Each

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish
- Drawer size: 6.4" W x 11.3" D x 2.7" H
- Heavy-duty ABS grey drawers

Height: 13-4/5"
Width: 23"
Depth: 11-2/5"
Colour: Grey
Material: Galvanized Steel
No. of Drawers: 12
Weight: 28 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12133
KPC-100 Parts Cabinet
Unit of measure: Each

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish
- Drawer size: 6.4" W x 11.3" D x 2.7" H
- Heavy-duty ABS grey drawers


Height: 36-9/10"
Width: 23"
Depth: 11-2/5"
Colour: Grey
Material: Galvanized Steel
No. of Drawers: 36
Weight: 60 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12134
KPC-200 Parts Cabinet
Unit of measure: Each

- Grey enamel finish
- Heavy-duty ABS grey drawers
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- New design allows 98% use of drawer space to store larger tools or materials
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling

Height: 36-9/10"
Width: 21-3/10"
Depth: 10-2/5"
Colour: Grey
Material: Galvanized Steel
No. of Drawers: 30
Weight: 58 lbs.
Drawer size: 5.9" W x 9.8" D x 3.3" H
Manufacturer's Warranty: 1 Year Limited



OPS-12135

KPC-300 Parts Cabinet

Unit of measure: Each

- Clear polystyrene drawers
- Grey enamel finish
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- New design allows 98% use of drawer space to store larger tools or materials
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling

Height: 36-9/10"
Width: 21-3/10"
Depth: 10-2/5"
Colour: Grey
Material: Galvanized Steel

No. of Drawers: 60
Drawer size: 5.9" W x 9.8" D x 1.6" H
Weight: 60 lbs.
Manufacturer's Warranty: 1 Year Limited



KPC-400 Parts Cabinet

3 options · Unit of measure: Each

- Grey enamel finish
- Heavy-duty ABS grey drawers
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- New design allows 98% use of drawer space to store larger tools or materials
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling

Colour: Grey
Material: Galvanized Steel

Drawer size: 4.7" W x 8.6" D x 2.7" H
Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WIDTH	DEPTH	NO. OF DRAWERS	WEIGHT	NOTE
OPS-12136	25-3/5"	17-3/10"	8-7/10"	24	33 lbs.	—
OPS-12137	36-9/10"	22-3/5"	8-7/10"	48	58 lbs.	—
OPS-12138	36-9/10"	22-3/5"	10-4/5"	48	66.8 lbs.	Comes with locking door



OPS-12139

KPC-400 Parts Cabinet

Unit of measure: Each

- Clear divider
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish
- Drawer size: 4.7" W x 8.6" D x 2.7" H
- Heavy-duty ABS beige drawers

Height: 13-4/5"
Width: 23-1/10"
Depth: 8-7/10"
Colour: Grey

Material: Galvanized Steel
No. of Drawers: 16
Weight: 24 lbs.
Manufacturer's Warranty: 1 Year Limited



KPC-500 Parts Cabinet

2 options · Unit of measure: Each

- Clear polystyrene drawers
- Grey enamel finish
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- New design allows 98% use of drawer space to store larger tools or materials
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling

Depth: 8-7/10"
Colour: Grey
Material: Galvanized Steel
Drawer size: 3.5" W x 8.6" D x 2.7" H
Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WIDTH	NO. OF DRAWERS	W" X D" X H"	WEIGHT
OPS-12140	25-3/5"	18-1/10"	32	18.1 x 8.7 x 25.6	31 lbs.
OPS-12141	36-9/10"	22-3/5"	60	—	68 lbs.



OPS-12142

KPC-500 Parts Cabinet

Unit of measure: Each

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish
- Clear polystyrene drawers

Height: 16-1/3"
Width: 14"
Depth: 8-2/3"
Colour: Grey
Material: Steel
No. of Drawers: 15
Drawer size: 3.5" W x 8.6" D x 2.7" H
Weight: 22 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12143

KPC-500 Parts Cabinet

Unit of measure: Each

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish
- Drawer size: 3.5" W x 8.6" D x 2.7" H
- Clear polystyrene drawers

Height: 13-4/5"
Width: 18-3/10"
Depth: 8-7/10"
Colour: Grey
Material: Galvanized Steel
No. of Drawers: 16
W" x D" x H": 18.3 x 8.7 x 14
Weight: 21 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12144

KPC-600 Parts Cabinet

Unit of measure: Each

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish
- Drawer size: 3.5" W x 8.6" D x 2.2" H
- Clear polystyrene drawers

Height: 16-3/10"
Width: 13-9/10"
Depth: 8-7/10"
Colour: Grey
Material: Galvanized Steel
No. of Drawers: 18
Weight: 19 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12145

KPC-600 Parts Cabinet

Unit of measure: Each

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish
- Clear polystyrene drawers

Height: 13-3/4"
Width: 18-1/3"
Depth: 8-2/3"
Colour: Grey
Material: Steel
No. of Drawers: 20
Weight: 21 lbs.
Drawer size: 3.5" W x 8.6" D x 2.2" H
Manufacturer's Warranty: 1 Year Limited



OPS-12146

KPC-600 Parts Cabinet

Unit of measure: Each

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish
- Drawer size: 3.5" W x 8.6" D x 2.2" H
- Clear polystyrene drawers

Height: 13-4/5"
Width: 23-1/10"
Depth: 8-7/10"
Colour: Grey
Material: Galvanized Steel
No. of Drawers: 25
Weight: 27 lbs.
Manufacturer's Warranty: 1 Year Limited



KPC-600 Parts Cabinet

2 options · Unit of measure: Each

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish
- Drawer size: 3.5" W x 8.6" D x 2.2" H
- Clear polystyrene drawers

Depth: 8-7/10"
Colour: Grey
Material: Galvanized Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WIDTH	NO. OF DRAWERS	WEIGHT
OPS-12147	25-3/10"	18-3/10"	40	40 lbs.
OPS-12148	36-9/10"	23-1/10"	75	66 lbs.



OPS-12149

KPC-700 Parts Cabinet

Unit of measure: Each

- Clear polystyrene drawers
- Grey enamel finish
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- New design allows 98% use of drawer space to store larger tools or materials
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling

Height: 25-3/10"
Width: 17-1/2"
Depth: 8-7/10"
Colour: Grey
Material: Galvanized Steel
No. of Drawers: 30
Weight: 40 lbs.
Drawer size: 4.7" W x 8.6" D x 2.2" H
Manufacturer's Warranty: 1 Year Limited



OPS-12150

KPC-HD Heavy-Duty Parts Cabinet

Unit of measure: Each

- Drawer stoppers allow for full extension without risk of spilling
- Grey enamel finish
- Heavy-duty ABS grey drawers
- Heavy-duty steel shelves provide extra durability
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- New design allows 98% use of drawer space to store larger tools or materials

Height: 34-3/5"
Width: 34-3/5"
Depth: 15-7/10"
Colour: Grey
Material: Galvanized Steel
No. of Drawers: 30
Drawer size: 6.5" W x 14.8" D x 4.1" H
Weight: 119 lbs.
Manufacturer's Warranty: 1 Year Limited

Pedestal Bases



OPS-12151

Pedestal Workbench

Unit of measure: Each

- Powder coated industrial grey finish
- No. of Doors: 0
- No. of Drawers: 0

Overall Width: 18"
Overall Depth: 19"
Overall Height: 4"
Manufacturer's Warranty: 1 Year Limited

Pedestal Parts & Accessories



Product range

3 options · Unit of measure: Each

- Ideal for maintenance, repair and assembly departments
- Mount one, two or three cabinets from six choices of cabinets
- Heavy-duty 11-gauge steel base, 1 1/4" thick laminated hardwood top and a push handle
- Four 5" non-marking casters with brakes for smooth, easy rolling
- Doors are reversible, can be opened either left or right side
- All locks keyed alike by pedestal model
- Shipped knocked down
- Cabinet frame powder coat finish with grey shell and industrial blue on doors and drawers

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT
OPS-12152	Mobile Cabinet Benches- Assembly Kits, Double
OPS-12153	Mobile Cabinet Benches- Assembly Kits, Single
OPS-12154	Mobile Cabinet Benches- Assembly Kits, Triple

Pedestal Stands



OPS-12155

2 Shelf Pedestal

Unit of measure: Each

- Welded pedestal
- To be used as a base for workbench tops
- Durable industrial blue polyurethane finish

Overall height: 34"
Manufacturer's Warranty: 1 Year Limited



Single Pedestal Benches

2 options · Unit of measure: Each

- Heavy gauge steel cabinet with 1" round tube frame
- Top tray lined with a rubber mat
- Four 4" non-marking casters with brakes for smooth, easy rolling
- Comes complete with locks and two keys

Capacity: 800 lbs.

Manufacturer's Warranty: 1 Year Limited

ITEM #	WEIGHT	OVERALL DIMENSIONS
OPS-12156	98 lbs.	—
OPS-12157	86 lbs.	20" W x 21" D x 37" H

Pesticide Cabinets



OPS-12158

Pesticide Storage Cabinet

Unit of measure: Each

- Provides safe, secure and controlled storage for pesticides, insecticides, herbicides and other turf chemicals
- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open to a full 180° for easy access
- Recessed handle
- 2" high leak-proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive-resistant finish
- Includes two polyethylene trays

Capacity: 22 gal.
Width: 35"
Depth: 22"
Height: 35"
No. of Shelves: 1

No. of Doors: 2
Door Type: Manual
Standard(s) Met: NFPA/OSHA/FM
Manufacturer's Warranty: 10 Years



OPS-12159

Pesticide Storage Cabinet

Unit of measure: Each

- Provides safe, secure and controlled storage for pesticides, insecticides, herbicides and other turf chemicals
- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open to a full 180° for easy access
- Recessed handle
- 2" high leak-proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive-resistant finish
- Includes two polyethylene trays

Capacity: 30 gal.
Width: 43"
Depth: 18"
Height: 44"
No. of Shelves: 1

No. of Doors: 2
Door Type: Manual
Standard(s) Met: NFPA/OSHA/FM
Manufacturer's Warranty: 10 Years



OPS-12160

Pesticide Storage Cabinet

Unit of measure: Each

- Provides safe, secure and controlled storage for pesticides, insecticides, herbicides and other turf chemicals
- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open to a full 180° for easy access
- Recessed handle
- 2" high leak-proof door sill
- All shelves are adjustable on 2 1/2" centers
- Adjustable leveling feet
- Tough corrosive-resistant finish
- Includes two polyethylene trays

Capacity: 45 gal.
Width: 43"
Depth: 18"
Height: 65"
No. of Shelves: 2
No. of Doors: 2
Door Type: Manual
Standard(s) Met: NFPA/OSHA/FM
Manufacturer's Warranty: 10 Years

Pipe & Bar Stock Carts



Mobile Pipe & Bar Rack

2 options · Unit of measure: Each

- All-welded steel construction, ready to use
- 3 double sided storage levels with 7" high uprights to secure load
- Useable space per side 6"-11"-15" (top-middle-bottom)
- Durable industrial blue polyurethane finish
- Capacity is based on evenly distributed weight

Capacity: 3000 lbs.
Cart Material: Steel
Wheel Material: Polyurethane
Overall Height: 60"
Overall Depth: 36"
Construction: All-Welded
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH	WEIGHT
OPS-12161	48"	205 lbs.
OPS-12162	72"	245 lbs.

Pipe and Bar Rack



OPS-12163

Bar Storage Rack

Unit of measure: Each

- Vertically stores bars up to 12' long
- 3 shelves for extra storage of small parts
- 8" deep arms divided into 3 sections
- Shipped knocked down

Capacity: 3000 lbs.
Storage Orientation: Vertical
Height: 84"
Width: 36"
Depth: 24"
Storage levels: 3
Material: Steel construction
Weight (lbs.): 128
Colour: Industrial Blue
Manufacturer's Warranty: 1 Year Limited



OPS-12164

Bar Storage Racks - Vertical Bar Racks

Unit of measure: Each

- All-welded steel construction
- Vertically stores bars up to 10' long
- Four - 24" deep dividers
- O.A. Dim.: 48" W x 24" D x 60" H
- 3000 lbs. capacity
- Weight: 100 lbs.
- Durable industrial blue polyurethane finish

Capacity: 3000 lbs.
Storage Orientation: Vertical
Height: 60"
Width: 48"
Depth: 24"
Storage levels: 1
Manufacturer's Warranty: 1 Year Limited

Plain Trolleys



Adjustable Trolley with Safety Plates

5 options · Unit of measure: Each

- Easily adjusts to fit various flanges, I-beams and H-beams
- Use on straight or curved track
- Can be installed or removed at any position on the beam
- Heavy-duty cast iron wheels
- Deep width flange provides superior contact with the beam
- Safety plate included
- Meets ASME B30.16

Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	I-BEAM FLANGE WIDTH	A	B	C	E	H	NET WEIGHT
OPS-12165	1000 lbs. (0.5 tons)	2-5/16" - 4-14/16"	7-11/16"	8"	7-3/8"	7/8"	4-7/16"	11.25 lbs.
OPS-12166	2000 lbs. (1 tons)	2-5/16" - 4-14/16"	9-5/16"	9-13/16"	8-7/16"	7/16"	4-5/8"	16.75 lbs.
OPS-12167	4000 lbs. (2 tons)	3-15/16" - 5-14/16"	10-1/4"	10-5/8"	8-15/16"	9/16"	4-15/16"	27.12 lbs.
OPS-12168	6000 lbs. (3 tons)	3-15/16" - 5-14/16"	12"	12-3/8"	11-15/16"	5/16"	6-1/2"	43.44 lbs.
OPS-12169	10000 lbs. (5 tons)	4-14/16" - 6-7/8"	13-9/16"	14-1/8"	13-1/8"	13/16"	7-3/16"	66.37 lbs.

Plastic Collapsible Boxes



OPS-12170

Collapsible Bulk Container

Unit of measure: Each

- Drop gates knock-down with ease
- Quickly collapses, folds, and stacks for convenient transportation
- Lid sold separately

Colour: Grey
Max. Height: 39.4"
Max. Length: 47.2"
Max. Width: 39.4"
No. of Drop Gates: 2
Material: High-density polyethylene (HDPE)
Weight Capacity: 2000 lbs.
Folded Height: 14.2"
Weight: 121.3 lbs. (55 kg.)
Manufacturer's Warranty: 1 Year Limited



OPS-12171
Collapsible Container

Unit of measure: Each

- Polypropylene construction
- Collapses to 21" L x 14" W x 2" H for convenient storage
- Open dimensions 21" L x 14" W x 10 1/2" H
- Reinforced base for added durability
- 16 heavy-duty steel pins built in for increased strength

Colour: Grey
Max. Height: 10.5"
Max. Length: 21"
Max. Width: 14"
Capacity: 160 lbs.
Style: Collapsible
Manufacturer's Warranty: 1 Year Limited

Plastic Hanging & Stacking Bin



Stack & Hang Bin

9 options · Unit of measure: Each

Colour: Blue
Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	OUTSIDE WIDTH	OUTSIDE DEPTH	OUTSIDE HEIGHT	WEIGHT	REFERENCE NUMBER	INDUSTRY STANDARD
OPS-12172	6 lbs.	4-13/16"	7-1/8"	3-3/16"	0.1 lbs.	—	—
OPS-12176	40 lbs	8-3/16"	14"	6-3/16"	0.35 lbs.	—	—
OPS-12192	10 lbs.	4-1/8"	5-3/8"	3"	—	30210	—
OPS-12197	10 lbs.	4-1/8"	7-3/8"	3"	—	30220	—
OPS-12202	30 lbs.	5-1/2"	10-7/8"	5"	—	30230	30230
OPS-12207	50 lbs.	11"	10-7/8"	5"	—	30235	—
OPS-12212	50 lbs.	8-1/4"	10-3/4"	7"	—	30239	—
OPS-12217	60 lbs.	8-1/4"	14-3/4"	7"	—	30240	—
OPS-12222	75 lbs.	16-1/2"	14-3/4"	7"	—	30250	—



Stack & Hang Bin

12 options · Unit of measure: Each

Colour: Yellow
Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	OUTSIDE WIDTH	OUTSIDE DEPTH	OUTSIDE HEIGHT	WEIGHT	REFERENCE NUMBER	INDUSTRY STANDARD
OPS-12173	6 lbs.	4-13/16"	7-1/8"	3-3/16"	0.1 lbs.	—	—
OPS-12175	13 lbs.	5-7/8"	9-13/16"	4-11/16"	0.15 lbs.	—	—
OPS-12177	40 lbs.	8-3/16"	14"	6-3/16"	0.35 lbs.	—	—
OPS-12179	100 lbs.	11-13/16"	17-11/16"	7"	0.6 lbs.	—	—

ITEM #	CAPACITY (cont.)	OUTSIDE WIDTH	OUTSIDE DEPTH	OUTSIDE HEIGHT	WEIGHT	REFERENCE NUMBER	INDUSTRY STANDARD
OPS-12186	66 lbs.	7-7/8"	17-11/16"	7"	0.55 lbs.	—	—
OPS-12195	10 lbs.	4-1/8"	5-3/8"	3"	—	30210	—
OPS-12200	10 lbs.	4-1/8"	7-3/8"	3"	—	30220	—
OPS-12205	30 lbs.	5-1/2"	10-7/8"	5"	—	30230	30230
OPS-12210	50 lbs.	11"	10-7/8"	5"	—	30235	—
OPS-12215	50 lbs.	8-1/4"	10-3/4"	7"	—	30239	—
OPS-12220	60 lbs.	8-1/4"	14-3/4"	7"	—	30240	—
OPS-12225	75 lbs.	16-1/2"	14-3/4"	7"	—	30250	—



Stack & Hang Bin

3 options · Unit of measure: Each

- Innovative stacking design allows for greater visibility and easier access to contents
- Distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline and most acids
- Ideal in production or for store display
- Included with each bin: I.D. card with clear plastic shield, four riser legs and connector clip
- Inclined faceplate with removable label and protector
- 1" riser legs increase capacity and stability
- Stackable using built-in feet
- Connector clip allows for back-to-back mounting
- Built-in extrusions allow side-by-side interlock

Colour: Blue

Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	OUTSIDE WIDTH	OUTSIDE DEPTH	OUTSIDE HEIGHT	WEIGHT
OPS-12174	13 lbs.	5-7/8"	9-13/16"	4-11/16"	0.15 lbs.
OPS-12178	100 lbs.	11-13/16"	17-11/16"	7"	0.6 lbs.
OPS-12185	66 lbs.	7-7/8"	17-11/16"	7"	0.55 lbs.



Stack & Hang Bin

12 options · Unit of measure: Each

Colour: Green

Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	OUTSIDE WIDTH	OUTSIDE DEPTH	OUTSIDE HEIGHT	WEIGHT	REFERENCE NUMBER	INDUSTRY STANDARD
OPS-12180	6 lbs.	4-13/16"	7-1/8"	3-3/16"	0.1 lbs.	—	—
OPS-12181	13 lbs.	5-7/8"	9-13/16"	4-11/16"	0.15 lbs.	—	—
OPS-12182	40 lbs.	8-3/16"	14"	6-3/16"	0.35 lbs.	—	—
OPS-12183	66 lbs.	7-7/8"	17-11/16"	7"	0.55 lbs.	—	—
OPS-12184	100 lbs.	11-13/16"	17-11/16"	7"	0.6 lbs.	—	—
OPS-12193	10 lbs.	4-1/8"	5-3/8"	3"	—	30210	—
OPS-12198	10 lbs.	4-1/8"	7-3/8"	3"	—	30220	—
OPS-12203	30 lbs.	5-1/2"	10-7/8"	5"	—	30230	30230
OPS-12208	50 lbs.	11"	10-7/8"	5"	—	30235	—
OPS-12213	50 lbs.	8-1/4"	10-3/4"	7"	—	30239	—
OPS-12218	60 lbs.	8-1/4"	14-3/4"	7"	—	30240	—
OPS-12223	75 lbs.	16-1/2"	14-3/4"	7"	—	30250	—



Stack & Hang Bin

11 options · Unit of measure: Each

Colour: Red

Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	OUTSIDE WIDTH	OUTSIDE DEPTH	OUTSIDE HEIGHT	WEIGHT	REFERENCE NUMBER	INDUSTRY STANDARD
OPS-12187	6 lbs.	4-13/16"	7-1/8"	3-3/16"	0.1 lbs.	—	—
OPS-12188	13 lbs.	5-7/8"	9-13/16"	4-11/16"	0.15 lbs.	—	—
OPS-12189	40 lbs.	8-3/16"	14"	6-3/16"	0.35 lbs.	—	—
OPS-12191	100 lbs.	11-13/16"	17-11/16"	7"	0.6 lbs.	—	—
OPS-12194	10 lbs.	4-1/8"	5-3/8"	3"	—	30210	—
OPS-12199	10 lbs.	4-1/8"	7-3/8"	3"	—	30220	—
OPS-12204	30 lbs.	5-1/2"	10-7/8"	5"	—	30230	30230
OPS-12209	50 lbs.	11"	10-7/8"	5"	—	30235	—
OPS-12214	50 lbs.	8-1/4"	10-3/4"	7"	—	30239	—
OPS-12219	60 lbs.	8-1/4"	14-3/4"	7"	—	30240	—
OPS-12224	75 lbs.	16-1/2"	14-3/4"	7"	—	30250	—



OPS-12190

Stack & Hang Bin

Unit of measure: Each

- Innovative stacking design allows for greater visibility and easier access to contents
- Distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline and most acids
- Ideal in production or for store display
- Included with each bin: I.D. card with clear plastic shield, four riser legs and connector clip
- Inclined faceplate with removable label and protector
- 1" riser legs increase capacity and stability
- Stackable using built-in feet
- Connector clip allows for back-to-back mounting
- Built-in extrusions allow side-by-side interlock

Colour: Red
Capacity: 66 lbs.
Outside Width: 7-7/8"
Outside Depth: 17-11/16"
Outside Height: 7"
Weight: 0.55 lbs.
Manufacturer's Warranty: 1 Year Limited



Stack & Hang Bin

7 options · Unit of measure: Each

- Designed to hang from bin racks, panels, rails and carts
- Bins reduce and control inventories, shorten assembly times and minimize parts handling
- Reinforced ribs, on both sides, prevent bins from spreading under loads
- Stackable
- Product is recyclable

Colour: Black

Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	OUTSIDE WIDTH	OUTSIDE DEPTH	OUTSIDE HEIGHT	REFERENCE NUMBER	INDUSTRY STANDARD
OPS-12196	10 lbs.	4-1/8"	5-3/8"	3"	30210	—
OPS-12201	10 lbs.	4-1/8"	7-3/8"	3"	30220	—
OPS-12206	30 lbs.	5-1/2"	10-7/8"	5"	30230	30230
OPS-12211	50 lbs.	11"	10-7/8"	5"	30235	—
OPS-12216	50 lbs.	8-1/4"	10-3/4"	7"	30239	—
OPS-12221	60 lbs.	8-1/4"	14-3/4"	7"	30240	—
OPS-12226	75 lbs.	16-1/2"	14-3/4"	7"	30250	—

Plastic Hanging and Stacking Bin Parts & Accessories



Faceplate With Label

2 options · Unit of measure: Each

Colour: Clear

Manufacturer's Warranty: 1 Year Limited

ITEM #	SHIP WEIGHT
OPS-12227	0.0 lb
OPS-12228	0.0 lb



Replacement Leg

2 options · Unit of measure: Pack of 4

Colour: White

Outside Height: 1"

Manufacturer's Warranty: 1 Year Limited

ITEM #	SHIP WEIGHT
OPS-12229	0.1 lb
OPS-12230	0.1 lb

Plastic Laminate Top Workbenches



Industrial Duty Workbench

2 options · Unit of measure: Each

- Features adjustable steel legs
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use
- Powder coated metal components

Capacity: 1000 lbs.
Height: 34"
Width: 60"
Depth: 24"

Plastic Laminate Top Overall Thickness: 1-3/4"
Manufacturer's Warranty: 1 Year Limited
Frame Colour: Black

ITEM #	CONFIGURATION
OPS-12231	Top & Legs Only
OPS-12232	Shelf

Plastic Platform Trucks



Plastic Platform Truck

2 options · Unit of measure: Each

- HDPE-molded structural plastic for strength and long-term durability
- Lightweight, easy to clean, chemical resistant and resists damage from long-term exposure to weather conditions
- Non-skid deck surface
- Removable steel handle
- Other caster options and capacities available upon request

Handle Height: 39"
Capacity: 2500 lbs.
Wheel Diameter: 8"

Wheel Type: Polyurethane
Deck Height: 11"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	WEIGHT
OPS-12233	24"	48"	79 lbs.
OPS-12234	30"	60"	106 lbs. lbs.



Product range

8 options · Unit of measure: Each

- HDPE-molded structural plastic for strength and long-term durability
- Lightweight, easy to clean, chemical resistant and resists damage from long-term exposure to weather conditions
- Non-skid deck surface
- Removable steel handle
- Other caster options and capacities available upon request

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	DECK WIDTH	DECK LENGTH	HANDLE HEIGHT	CAPACITY	WHEEL DIAMETER	WHEEL TYPE	DECK HEIGHT	WEIGHT	COLOUR
OPS-12235	Plastic Platform Truck	24"	48"	40"	1200 lbs.	10"	Pneumatic	13"	84 lbs.	—
OPS-12236	Plastic Platform Truck	30"	60"	40"	1200 lbs.	10"	Pneumatic	13"	111 lbs. lbs.	—
OPS-12237	Plastic Platform Truck	24"	48"	40"	1000 lbs.	10"	Flat Free	13"	85 lbs.	—
OPS-12238	Plastic Platform Truck	30"	60"	40"	1000 lbs.	10"	Flat Free	13"	117 lbs. lbs.	—
OPS-12239	Plastic Platform Truck	24"	48"	39"	1000 lbs.	8"	Pneumatic	11"	79 lbs.	—
OPS-12240	Plastic Platform Truck	24"	48"	39"	900 lbs.	8"	Flat Free	11"	80 lbs.	—
OPS-12241	Plastic Platform Truck	30"	60"	39"	900 lbs.	8"	Flat Free	11"	107 lbs. lbs.	—
OPS-12244	Plastic Platform Trucks	30"	60"	39"	1000 lbs.	8"	Pneumatic	11"	106 lbs.	Grey & Blue



Plastic Platform Trucks

2 options · Unit of measure: Each

- HDPE-molded structural plastic for strength and long-term durability
- Lightweight, easy to clean, chemical resistant and resists damage from long-term exposure to weather conditions
- Non-skid deck surface
- Removable steel handle
- Other caster options and capacities available upon request

Handle Height: 39"
Capacity: 2000 lbs.
Wheel Diameter: 8"
Wheel Type: Mold-on Rubber
Deck Height: 11"
Colour: Grey & Blue
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	WEIGHT
OPS-12242	24"	48"	90 lbs.
OPS-12243	30"	60"	117 lbs.



OPS-12245

Trolley

Unit of measure: Each

- Durable construction resistant to chipping and peeling
- Three convenient handle positions: up, 45° angle and folded down
- 5" casters are resistant to marking

Deck Width: 20-1/2"
Deck Length: 31-3/4"
Handle Height: 27"
Capacity: 500 lbs.
Wheel Diameter: 5"
Wheel Type: Rubber
Deck Height: 6"
Manufacturer's Warranty: 1 Year Limited

Plastic Shelf Bins



OPS-12246
Jumbo Plastic Bin
Unit of measure: Each

- Extra-large size provides massive amount of storage capacity
- Guaranteed unbreakable and distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline and most acids
- Nesting design allows for minimal storage space when not in use
- Stackable for added space savings, up to 4 high

Colour: Red
Capacity: 200 lbs.
Outside Width: 15-1/2"
Outside Depth: 25"
Outside Height: 13"
Manufacturer's Warranty: 1 Year Limited



OPS-12247
Jumbo Plastic Bin
Unit of measure: Each

- Extra-large size provides massive amount of storage capacity
- Guaranteed unbreakable and distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline and most acids
- Nesting design allows for minimal storage space when not in use
- Stackable for added space savings, up to 4 high

Colour: Blue
Capacity: 200 lbs.
Outside Width: 15-1/2"
Outside Depth: 25"
Outside Height: 13"
Manufacturer's Warranty: 1 Year Limited



OPS-12248
Jumbo Plastic Bin
Unit of measure: Each

- Extra-large size provides massive amount of storage capacity
- Guaranteed unbreakable and distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline and most acids
- Nesting design allows for minimal storage space when not in use
- Stackable for added space savings, up to 4 high

Colour: Green
Capacity: 200 lbs.
Outside Width: 15-1/2"
Outside Depth: 25"
Outside Height: 13"
Manufacturer's Warranty: 1 Year Limited



OPS-12249
Jumbo Plastic Bin
Unit of measure: Each

- Extra-large size provides massive amount of storage capacity
- Guaranteed unbreakable and distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline and most acids
- Nesting design allows for minimal storage space when not in use
- Stackable for added space savings, up to 4 high

Colour: Yellow
Capacity: 200 lbs.
Outside Width: 15-1/2"
Outside Depth: 25"
Outside Height: 13"
Manufacturer's Warranty: 1 Year Limited

Plastic Storage Containers



OPS-12250
5 oz. Container without Lid

Unit of measure: Each

- General-use, round storage container

Colour: Red
Capacity: 5 oz.

Manufacturer's Warranty: 1 Year Limited



OPS-12251
8 oz. Container without Lid

Unit of measure: Each

Colour: Red
Capacity: 8 oz.

Manufacturer's Warranty: 1 Year Limited

Plate Casters



OPS-12252
Blue Caster

Unit of measure: Each

- High load capacity, rolls easily and quietly on all floors
- Non-marking, excellent floor protection
- Zinc chrome plated finish provides corrosion resistance
- Elastic rubber tread rejects floor debris
- Sealed double ball raceway
- Thread guards
- Ball bearing
- Applications: General duty applications in mobile warehouse equipment and factory use

Wheel Diameter: 4" (101.6 mm)
Capacity: 350 lbs. (158.8 kg.)
Wheel Material: Rubber
Caster Type: Swivel
Frame Material: Steel
Tread Width: 1-3/8" (35 mm)

Bolt Hole Spacing: 2-3/8" x 3-1/8" (60 mm x 79 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 3-3/8" x 4" (86 mm x 102 mm)
Overall Height: 5"
Manufacturer's Warranty: 1 Year Limited



OPS-12253

Blue Caster

Unit of measure: Each

- High load capacity, rolls easily and quietly on all floors
- Non-marking, excellent floor protection
- Zinc chrome plated finish provides corrosion resistance
- Elastic rubber tread rejects floor debris
- Sealed double ball raceway
- Thread guards
- Ball bearing
- Applications: General duty applications in mobile warehouse equipment and factory use

Wheel Diameter: 4" (101.6 mm)
Capacity: 350 lbs. (158.8 kg.)
Wheel Material: Rubber
Caster Type: Rigid
Frame Material: Steel
Tread Width: 1-3/8" (35 mm)
Bolt Hole Spacing: 2-3/8" x 3-1/8" (60 mm x 79 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 3-3/8" x 4" (86 mm x 102 mm)
Overall Height: 5"
Manufacturer's Warranty: 1 Year Limited



Blue Caster

2 options · Unit of measure: Each

- High load capacity, rolls easily and quietly on all floors
- Non-marking, excellent floor protection
- Zinc chrome plated finish provides corrosion resistance
- Elastic rubber tread rejects floor debris
- Sealed double ball raceway
- Thread guards
- Ball bearing
- Applications: General duty applications in mobile warehouse equipment and factory use

Wheel Diameter: 5" (127 mm)
Capacity: 400 lbs. (181 kg.)
Wheel Material: Rubber
Frame Material: Steel
Tread Width: 1-3/8" (35 mm)
Bolt Hole Spacing: 2-3/8" x 3-1/8" (60 mm x 79 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 3-3/8" x 4" (86 mm x 102 mm)
Overall Height: 6" H"
Manufacturer's Warranty: 1 Year Limited

ITEM #	CASTER TYPE
OPS-12254	Swivel
OPS-12257	Swivel with Brake



OPS-12255

Blue Caster

Unit of measure: Each

- High load capacity, rolls easily and quietly on all floors
- Non-marking, excellent floor protection
- Zinc chrome plated finish provides corrosion resistance
- Elastic rubber tread rejects floor debris
- Sealed double ball raceway
- Thread guards
- Ball bearing
- Applications: General duty applications in mobile warehouse equipment and factory use

Wheel Diameter: 5" (127 mm)
Capacity: 400 lbs. (181 kg.)
Wheel Material: Rubber
Caster Type: Rigid
Frame Material: Steel
Tread Width: 1-3/8" (35 mm)
Bolt Hole Spacing: 2-3/8" x 3-1/8" (60 mm x 79 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 3-3/8" x 4" (86 mm x 102 mm)
Overall Height: 6" H"
Manufacturer's Warranty: 1 Year Limited



OPS-12256

Blue Caster

Unit of measure: Each

- High load capacity, rolls easily and quietly on all floors
- Non-marking, excellent floor protection
- Zinc chrome plated finish provides corrosion resistance
- Elastic rubber tread rejects floor debris
- Sealed double ball raceway
- Thread guards
- Ball bearing
- Total locking brake locks the wheel and keeps the swivel from turning
- Applications: General duty applications in mobile warehouse equipment and factory use

Wheel Diameter: 4" (101.6 mm)
Capacity: 350 lbs. (158.8 kg.)
Wheel Material: Rubber
Caster Type: Swivel with Brake
Frame Material: Steel
Tread Width: 1-3/8" (35 mm)
Bolt Hole Spacing: 2-3/8" x 3-1/8" (60 mm x 79 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 3-3/8" x 4" (86 mm x 102 mm)
Overall Height: 5" H"
Manufacturer's Warranty: 1 Year Limited



OPS-12258

Blue Caster

Unit of measure: Each

- Rolls easily and quietly on all floors
- Non-marking, excellent floor protection
- Zinc chrome plated finish provides corrosion resistance
- Elastic rubber tread rejects floor debris
- Ideal for general duty applications in mobile warehouse equipment and factory use

Wheel Diameter: 3" (76 mm)
Capacity: 285 lbs. (129 kg.)
Wheel Material: Rubber
Caster Type: Swivel
Frame Material: Steel
Tread Width: 1-1/4" (31.75 mm)
Bolt Hole Spacing: 2-3/8" x 3-1/8" (60 mm x 79 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 3-3/8" x 4" (86 mm x 102 mm)
Overall Height: 4-1/4"
Bearing Type: Roller
Manufacturer's Warranty: 1 Year Limited



Blue Caster

2 options · Unit of measure: Each

- Rolls easily and quietly on all floors
- Non-marking, excellent floor protection
- Zinc chrome plated finish provides corrosion resistance
- Elastic rubber tread rejects floor debris
- Ideal for general duty applications in mobile warehouse equipment and factory use

Wheel Diameter: 3" (76 mm)
Capacity: 285 lbs. (129 kg.)
Wheel Material: Rubber
Frame Material: Steel
Tread Width: 1-1/4" (31.75 mm)
Bolt Hole Spacing: 2-3/8" x 3-1/8" (60 mm x 79 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 3-3/8" x 4" (86 mm x 102 mm)
Overall Height: 4-1/4"
Bearing Type: Roller
Manufacturer's Warranty: 1 Year Limited

ITEM #	CASTER TYPE
OPS-12259	Rigid
OPS-12260	Swivel with Brake



OPS-12261

Caster

Unit of measure: Each

- Lightweight and economical
- Non-marking and chemical-resistant
- Non-marking, easy to maintain, steam cleanable
- High impact strength

Wheel Diameter: 3" (76 mm)
Capacity: 250 lbs. (113 kg.)
Wheel Material: Polyolefin
Caster Type: Swivel
Frame Material: Steel
Tread Width: 1-3/32" (28 mm)
Bolt Hole Spacing: 2-11/16" x 2" (68 mm x 50 mm)
Bolt Hole Size: 11/32" (9 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Description: 3" Polyolefin Swivel Caster
Manufacturer's Warranty: 1 Year Limited



Caster

3 options · Unit of measure: Each

- Non-marking, cut and tear resistant
- Die cast aluminum core with brown polyurethane tread
- Resistant to most chemicals, moisture friendly
- Double ball raceway

Wheel Material: Polyurethane
Caster Type: Rigid
Frame Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CAPACITY	TREAD WIDTH	BOLT HOLE SPACING	BOLT HOLE SIZE	PLATE SIZE	OVERALL HEIGHT
OPS-12262	4" (101.6 mm)	440 lbs. (199.58 kg.)	1-1/2" (38 mm)	2-3/8" x 3-1/16" (60 mm x 78 mm)	5/16" (7.93 mm)	3-1/8" x 4-1/8" (80 mm x 105 mm)	5 3/8" H"
OPS-12270	5" (127 mm)	650 lbs. (294 kg.)	1-1/2" (38 mm)	2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)	3/8" (9.52 mm)	4" x 4-1/2" (102 mm x 114 mm)	6 1/2" H"
OPS-12286	3" (76 mm)	230 lbs. (104 kg.)	1-1/4" (31.75 mm)	2-3/4" x 1-3/4" (70 mm x 44 mm)	5/16" (7.93 mm)	2-5/8" x 3-3/4" (67 mm x 95 mm)	4-1/4"



Caster

3 options · Unit of measure: Each

- Rolls easily and quietly on all floors
- Lightweight and economical
- Non-marking, easy to maintain, steam cleanable
- High impact strength
- Superior resistance to most oils, chemicals, grease and acids
- Applications: For food service equipment, mobile warehouse equipment, factories and abusive environments
- Plate size: 2 5/8" x 3 3/4" ; Bolt hole centres: 1 3/4" x 2 3/4" ; Bolt hole size: 5/16"

Capacity: 250 lbs. (113 kg.)
Wheel Material: Polyolefin
Caster Type: Swivel
Frame Material: Steel
Tread Width: 1-1/4" (31.75 mm)
Bolt Hole Spacing: 2-3/4" x 1-3/4" (70 mm x 44 mm)
Bolt Hole Size: 5/16" (7.93 mm)
Plate Size: 2-5/8" x 3-3/4" (67 mm x 95 mm)
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	OVERALL HEIGHT
OPS-12263	3" (76 mm)	4-1/2"
OPS-12265	4" (101.6 mm)	5-1/4"
OPS-12267	5" (127 mm)	6-1/8"



Caster

2 options · Unit of measure: Each

- Rolls easily and quietly on all floors
- Lightweight and economical
- Non-marking, easy to maintain, steam cleanable
- High impact strength
- Superior resistance to most oils, chemicals, grease and acids
- Applications: For food service equipment, mobile warehouse equipment, factories and abusive environments

Wheel Material: Polyolefin
Frame Material: Steel
Tread Width: 1-1/4" (31.75 mm)
Bolt Hole Spacing: 2-3/4" x 1-3/4" (70 mm x 44 mm)
Bolt Hole Size: 5/16" (7.93 mm)
Plate Size: 2-5/8" x 3-3/4" (67 mm x 95 mm)
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CAPACITY	CASTER TYPE	OVERALL HEIGHT
OPS-12264	3" (76 mm)	250 lbs. (113 kg.)	Rigid	4-1/2"
OPS-12285	5" (127 mm)	250 lbs. (113.4 kg)	Swivel with Brake	6-1/8"




Caster

2 options · Unit of measure: Each

- Rolls easily and quietly on all floors
- Lightweight and economical
- Non-marking, easy to maintain, steam cleanable
- High impact strength
- Superior resistance to most oils, chemicals, grease and acids
- Applications: For food service equipment, mobile warehouse equipment, factories and abusive environments
- Plate size: 2 5/8" x 3 3/4" ; Bolt hole centres: 1 3/4" x 2 3/4" ; Bolt hole size: 5/16"

Capacity: 250 lbs. (113 kg.)
Wheel Material: Polyolefin
Caster Type: Rigid
Frame Material: Steel
Tread Width: 1-1/4" (31.75 mm)
Bolt Hole Spacing: 2-3/4" x 1-3/4" (70 mm x 44 mm)
Bolt Hole Size: 5/16" (7.93 mm)
Plate Size: 2-5/8" x 3-3/4" (67 mm x 95 mm)
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	OVERALL HEIGHT
OPS-12266	4" (101.6 mm)	5-1/4"
OPS-12268	5" (127 mm)	6-1/8"



OPS-12269

Caster

Unit of measure: Each

- Smooth rolling, low noise operation
- Non-marking, cut and tear resistant
- Die cast aluminum core with brown polyurethane tread
- Resistant to most chemicals, moisture friendly
- Double ball raceway
- Annular ball bearing; ; Applications:; Food service equipment, factory use, mobile warehouse equipment.; ; Plate size:; 4" x 4 1/2"; ; Bolt hole centres:; 3 1/4" x 2 3/4"; ; Bolt hole size:; 3/8"

Wheel Diameter: 5" (127 mm)
Capacity: 650 lbs. (294 kg.)
Wheel Material: Polyurethane
Caster Type: Swivel
Frame Material: Steel
Tread Width: 1-1/2" (38 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Overall Height: 6 1/2" H"
Manufacturer's Warranty: 1 Year Limited



Caster

2 options · Unit of measure: Each

- Smooth rolling, low noise operation
- Non-marking, cut and tear resistant
- Die cast aluminum core with brown polyurethane tread
- Resistant to most chemicals, moisture friendly
- Double ball raceway
- Annular ball bearing; ; Applications:; Food service equipment, factory use, mobile warehouse equipment.; ; Plate size:; 4" x 4 1/2"; ; Bolt hole centres:; 3 1/4" x 2 3/4"; ; Bolt hole size:; 3/8"

Wheel Diameter: 6" (152.4 mm)
Capacity: 850 lbs. (385 kg.)
Wheel Material: Polyurethane
Frame Material: Steel
Tread Width: 1-1/2" (38 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Manufacturer's Warranty: 1 Year Limited

ITEM #	CASTER TYPE	OVERALL HEIGHT
OPS-12271	Swivel	7 1/2" H"
OPS-12279	Swivel with Brake	7 1/2" H



Caster

2 options · Unit of measure: Each

- Smooth rolling, low noise operation
- Non-marking, cut and tear resistant
- Die cast aluminum core with brown polyurethane tread
- Resistant to most chemicals, moisture friendly
- Double ball raceway
- Annular ball bearing; ; Applications:; Food service equipment, factory use, mobile warehouse equipment.; ; Plate size:; 4" x 4 1/2"; ; Bolt hole centres:; 3 1/4" x 2 3/4"; ; Bolt hole size:; 3/8"

Wheel Material: Polyurethane
Caster Type: Rigid
Frame Material: Steel
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CAPACITY	TREAD WIDTH	OVERALL HEIGHT
OPS-12272	6" (152.4 mm)	850 lbs. (385 kg.)	1-1/2" (38 mm)	7 1/2" H"
OPS-12274	8" (203.2 mm)	1000 lbs. (453.6 kg.)	1-5/8" (41 mm)	9 1/2" H"



Caster

3 options · Unit of measure: Each

- Non-marking, cut and tear resistant
- Die cast aluminum core with brown polyurethane tread
- Resistant to most chemicals, moisture friendly
- Double ball raceway

Wheel Material: Polyurethane
Caster Type: Swivel
Frame Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CAPACITY	TREAD WIDTH	BOLT HOLE SPACING	BOLT HOLE SIZE	PLATE SIZE	OVERALL HEIGHT
OPS-12273	8" (203.2 mm)	1000 lbs. (453.6 kg.)	1-5/8" (41 mm)	2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)	3/8" (9.52 mm)	4" x 4-1/2" (102 mm x 114 mm)	9 1/2" H"
OPS-12275	4" (101.6 mm)	550 lbs. (249.5 kg.)	1-5/8" (41 mm)	2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)	3/8" (9.52 mm)	4" x 4-1/2" (102 mm x 114 mm)	5 5/8" H"
OPS-12287	3" (76 mm)	230 lbs. (104 kg.)	1-1/4" (31.75 mm)	2-3/4" x 1-3/4" (70 mm x 44 mm)	5/16" (7.93 mm)	2-5/8" x 3-3/4" (67 mm x 95 mm)	4-1/4"




OPS-12276

Caster

Unit of measure: Each

- Smooth rolling, low noise operation
- Non-marking, cut and tear resistant
- Die cast aluminum core with brown polyurethane tread
- Resistant to most chemicals, moisture friendly
- Double ball raceway
- Annular ball bearing; ; Applications:; Food service equipment, factory use, mobile warehouse equipment.; ; Plate size:; 4" x 4 1/2"; ; Bolt hole centres:; 3 1/4" x 2 3/4"; ; Bolt hole size:; 3/8"

Wheel Diameter: 4" (101.6 mm)
Capacity: 550 lbs. (249.5 kg.)
Wheel Material: Polyurethane
Caster Type: Rigid
Frame Material: Steel
Tread Width: 1-5/8" (41 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Overall Height: 5 5/8" H"
Manufacturer's Warranty: 1 Year Limited



Caster

3 options · Unit of measure: Each

Caster Type: Swivel with Brake
Frame Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CAPACITY	WHEEL MATERIAL	TREAD WIDTH	BOLT HOLE SPACING	BOLT HOLE SIZE	PLATE SIZE	OVERALL HEIGHT
OPS-12277	4" (101.6 mm)	550 lbs. (249.5 kg.)	Polyurethane	1-5/8" (41 mm)	2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)	3/8" (9.52 mm)	4" x 4-1/2" (102 mm x 114 mm)	5 5/8" H"
OPS-12283	3" (76.2 mm)	250 lbs. (113.4 kg)	Polyolefin	1-1/4" (31.75 mm)	2-3/4" x 1-3/4" (70 mm x 44 mm)	5/16" (7.93 mm)	2-5/8" x 3-3/4" (67 mm x 95 mm)	4-1/2"
OPS-12284	4" (101.6 mm)	250 lbs. (113.4 kg)	Polyolefin	1-1/4" (31.75 mm)	2-3/4" x 1-3/4" (70 mm x 44 mm)	5/16" (7.93 mm)	2-5/8" x 3-3/4" (67 mm x 95 mm)	5-1/4"




OPS-12278

Caster

Unit of measure: Each

- Smooth rolling, low noise operation
- Non-marking, cut and tear resistant
- Die cast aluminum core with brown polyurethane tread
- Resistant to most chemicals, moisture friendly
- Double ball raceway
- Annular ball bearing; ; Applications:; Food service equipment, factory use, mobile warehouse equipment.; ; Plate size:; 4" x 4 1/2"; ; Bolt hole centres:; 3 1/4" x 2 3/4"; ; Bolt hole size:; 3/8"
- Total locking brake locks the wheel and keeps the swivel from turning

Wheel Diameter: 5" (127 mm)
Capacity: 650 lbs. (294 kg.)
Wheel Material: Polyurethane
Caster Type: Swivel with Brake
Frame Material: Steel
Tread Width: 1-1/2" (38 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Overall Height: 6 1/2" H"
Manufacturer's Warranty: 1 Year Limited



OPS-12280

Caster

Unit of measure: Each

- Smooth rolling, low noise operation
- Non-marking, cut and tear resistant
- Die cast aluminum core with brown polyurethane tread
- Resistant to most chemicals, moisture friendly
- Double ball raceway
- Annular ball bearing; ; Applications:; Food service equipment, factory use, mobile warehouse equipment.; ; Plate size:; 4" x 4 1/2"; ; Bolt hole centres:; 3 1/4" x 2 3/4"; ; Bolt hole size:; 3/8"
- Total locking brake locks the wheel and keeps the swivel from turning

Wheel Diameter: 8" (203.2 mm)
Capacity: 1000 lbs. (453.6 kg.)
Wheel Material: Polyurethane
Caster Type: Swivel with Brake
Frame Material: Steel
Tread Width: 1-5/8" (41 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Overall Height: 9 1/2" H"
Manufacturer's Warranty: 1 Year Limited



Caster

2 options · Unit of measure: Each

- Smooth rolling, low noise operation
- Non-marking, cut and tear resistant
- Die cast aluminum core with brown polyurethane tread
- Resistant to most chemicals, moisture friendly
- Double ball raceway
- Butterfly side brake locks the wheel preventing it from rolling

Wheel Material: Polyurethane
Caster Type: Swivel with Brake
Frame Material: Steel
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 3/8" (9.52 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CAPACITY	TREAD WIDTH	OVERALL HEIGHT
OPS-12281	6" (152.4 mm)	850 lbs. (385 kg.)	1-1/2" (38 mm)	7 1/2"
OPS-12282	8" (203.2 mm)	1000 lbs. (453 kg.)	1-5/8" (41 mm)	9 1/2"



OPS-12288
Caster Set

Unit of measure: Each

- Smooth rolling, low noise operation
- Non-marking
- Zinc chrome-plated finish provides corrosion resistance
- Superior resistance to most oils, chemicals and grease
- Double ball raceway
- Designed to work with High Work Maintenance Platforms & Polyethylene Self-Dumping Hoppers
- Includes 2 swivel and 2 ridgid casters

Wheel Diameter: 6" (152.4 mm)
Capacity: 2400 lbs. (1089 kg.)
Wheel Material: Nylon
Caster Type: Rigid/Swivel
Frame Material: Steel
Tread Width: 1-3/4" (44.5 mm)
Bolt Hole Spacing: 3" x 3-1/3" (76 mm x 85 mm)
Bolt Hole Size: 7/16" (11 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Weight: 10 lbs.
Manufacturer's Warranty: 1 Year Limited




OPS-12289
Flat-Free Caster

Unit of measure: Each

- Solid polyurethane wheel never runs flat
- Same bounce feel and weight of a pneumatic caster
- Smooth and quiet rolling over rough terrain and surfaces
- Less costly than traditional foam-filled tires
- Ball bearing; ; Surface Applications: Concrete, brick, carpet, steel, tile,asphalt, wood and linoleum; ; Plate Size: 4" x 4 1/2" Bolt hole centers: 2 3/4" x 3 3/8" Bolt hole size: 13/32"

Wheel Diameter: 8" (203.2 mm)
Capacity: 275 lbs. (125 kg.)
Wheel Material: Flat-Free
Caster Type: Swivel
Frame Material: Steel
Tread Width: 2" (50.8 mm)
Bolt Hole Spacing: 2-3/4" x 3-3/8" (70 mm x 86 mm)
Bolt Hole Size: 13/32" (10.32 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Height: 10" H
Manufacturer's Warranty: 1 Year Limited



Flat-Free Casters

3 options · Unit of measure: Each

- Solid polyurethane wheel never runs flat
- Same bounce feel and weight of a pneumatic caster
- Smooth and quiet rolling over rough terrain and surfaces
- Less costly than traditional foam-filled tires
- Ball bearing; ; Surface Applications: Concrete, brick, carpet, steel, tile,asphalt, wood and linoleum; ; Plate Size: 4" x 4 1/2" Bolt hole centers: 2 3/4" x 3 3/8" Bolt hole size: 13/32"

Wheel Material: Flat-Free
Frame Material: Steel
Bolt Hole Spacing: 2-3/4" x 3-3/8" (70 mm x 86 mm)
Bolt Hole Size: 13/32" (10.32 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CAPACITY	CASTER TYPE	TREAD WIDTH	HEIGHT
OPS-12290	8" (203.2 mm)	275 lbs. (125 kg.)	Rigid	2" (50.8 mm)	10" H
OPS-12291	10" (254 mm)	300 lbs. (136 kg.)	Rigid	3" (76 mm)	12" H
OPS-12292	10" (254 mm)	300 lbs. (136 kg.)	Swivel	3" (76 mm)	12" H



Heavy-Duty Platform Truck - Replacement Casters

2 options · Unit of measure: Each

- Standard Corner pattern is 2 swivel casters in the back and 2 rigid casters in the front of the platform truck
- Diamond Tilt pattern allows the truck to Tilt-balance slightly on the centre side casters, allowing the truck to turn in its own length

Wheel Diameter: 10" (254 mm)
Capacity: 400 lbs. (181 kg.)
Wheel Material: Pneumatic
Frame Material: Steel
Tread Width: 3" (76 mm)
Bolt Hole Spacing: 2-3/4" x 3-3/8" (70 mm x 86 mm)
Bolt Hole Size: 13/32" (10.32 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Height: 12" H
Manufacturer's Warranty: 1 Year Limited

ITEM #	CASTER TYPE
OPS-12293	Rigid
OPS-12294	Swivel



OPS-12295

Hi-Temp Caster

Unit of measure: Each

- Smooth rolling, low noise operation
- Non-marking
- Zinc chrome-plated finish provides corrosion resistance
- Superior resistance to most oils, chemicals and grease
- Double ball raceway
- Ball bearing; Plate size: 4" x 4 1/2"; Bolt hole centers: 3" x 3 1/3"; Bolt hole size: 7/16"

Wheel Diameter: 6" (152.4 mm)
Capacity: 880 lbs. (399 kg.)
Wheel Material: Nylon
Caster Type: Swivel
Frame Material: Steel
Tread Width: 1-3/4" (44.5 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm)
- 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 7/16" (11 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Height: 7 5/8" H
Max Temperature: 230°C
Manufacturer's Warranty: 1 Year Limited



Hi-Temp Caster

2 options · Unit of measure: Each

- Smooth rolling, low noise operation
- Non-marking
- Zinc chrome-plated finish provides corrosion resistance
- Superior resistance to most oils, chemicals and grease
- Double ball raceway
- Ball bearing; Plate size: 4" x 4 1/2"; Bolt hole centers: 3" x 3 1/3"; Bolt hole size: 7/16"

Wheel Material: Nylon
Caster Type: Rigid
Frame Material: Steel
Tread Width: 1-3/4" (44.5 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm)
- 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 7/16" (11 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CAPACITY	HEIGHT	MAX TEMPERATURE	MAX. TEMPERATURE
OPS-12296	6" (152.4 mm)	880 lbs. (399 kg.)	7 5/8" H	230°C	—
OPS-12299	8" (203.2 mm)	1000 lbs. (453 kg.)	9 1/2" H	—	230°C



OPS-12297

Hi-Temp Caster

Unit of measure: Each

- Smooth rolling, low noise operation
- Non-marking
- Zinc chrome-plated finish provides corrosion resistance
- Superior resistance to most oils, chemicals and grease
- Double ball raceway
- Ball bearing
- Total locking brake locks the wheel and keeps the swivel from turning

Wheel Diameter: 6" (152.4 mm)
Capacity: 880 lbs. (399 kg.)
Wheel Material: Nylon
Caster Type: Swivel with Brake
Frame Material: Steel
Tread Width: 1-3/4" (44.5 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm)
- 3" x 3" (76.2 mm x 76.2 mm)

Bolt Hole Size: 7/16" (11 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Height: 7 5/8" H
Brake Type: Top Locking
Max. Temperature: 230°C
Manufacturer's Warranty: 1 Year Limited



Hi-Temp Caster

2 options · Unit of measure: Each

- Smooth rolling, low noise operation
- Non-marking
- Zinc chrome-plated finish provides corrosion resistance
- Superior resistance to most oils, chemicals and grease
- Double ball raceway

Wheel Diameter: 8" (203.2 mm)
Capacity: 1000 lbs. (453 kg.)
Wheel Material: Nylon
Frame Material: Steel
Tread Width: 1-3/4" (44.5 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm)
- 3" x 3" (76.2 mm x 76.2 mm)

Bolt Hole Size: 7/16" (11 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Height: 9 1/2" H
Max. Temperature: 230°C
Manufacturer's Warranty: 1 Year Limited

ITEM #	CASTER TYPE	BRAKE TYPE
OPS-12298	Swivel	—
OPS-12300	Swivel with Brake	Top Locking



Hi-Temp Caster

2 options · Unit of measure: Each

- Smooth rolling, low noise operation
- Non-marking
- Zinc chrome-plated finish provides corrosion resistance
- Superior resistance to most oils, chemicals and grease
- Double ball raceway
- Ball bearing
- Butterfly side brake locks the wheel preventing it from rolling

Wheel Material: Nylon
Caster Type: Swivel with Brake
Frame Material: Steel
Tread Width: 1-3/4" (44.5 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm)
- 3" x 3" (76.2 mm x 76.2 mm)

Bolt Hole Size: 7/16" (11 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Brake Type: Top Locking
Max. Temperature: 230°C
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CAPACITY	HEIGHT
OPS-12301	6" (152.4 mm)	880 lbs. (399 kg.)	7 5/8" H
OPS-12302	8" (203.2 mm)	1000 lbs. (453 kg.)	9 1/2" H



Mold-on Caster

2 options · Unit of measure: Each

- Molded rubber wheel permanently bonded to spoked cast iron core
- Iron centre gives it strength while the molded rubber offers smooth and quiet operation
- Protects loads and surfaces
- Won't damage warehouse or factory floors
- Bearing type: Roller
- Heavy loads
- Industrial equipment
- Excellent for: Heavy loads, industrial equipment

Wheel Material: Rubber
Caster Type: Swivel
Frame Material: Steel
Tread Width: 2" (50.8 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm)
- 3" x 3" (76.2 mm x 76.2 mm)

Bolt Hole Size: 7/16" (11 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CAPACITY
OPS-12303	5" (127 mm)	440 lbs. (199 kg.)
OPS-12305	6" (152.4 mm)	550 lbs. (249 kg.)



Mold-on Caster


2 options · Unit of measure: Each

- Molded rubber wheel permanently bonded to spoked cast iron core
- Iron centre gives it strength while the molded rubber offers smooth and quiet operation
- Protects loads and surfaces
- Won't damage warehouse or factory floors
- Bearing type: Roller
- Heavy loads
- Industrial equipment
- Excellent for: Heavy loads, industrial equipment

Wheel Material: Rubber
Caster Type: Rigid
Frame Material: Steel
Tread Width: 2" (50.8 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm)
- 3" x 3" (76.2 mm x 76.2 mm)

Bolt Hole Size: 7/16" (11 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CAPACITY
OPS-12304	5" (127 mm)	440 lbs. (199 kg.)
OPS-12306	6" (152.4 mm)	550 lbs. (249 kg.)



OPS-12307

Mold-on Caster

Unit of measure: Each

- Molded rubber wheel permanently bonded to spoked cast iron core
- Iron centre gives it strength while the molded rubber offers smooth and quiet operation
- Protects loads and surfaces
- Won't damage warehouse or factory floors
- Bearing type: Roller
- Heavy loads
- Industrial equipment
- Total locking brake locks the wheel and keeps the swivel from turning
- Excellent for: Heavy loads, industrial equipment

Wheel Diameter: 6" (152.4 mm)
Capacity: 550 lbs. (249 kg.)
Wheel Material: Rubber
Caster Type: Swivel with Brake
Frame Material: Steel
Tread Width: 2" (50.8 mm)

Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 7/16" (11 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Manufacturer's Warranty: 1 Year Limited



OPS-12308

Mold-on Caster

Unit of measure: Each

- Molded rubber wheel permanently bonded to spoked cast iron core
- Iron centre gives it strength while the molded rubber offers smooth and quiet operation
- Protects loads and surfaces
- Won't damage warehouse or factory floors
- Bearing type: Roller
- Heavy loads
- Industrial equipment
- Excellent for: Heavy loads, industrial equipment

Wheel Diameter: 8" (203.2 mm)
Capacity: 660 lbs. (299 kg.)
Wheel Material: Rubber
Caster Type: Swivel
Frame Material: Steel
Tread Width: 2" (50.8 mm)

Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 7/16" (11 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Manufacturer's Warranty: 1 Year Limited



OPS-12309


Mold-on Caster

Unit of measure: Each

- Molded rubber wheel permanently bonded to spoked cast iron core
- Iron centre gives it strength while the molded rubber offers smooth and quiet operation
- Protects loads and surfaces
- Won't damage warehouse or factory floors
- Bearing type: Roller
- Heavy loads
- Industrial equipment
- Excellent for: Heavy loads, industrial equipment

Wheel Diameter: 8" (203.2 mm)
Capacity: 660 lbs. (299 kg.)
Wheel Material: Rubber
Caster Type: Rigid
Frame Material: Steel
Tread Width: 2" (50.8 mm)

Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 7/16" (11 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Manufacturer's Warranty: 1 Year Limited



OPS-12310

Mold-on Caster

Unit of measure: Each

- Molded rubber wheel permanently bonded to spoked cast iron core
- Iron centre gives it strength while the molded rubber offers smooth and quiet operation
- Protects loads and surfaces
- Won't damage warehouse or factory floors
- Bearing type: Roller
- Heavy loads
- Industrial equipment
- Total locking brake locks the wheel and keeps the swivel from turning
- Excellent for: Heavy loads, industrial equipment

Wheel Diameter: 8" (203.2 mm)
Capacity: 660 lbs. (299 kg.)
Wheel Material: Rubber
Caster Type: Swivel with Brake
Frame Material: Steel
Tread Width: 2" (50.8 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 7/16" (11 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Manufacturer's Warranty: 1 Year Limited



Mold-on Caster

2 options · Unit of measure: Each

- Molded rubber wheel permanently bonded to spoked cast iron core
- Iron centre gives it strength while the molded rubber offers smooth and quiet operation
- Protects loads and surfaces
- Won't damage warehouse or factory floors
- Bearing type: Roller
- Heavy loads
- Industrial equipment
- Butterfly side brake locks the wheel preventing it from rolling
- Excellent for: Heavy loads, industrial equipment

Wheel Material: Rubber
Caster Type: Swivel with Brake
Frame Material: Steel
Tread Width: 2" (50.8 mm)
Bolt Hole Spacing: 2-5/8" x 3-5/8" (66.67 mm x 92.07 mm) - 3" x 3" (76.2 mm x 76.2 mm)
Bolt Hole Size: 7/16" (11 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CAPACITY
OPS-12311	6" (152.4 mm)	550 lbs. (249 kg.)
OPS-12312	8" (203.2 mm)	660 lbs. (299 kg.)



Pneumatic Casters

2 options · Unit of measure: Each

- Four ply pneumatic casters offer smooth and quiet rolling over the roughest surfaces and outdoor terrain
- Shock absorbing properties give the greatest possible protection to both the load and floor
- The "Air cushion" feature will transport the most fragile material and instruments without damage

Wheel Diameter: 8" (203.2 mm)
Capacity: 350 lbs. (158.8 kg.)
Wheel Material: Pneumatic
Frame Material: Steel
Tread Width: 2" (50.8 mm)
Bolt Hole Spacing: 2-3/4" x 3-3/8" (70 mm x 86 mm)
Bolt Hole Size: 13/32" (10.32 mm)
Plate Size: 4" x 4-1/2" (102 mm x 114 mm)
Height: 10" H
Manufacturer's Warranty: 1 Year Limited

ITEM #	CASTER TYPE
OPS-12313	Rigid
OPS-12314	Swivel



OPS-12315
Replacement Caster Set
Unit of measure: Each

- Durable structural foam construction will not dent, rust or bend
- Non-marking casters

Wheel Diameter: 5" (127 mm)
Capacity: 500 lbs. (226.7 kg.)
Wheel Material: TPR Rubber
Manufacturer's Warranty: 1 Year Limited
Colour: Blue
Dimensions: 12" x 48"



Sandwich Casters
4 options · Unit of measure: Each

- Smooth rolling and quiet
- Non-marking white nylon bonded to elastic rubber
- Chrome zinc finish for corrosion resistance
- Double raceway
- Ball bearing

Capacity: 440 lbs. (199.58 kg.)
Wheel Material: Nylon
Frame Material: Steel
Tread Width: 1-3/8" (35 mm)
Bolt Hole Spacing: 3-1/8" x 2-3/8" (79 mm x 59 mm)
Bolt Hole Size: 5/16" (7.93 mm)
Plate Size: 3-1/4" x 4-1/8" (84 mm x 105 mm)
Swivel Radius: 3 4/5"
Brake Type: Top Locking
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	CASTER TYPE	OVERALL HEIGHT
OPS-12316	4" (101.6 mm)	Swivel	5 1/8"
OPS-12318	4" (101.6 mm)	Swivel with Brake	5 1/8"
OPS-12319	5" (127 mm)	Swivel	6 1/8"
OPS-12321	5" (127 mm)	Swivel with Brake	6 1/8"



Sandwich Casters
2 options · Unit of measure: Each

- Smooth rolling and quiet
- Non-marking white nylon bonded to elastic rubber
- Chrome zinc finish for corrosion resistance
- Double raceway
- Ball bearing

Capacity: 440 lbs. (199.58 kg.)
Wheel Material: Nylon
Caster Type: Rigid
Frame Material: Steel
Tread Width: 1-3/8" (35 mm)
Bolt Hole Spacing: 3-1/8" x 2-3/8" (79 mm x 59 mm)
Bolt Hole Size: 5/16" (7.93 mm)
Plate Size: 3-1/4" x 4-1/8" (84 mm x 105 mm)
Swivel Radius: 3 4/5"
Brake Type: Top Locking
Manufacturer's Warranty: 1 Year Limited

ITEM #	WHEEL DIAMETER	OVERALL HEIGHT
OPS-12317	4" (101.6 mm)	5 1/8"
OPS-12320	5" (127 mm)	6 1/8"

Platform Lift Stackers



OPS-12322

Hydraulic Platform Lift Stacker

Unit of measure: Each

- Allows workers to manoeuver and lift heavy loads safely to comfortable needed height
- Foot pedal folds safely out of the way
- Front 3" polyurethane wheels and rear 5" polyurethane casters

Lifting Capacity: 880 lbs.
Platform Dimensions: 23" W x 25-3/4" D
Lowered Platform Height: 4"
Raised Platform Height: 60"
Operation Type: Foot Pump
Overall Dimensions: 23" W x 39" D x 67-3/4" H
Weight: 189 lbs.
Manufacturer's Warranty: 1 Year Limited

Platform Truck Parts & Accessories




Product range

2 options · Unit of measure: Each

- 1 1/4" tubular chrome handle with end panel

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT
OPS-12323	24" Chrome Handle for Platform Truck
OPS-12325	30" Chrome Handle for Platform Truck




OPS-12324

24" x 48" Upright Bracket for Panel Truck

Unit of measure: Each

- Replacement upright bracket provides support for transporting large panels

Manufacturer's Warranty: 1 Year Limited
For Use With: Adjustable Panel Truck
Colour: Blue
Height: 24"
Length: 48"



OPS-12326

36" x 48" Upright Bracket for Panel Truck

Unit of measure: Each

- Replacement upright bracket provides support for transporting large panels

Manufacturer's Warranty: 1 Year Limited
For Use With: Adjustable Panel Truck
Colour: Blue
Height: 36"
Length: 48"



Aluminum Handle for Platform Truck

2 options · Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited

ITEM #	SHIP WEIGHT
OPS-12327	4.9 lb
OPS-12328	4.5 lb




Product range

3 options · Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	TUBE OUTER DIAMETER	DETAILS
OPS-12329	Heavy-Duty Platform Trucks - Replacement Handles	—	36" Chrome Handle
OPS-12330	Heavy-Duty Platform Trucks - Replacement Handles	—	48" Chrome Handle · Standard Corner pattern is 2 swivel casters in the back and 2 rigid ca…
OPS-12334	Steel Deck Platform Truck	1-1/4"	30" Chrome Handle



OPS-12331

Replacement Upright for Pallet Truck

Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited



OPS-12332

Specialized Platform Decks - Semi Live Skids - Jack Handle

Unit of measure: Each

Weight: 30 lbs.

Manufacturer's Warranty: 1 Year Limited



OPS-12333
Steel Deck Platform Truck
Unit of measure: Each

- 24" Chrome Handle

Tube Outer Diameter: 1-1/4"

Manufacturer's Warranty: 1 Year Limited

Pneumatic Wheels



OPS-12335
Semi-Pneumatic Wheel
Unit of measure: Each

- Soft rubber tread with steel hub and ball bearings for quiet movement
- Excellent for dollies, floor protection, quiet operation, light duty stock trucks

Wheel Diameter: 10" (254 mm)
Capacity: 200 lbs.
Bearing Type: Ball
Bore Size: 3/4"
Tread Width: 2-1/2"

Temperature: -20°F to 130°F
Durometer: 85 - 90 A scale
Hub Type: Offset
Manufacturer's Warranty: 1 Year Limited

Polyolefin Wheels



OPS-12336
Polyolefin Wheel
Unit of measure: Each

Description: 3" Polyolefin Wheel

Manufacturer's Warranty: 1 Year Limited

Portable Shop Cranes



OPS-12337
Folding Shop Crane
Unit of measure: Each

- 8-ton hydraulic ram features top-of-stroke and safety overload bypass system for maximum pump protection
- Compact design uses less garage space when not in use
- 4-position boom extends from 41" to 62-1/4"
- Fold-up legs extend to 65" with safety pins

Capacity: 4000 lbs. (2 tons)

Weight: 205 lbs.

Post for Coated Wire Shelf Units



Heavy-Duty Green Epoxy Finish Wire Shelving Post

3 options · **Unit of measure: Each**

- NSF certified

Manufacturer's Warranty: 1 Year Limited

Diameter: 1" (25.4 mm)

ITEM #	HEIGHT
OPS-12338	63"
OPS-12339	74"
OPS-12340	86"

Post for Wire Shelf Units



Product range

7 options · **Unit of measure: Each**

Manufacturer's Warranty: 1 Year Limited

Diameter: 1" (25.4 mm)

ITEM #	PRODUCT	HEIGHT	WEIGHT	THICKNESS
OPS-12341	Heavy-Duty Chromate Wire Shelving Post	54"	3 lbs.	—
OPS-12342	Heavy-Duty Chromate Wire Shelving Post	63"	3.5 lbs.	—
OPS-12343	Heavy-Duty Chromate Wire Shelving Post	74"	3.9 lbs.	—
OPS-12344	Heavy-Duty Chromate Wire Shelving Post	86"	4.7 lbs.	—
OPS-12345	Heavy-Duty Chromate Wire Shelving Post	33"	1.75 lbs.	—
OPS-12346	Standard-Duty Chromate Wire Shelving Post	63"	2.75 lbs.	1.2 mm
OPS-12347	Standard-Duty Chromate Wire Shelving Post	74"	3.2 lbs.	1.2 mm

Quick Links



Zinc Plated Quick Link

6 options · Unit of measure: Each

- Multi-purpose connector
- Not approved for climbing applications

Manufacturer's Warranty: 1 Year Limited

ITEM #	WORKING LOAD LIMIT	SIZE	LENGTH
OPS-12348	220 lbs (0.11 tons)	1/8"	1-1/2"
OPS-12349	660 lbs (0.33 tons)	3/16"	2"
OPS-12350	880 lbs (0.44 tons)	1/4"	2-1/4"
OPS-12351	1760 lbs (0.88 tons)	5/16"	2-7/8"
OPS-12352	2140 lbs (1.07 tons)	3/8"	3-1/2"
OPS-12353	3300 lbs (1.65 tons)	1/2"	4-1/16"

Rack Guard Nettings



Pallet Back Rack Guards

15 options · Unit of measure: Each

- Back guards help prevent accidents by keeping pallets or their contents from falling off the back. These guards increase safety where pedestrian pathways are behind the rack
- Constructed using a 10-gauge frame and 2" x 2" x 10-gauge wire mesh with stiffeners
- Available in a variety of sizes to fit most pallet rack configurations
- Guard brackets are designed to fit almost any style of rack
- Durable safety yellow finish

Height: 48"

Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	BRACKET SIZE	DESCRIPTION	WEIGHT	INCLUDES
OPS-12354	96"	6"	Back Guard 4' x 8' w/6" Brackets	39 lbs.	—
OPS-12355	96"	9"	Back Guard 4' x 8' w/9" Brackets	40 lbs.	—
OPS-12356	96"	12"	Back Guard 4' x 8' w/12" Brackets	41 lbs.	—
OPS-12357	108"	6"	Back Guard 4' x 9' w/6" Brackets	49 lbs.	—
OPS-12358	108"	9"	Back Guard 4' x 9' w/9" Brackets	50 lbs.	—
OPS-12359	108"	12"	Back Guard 4' x 9' w/12" Brackets	51 lbs.	—
OPS-12360	120"	6"	Back Guard 4' x 10' w/6" Brackets	57 lbs.	—
OPS-12361	120"	9"	Back Guard 4' x 10' w/9" Brackets	58 lbs.	—
OPS-12362	120"	12"	Back Guard 4' x 10' w/12" Brackets	59 lbs.	—
OPS-12363	132"	6"	Back Guard 4' x 11' w/6" Brackets	63 lbs.	—
OPS-12364	132"	9"	Back Guard 4' x 11' w/9" Brackets	64 lbs.	—
OPS-12365	132"	12"	Back Guard 4' x 11' w/12" Brackets	65 lbs.	—
OPS-12366	144"	6"	Back Guard 4' x 12' w/6" Brackets	70 lbs.	—
OPS-12367	144"	9"	Back Guard 4' x 12' w/9" Brackets	71 lbs.	—
OPS-12368	144"	12"	Back Guard 4' x 12' w/12" Brackets	72 lbs.	(1) 4' x 8' Mesh frame, (1) 4' x 4' Panel, (1) Mounting hardware set, (4) Mounting brackets

Rack Parts & Accessories



OPS-12369
Carton Rack - Optional Caster Set

Unit of measure: Each

Weight: 10 lbs.

Manufacturer's Warranty: 1 Year Limited



OPS-12370
Mobile Tilt Bin Rack

Unit of measure: Each

- Mounting Channel for Plastic Bins

Manufacturer's Warranty: 1 Year Limited



OPS-12371
Mounting Channel for Mobile Tilt Bin Racks

Unit of measure: Each

- Mounting Channel for Heavy-Duty Tilt Bins


Manufacturer's Warranty: 1 Year Limited



Stacking Racks - Accessories
2 options · **Unit of measure: Each**

Manufacturer's Warranty: 1 Year Limited

ITEM #	O.A. DIMENSIONS W" X H"	WEIGHT
OPS-12372	42 x 48	30 lbs.
OPS-12373	48 x 48	32 lbs.




Stacking Racks - Accessories

3 options · Unit of measure: Pack of 4

Manufacturer's Warranty: 1 Year Limited

ITEM #	O.A. DIMENSIONS W" X H"	WEIGHT
OPS-12374	2 x 42	35 lbs.
OPS-12375	2 x 48	40 lbs.
OPS-12376	2 x 60	50 lbs.

Racking Protectors



Racking Aisle Protectors

4 options · Unit of measure: Each

- Prevent collision damage to shelving/racking from fork lifts, pallet trucks or other in-plant vehicle accidents
- Corner wraps are 16" high with an angle of 5" H x 3" W x 1/4" D with four holes for anchoring to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Single cap models are to be used for back-to-back installations and are based on 12" between the racks

Overall Width: 3"
Overall Height: 16"
Colour: Safety Yellow
Material: Steel
Single Wrap Around/Double Wrap Around: Single Wrap Around
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL LENGTH	WEIGHT	FITS RACKING UPRIGHTS	LEFT OR RIGHT WRAP AROUND
OPS-12377	50"	38 lbs.	42"W	Left
OPS-12378	50"	38 lbs.	42"W	Right
OPS-12379	56"	41 lbs.	48"W	Left
OPS-12380	56"	41 lbs.	48"W	Right



Racking Aisle Protectors

2 options · Unit of measure: Each

- Prevent collision damage to shelving/racking from fork lifts, pallet trucks or other in-plant vehicle accidents
- Corner wraps are 16" high with an angle of 5" H x 3" W x 1/4" D with four holes for anchoring to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included

Overall Width: 3"
Overall Height: 16"
Colour: Safety Yellow
Material: Steel
Single Wrap Around/Double Wrap Around: Double Wrap Around
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL LENGTH	WEIGHT	FITS RACKING UPRIGHTS
OPS-12381	47"	46 lbs.	42"W
OPS-12382	53"	49 lbs.	48"W

Reel Dispensers



OPS-12383

Cable Reel Rollers

Unit of measure: Pair

- For winding or dispensing cable, chain, wire, rope and hose
- Turns reel handling into a one person operation
- Accommodates unlimited reel widths and all reel diameters, flanges up to 5 1/2" thick
- Rear roller adjusts to 6 positions
- Heavy-duty side rollers eliminate slipping or wedging between rollers and reel
- Inclined ramp permits easy loading and unloading
- 3000 lbs. capacity in pairs

Capacity: 1.5 tons
Overall Depth: 9"
Overall Height: 4 1/4"
Overall Width: 28"
Inclined Ramp Angle: 68°
Pair Wt. (lbs): 58
Manufacturer's Warranty: 1 Year Limited

Roll Pallets



OPS-12384

Pallet Jack Roll Adapater

Unit of measure: Each

- Designed to securely cradle and transport rolled materials using standard pallet trucks
- Rugged all-welded steel construction ensures lasting performance in demanding environments
- Deep V-groove center keeps rolls stable and prevents shifting during movement
- Angled entry points make it easy to guide rolls into place by hand
- Finished with a durable blue Polyurethane coating for enhanced visibility and surface protection

Static Capacity: 4000 lbs.
Dynamic Capacity: 4000 lbs.
Pallet Entry: 2-Way
Material: Steel
Length: 36-1/4"
Width: 40"
Height: 7"
Pallet Type: Rackable
Fork Pocket Spacing: 13-1/2"
Fork Pocket Width: 7-1/2"

Rolling Ladder Parts & Accessories



OPS-12385

Mechanics/Maintenance Rolling Ladder - Replacement Parts

Unit of measure: Each

- Tool Tray
- For use with Tilt-N-Roll Ladders and Rolling Step Ladders with 22" wide step

Manufacturer's Warranty: 1 Year Limited



OPS-12386
Replacement Wheel for Portable Folding Ladders
Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited



OPS-12387
Rolling Ladder Safety Access Chain Kit
Unit of measure: Each

- Prevent unauthorized users from accessing rolling ladder
- Simple bolt on and ready to use
- Chain assembly bolts right onto existing rolling ladder
- Complete assembly includes bolt on brackets, chain and carabiner style latch hook

Manufacturer's Warranty: 1 Year Limited
Length: 26"



OPS-12388
Rolling Step Stands - Replacement Caster
Unit of measure: Each

- Spring Loaded 3" Swivel Caster

Manufacturer's Warranty: 1 Year Limited

Rolling Step Ladders



OPS-12389
CSA Rolling Step Ladder
Unit of measure: Each

- Without Handrails
- Ideal wherever there is a need to reach bulky materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- 2 to 6 step ladders operate on spring-loaded casters
- Casters retract under operator's weight, rubber feet drop down
- Non-clogging slip-resistant steel steps
- Frame is rugged welded 1" round steel tubing
- Durable industrial blue polyurethane finish
- Weight capacity tested to 4:1 Safety Factor on all steps and full structure
- CSA certified to the ANSI standard A14.7 ; Note: Ladders are not to be used as work platforms.

No. of Steps: 4
Platform Height: 37"
Platform Depth: 16"
Step Width: 22"
Frame Material: Steel
Step Type: Perforated
Platform Width: 22"
Base Depth: 37"
Base Width: 24"
Weight: 52 lbs.
Capacity: 300 lbs.
Manufacturer's Warranty: 1 Year Limited



Product range

2 options · Unit of measure: Each

- Rolls easily into position and locks firmly to the floor for maximum safety
- Non-clogging slip-resistant steel steps
- Durable industrial blue polyurethane finish

No. of Steps: 2
Platform Height: 19"
Platform Depth: 16"
Frame Material: Steel
Step Type: Perforated
Base Depth: 26"
Capacity: 300 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	STEP WIDTH	STEP SIZE	BASE WIDTH	TOP STEP DEPTH	TOP STEP WIDTH	CERTIFICATION(S)	WEIGHT	TOP STEP SIZE	PLATFORM WIDTH
OPS-12390	CSA-Certified Rolling Step Ladder	22"	22" W x 8" D	24"	16"	22"	CSA certified to the ANSI standard A14.7	32 lbs.	22" W x 16" D	—
OPS-12401	Rolling Step Ladder	18"	—	20"	—	18"	—	28 lbs.	—	18"



OPS-12391

CSA-Certified Rolling Step Ladder

Unit of measure: Each

- Ideal wherever there is a need to reach bulky materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- 2 to 6 step ladders operate on spring-loaded casters
- Casters retract under operator's weight, rubber feet drop down
- Non-clogging slip-resistant steel steps
- Frame is rugged welded 1" round steel tubing
- Capacity: 300 lbs.
- Durable industrial blue polyurethane finish
- Weight capacity tested to 4:1 Safety Factor on all steps and full structure
- CSA certified to the ANSI standard A14.7 ; Note: Ladders are not to be used as work platforms.

No. of Steps: 3
Platform Height: 28"
Platform Depth: 16"
Step Width: 22"
Frame Material: Steel
Step Type: Perforated
Certification(s): CSA certified to the ANSI standard A14.7
Base Depth: 30"
Base Width: 24"
Top Step Depth: 16"
Top Step Width: 22"
Step Size: 22" W x 8" D
Weight: 42 lbs.
Top Step Size: 22" W x 16" D
Capacity: 300 lbs.
Manufacturer's Warranty: 1 Year Limited



CSA-Certified Rolling Step Ladder

3 options · Unit of measure: Each

Platform Depth: 16"
Step Width: 22"
Frame Material: Steel
Step Type: Perforated
Base Width: 30"
Capacity: 300 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF STEPS	PLATFORM HEIGHT	BASE DEPTH	STEP DEPTH	PLATFORM WIDTH	OVERALL HEIGHT	WEIGHT	COLOUR	CERTIFICATION(S)	STEP SIZE	TOP STEP SIZE
OPS-12392	4	37"	36"	8"	22"	78"	78 lbs.	Industrial Blue	CSA certified to the ANSI-ASC A14.7-2011 standard	—	—
OPS-12394	5	46"	46"	8"	22"	87"	89 lbs.	Industrial Blue	CSA certified to the ANSI-ASC A14.7-2011 standard	—	—
OPS-12395	6	55"	51"	—	—	95"	100 lbs.	—	CSA certified to the ANSI standard a14.7	22" W x 8" D	22" W x 16" D



Product range

2 options · Unit of measure: Each

- Rolls easily into position and locks firmly to the floor for maximum safety
- Non-clogging slip-resistant steel steps
- Durable industrial blue polyurethane finish

No. of Steps: 5
Platform Height: 46"
Platform Depth: 16"
Frame Material: Steel
Step Type: Perforated
Base Depth: 41"
Capacity: 300 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	STEP WIDTH	BASE WIDTH	TOP STEP DEPTH	TOP STEP WIDTH	STEP SIZE	CERTIFICATION(S)	WEIGHT	TOP STEP SIZE	PLATFORM WIDTH
OPS-12393	CSA-Certified Rolling Step Ladder	22"	24"	16"	22"	22" W x 8" D	CSA certified to the ANSI standard A14.7	61 lbs.	22" W x 16" D	—
OPS-12404	Rolling Step Ladder	18"	20"	—	18"	—	—	57 lbs.	—	18"



CSA-Certified Rolling Step Ladder with Locking Step

4 options · Unit of measure: Each

Platform Depth: 16"
Step Width: 30"
Frame Material: Steel
Step Type: Perforated
Base Width: 38"
Capacity: 300 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF STEPS	PLATFORM HEIGHT	BASE DEPTH	STEP DEPTH	PLATFORM WIDTH	OVERALL HEIGHT	WEIGHT	COLOUR	CERTIFICATION(S)	STEP SIZE	TOP STEP SIZE
OPS-12396	8	72"	60"	8"	30"	113"	180 lbs.	Industrial Blue	CSA certified to the ANSI-ASC A14.7-2011 standard	—	—
OPS-12398	12	109"	80"	—	—	149"	250 lbs.	Blue	CSA certified to the ANSI standard a14.7	30" W x 8" D	30" W x 16" D
OPS-12399	14	128"	93"	8"	30"	167"	275 lbs.	Industrial Blue	CSA certified to the ANSI-ASC A14.7-2011 standard	—	—
OPS-12400	16	144"	104"	8"	30"	185"	305 lbs.	Industrial Blue	CSA certified to the ANSI-ASC A14.7-2011 standard	—	—



OPS-12397

CSA-Certified Rolling Step Ladder with Locking Step

Unit of measure: Each

- Ideal wherever there is a need to reach bulky materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- Casters retract under operator's weight, rubber feet drop down
- First step activates the floor locking mechanism (step off and kick release to make the ladder mobile)
- Non-clogging slip-resistant steel steps
- Frame is rugged welded 1" round steel tubing
- Durable industrial blue polyurethane finish
- Note: Ladder is not to be used as a work platform
- Overall height: 130"
- Base Depth: 72"

No. of Steps: 10
Platform Height: 89"
Platform Depth: 16"
Step Width: 30"
Frame Material: Steel
Step Type: Perforated
Step Size: 30" W x 8" D
Certification(s): CSA certified to the ANSI standard a14.7
Weight: 230 lbs.
Top Step Size: 30" W x 16" D
Capacity: 300 lbs.
Base Depth: 72"
Base Width: 38"
Overall Height: 130"
Manufacturer's Warranty: 1 Year Limited




OPS-12402

Rolling Step Ladder

Unit of measure: Each

- Ideal wherever there is a need to reach materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- All the ladders operate on spring-loaded casters
- Casters retract under operator's weight and rubber feet drop down
- Non-clogging slip-resistant steel steps
- Frame is welded 1" round steel tubing.
- Durable industrial blue polyurethane finish
- Meets ANSI standard A14.7

No. of Steps: 3
Platform Height: 28"
Platform Depth: 16"
Step Width: 18"
Frame Material: Steel
Step Type: Perforated
Platform Width: 18"
Base Depth: 30"
Base Width: 20"
Top Step Width: 18"
Weight: 38 lbs.
Capacity: 300 lbs.
Manufacturer's Warranty: 1 Year Limited




Rolling Step Ladder

4 options · Unit of measure: Each

- Rolls easily into position and locks firmly to the floor for maximum safety
- Non-clogging slip-resistant steel steps
- Durable industrial blue polyurethane finish

Platform Depth: 16"
Step Width: 18"
Frame Material: Steel
Step Type: Perforated
Capacity: 300 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF STEPS	PLATFORM HEIGHT	PLATFORM WIDTH	BASE DEPTH	BASE WIDTH	TOP STEP WIDTH	WEIGHT	CERTIFICATION(S)	STEP SIZE	TOP STEP SIZE	OVERALL HEIGHT
OPS-12403	4	37"	18"	37"	20"	18"	48 lbs.	—	—	—	—
OPS-12405	4	37"	—	—	—	—	73 lbs.	ANSI standard A14.7	18" W x 8" D	18" W x 16" D	78"
OPS-12406	5	46"	—	—	—	—	82 lbs.	ANSI standard A14.7	18" W x 8" D	18" W x 16" D	87"
OPS-12407	6	55"	—	—	—	—	92 lbs.	ANSI standard A14.7	18" W x 8" D	18" W x 16" D	95"



Product range

3 options · Unit of measure: Each

- Rugged all welded construction
- Rolling stands come with spring-loaded casters
- Industrial blue polyurethane finish
- Meets ANSI standard A14.7
- Frame is welded 1" round steel tubing

No. of Steps: 1
Platform Height: 12"
Platform Depth: 16"
Frame Material: Steel
Step Type: Perforated
Dimensions: 16" D x 12" H
Capacity: 300 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	STEP WIDTH	WIDTH	WEIGHT
OPS-12408	Rolling Step Stand 20 X 16 X 12	18"	20"	17 lbs.
OPS-12409	Rolling Step Stand 24 X 16 X 12	24"	24"	19 lbs.
OPS-12410	Rolling Step Stand 32 X 16 X 12	30"	32"	22 lbs.



Trailer Access Rolling Ladder with Rails

3 options · Unit of measure: Each

- Provides secure, safe access to cube vans/trailers
- All welded steel construction, ships fully assembled and ready to use
- Front walk through with chain/snap assembly
- Non-clogging slip resistant steps
- 10" flat-free wheels in rear
- Drop down handles in front for easy maneuvering
- Durable industrial blue polyurethane finish
- Made in accordance with the ANSI A14.7 safety standard

Platform Depth: 16"
Step Width: 22"
Frame Material: Steel
Step Type: Perforated
Step Depth: 8"
Capacity: 300 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF STEPS	PLATFORM HEIGHT	OVERALL DIMENSIONS	WEIGHT
OPS-12411	4	37"	33"W x 40"D x 78"H	78 lbs.
OPS-12412	5	46"	33"W x 46"D x 87"H	89 lbs.
OPS-12413	6	55"	33"W x 51"D x 96"H	100 lbs.

Rubber Ends Dollies



Rubber Ends Hardwood Dolly

8 options · Unit of measure: Each

- Kiln dried
- Countersunk bolts prevent scratches
- Rounded edges and handles facilitate storage and movability
- Non-marking casters
- Shipped knocked down

Frame Material: Wood
Width: 18"
Height: 7"
Wood thickness: 7/8"

ITEM #	CAPACITY	DEPTH	WHEEL MATERIAL	CASTER SIZE	MANUFACTURER'S WARRANTY
OPS-12414	900 lbs.	24"	Polyolefin	3"	—
OPS-12415	900 lbs.	30"	Polyolefin	3"	1 Year Limited
OPS-12416	900 lbs.	24"	Polyurethane	3"	—
OPS-12417	900 lbs.	30"	Polyurethane	3"	1 Year Limited
OPS-12418	1000 lbs.	24"	Polyolefin	4"	—
OPS-12419	1000 lbs.	30"	Polyolefin	4"	1 Year Limited
OPS-12420	1400 lbs.	24"	Rubber	4"	—
OPS-12421	1400 lbs.	30"	Rubber	4"	1 Year Limited



Rubber Ends Hardwood Dolly Frame

4 options · Unit of measure: Each

- Kiln-dried
- Accommodates caster plates up to 4 mm thick
- Casters sold separately

Frame Material: Wood
Capacity: 900 lbs.
Width: 18"
Wheel Material: Not Included
Handle Size: 1" x 4-1/2"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	HEIGHT	BOLT PATTERN	WEIGHT
OPS-12422	24"	2.5"	2" x 3"	9 lbs.
OPS-12423	30"	1.5"	2" x 3"	4 lbs.
OPS-12424	24"	2.5"	2-1/2" x 3-1/4"	10 lbs.
OPS-12425	30"	2.5"	2-1/2" x 3-1/4"	10 lbs.

Rubber Wheel Chocks




Wheel Chock

3 options · Unit of measure: Each

Colour: Black

Manufacturer's Warranty: 1 Year Limited

ITEM #	MAX. TIRE DIAMETER	WIDTH	HEIGHT	DEPTH	WEIGHT
OPS-12426	35"	6-1/2"	7-1/2"	9-1/2"	12.5 lbs.
OPS-12429	35"	8"	8"	8"	14 lbs.
OPS-12431	40"	8-5/8"	7"	10-5/8"	22 lbs.



Wheel Chock

2 options · Unit of measure: Each

- Fabricated of a resilient rubber compound, reinforced for maximum wearability and strength

Colour: Black
Max. Tire Diameter: 35"
Width: 8"
Height: 6"
Depth: 9"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WEIGHT
OPS-12427	11 lbs.
OPS-12428	10 lbs.



OPS-12430

Wheel Chock

Unit of measure: Each

- Constructed of reinforced rubber
- Resists tearing, abrasions, impacts, corrosion, sun, salt, and oil
- Handle on back for easy placement

Colour: Black
Max. Tire Diameter: 45"
Width: 7-1/8"
Height: 7-1/2"
Depth: 9-7/8"
Weight: 9.5 lbs.
Manufacturer's Warranty: 1 Year Limited

Safety Cabinet Parts & Accessories



OPS-12432
Additional Shelf for Drum Cabinet

Unit of measure: Each

- For use with 2-55 gal drum cabinets
- All shelves are adjustable on 2 1/2" centres
- Tough corrosive-resistant finish

Dimensions: 55-5/16"W x 14-1/16"D
Weight: 14 lbs.
Manufacturer's Warranty: 10 Years Limited



OPS-12433
Additional Shelf for Mini Flammable Safety Cabinet

Unit of measure: Each

- Adds an extra storage level to maximize usable space
- Adjustable on 2-1/2" centre
- Features a tough, corrosion■resistant finish that stands up to harsh chemicals and daily wear

For Use With: OPS-11079 2 Gallon Mini Flammable Safety Cabinet
Dimensions: 13-1/2" W x 4-3/8" D
Weight: 3.5 lbs.



Flammable Storage Cabinet Additional Shelf

5 options · Unit of measure: Each

- All shelves are adjustable on 2 1/2" centres
- Tough corrosive-resistant finish

Manufacturer's Warranty: 10 Years Limited

ITEM #	FOR USE WITH	DIMENSIONS W" X D"	WEIGHT	DIMENSIONS
OPS-12434	30 & 45 Gal. Cabinets / 45 & 60 Gal. Paint Cabinets	39 3/8" x 14"	9 lbs.	—
OPS-12435	60 & 96 Gal. Cabinets	30 3/8" x 30"	12 lbs.	—
OPS-12436	12 & 16 Gal. Cabinet / 20 Gal. Paint Cabinet	19 1/2" x 14"	5 lbs.	—
OPS-12437	22 Gal. Cabinets	31 1/2" x 18"	9 lbs.	—
OPS-12438	—	—	19 lbs.	39-1/2" W x 30" D



OPS-12439
Flammable Storage Cabinet, Additional Shelf

Unit of measure: Each

- All shelves are adjustable on 2 1/2" centres
- Tough corrosive-resistant finish

For Use With: 24 Gal. Cabinets
Dimensions W" x D": 39 1/2" x 8"
Weight: 6 lbs.
Manufacturer's Warranty: 10 Years Limited

OPS-12440

Replacement Poly Tray for Corrosive Cabinets

Unit of measure: Each

Dimensions: 19" x 14.5" x 1"

Manufacturer's Warranty: 10 Years Limited

Safety Gates



OPS-12441

Mezzanine Safety Gate

Unit of measure: Each

- Safely manage mezzanine loading and unloading operations
- Smooth, counterbalanced gate pivots up and over for effortless use
- Ships compact to save on freight and storage space
- Removable rubber feet protect floors and provide solid footing
- High-visibility powder-coated safety yellow finish
- Rugged all-steel design built for industrial environments
- Ships knocked down

Overall Length: 70"
Overall Height: 77"
Overall Raised Height: 78"

Colour: Yellow
Depth: 79"
Access Area: 64" W x 76" D x 76" H

Safety Guards



Safety Guards

6 options · Unit of measure: Each

- Protect your equipment and personnel from accidental damage and injury with these low profile safety guards
- 4"x 4" square tube welded to an 8" x 8" x 1/2" base, complete with four 3/4" diameter holes for anchoring to floor
- Colour: Safety yellow powder coat finish

Colour: Yellow

Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	HEIGHT	WEIGHT	LENGTH
OPS-12442	2'	1.5'	65 lbs.	—
OPS-12443	4'	1.5'	85 lbs.	—
OPS-12444	2'	3.5'	95 lbs.	—
OPS-12445	4'	3.5'	115 lbs.	—
OPS-12446	3'	3.5'	110 lbs.	—
OPS-12447	3'	1.5'	75 lbs.	36"

Scale Pallet Trucks



Product range

2 options · Unit of measure: Each

- Permits the weighing of skids and containers while handling them
- Mettler Toledo digital cUL approved scale offers maximum precision on load weights
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Nylon roller facilitates entry and exit of pallets

Fork Length: 44.5"
Capacity: 4400 lbs.
Frame Material: Steel
Fork Width: 6-5/8"
Raised Height: 7.25"
Lowered Height: 3"
Colour: Orange

ITEM #	PRODUCT	FRAME WIDTH	MANUFACTURER'S WARRANTY
OPS-12448	Digital Scale Pallet Truck	21.25"	2 Year Limited
OPS-12450	Digital Scale Pallet Trucks	27"	2 Years Limited



OPS-12449

Digital Scale Pallet Truck

Unit of measure: Each

- Permits the weighing of skids and containers while handling them
- Mettler Toledo digital cUL approved scale offers maximum precision on load weights
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Nylon roller facilitates entry and exit of pallets
- Includes built-in printer

Fork Length: 44.5"
Frame Width: 27.75"
Capacity: 4400 lbs.
Frame Material: Steel
Fork Width: 6-5/8"
Raised Height: 7.25"
Lowered Height: 3"
Manufacturer's Warranty: 2 Year Limited
Colour: Orange



OPS-12451


Digital Scale Pallet Trucks

Unit of measure: Case of 6

- Pallet trucks shipped unassembled in a bulk crate for easy transportation & to maximize the usage of space
- Permits the weighing of skids and containers while handling them
- Mettler Toledo digital cUL approved scale offers maximum precision on load weights
- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
- Nylon roller facilitates entry and exit of pallets

Fork Length: 44.5"
Frame Width: 27"
Capacity: 4400 lbs.
Frame Material: Steel
Fork Width: 6-5/8"
Raised Height: 7.68"
Lowered Height: 3"
Colour: Orange
Manufacturer's Warranty: 2 Years Limited

Scoop



OPS-12452

Polyethylene Salt & Sand Scoop

Unit of measure: Each

- Rotationally molded with 1/4" thickness for industrial strength
- Ideal for farm/feed, restaurant, salt and sand, compost/garden, industry
- Other colours available

Capacity: 1 gal.
Colour: Yellow



OPS-12453

Salt & Sand Scoop

Unit of measure: Each

- Polyethylene scoop ideal for salt and sand, compost and animal feed

Capacity: 2 L
Colour: Yellow
Manufacturer's Warranty: 1 Year Limited

Security Trucks



Wire Mesh Truck

20 options · Unit of measure: Each

- Rugged all-welded steel construction, ready to use
- Designed for efficient loading/unloading and transportation of merchandise
- 14-gauge steel shelves, 1 1/2" lip up
- Frame constructed from 1 1/2" angle iron and 2" x 2" wire mesh
- Includes: Two rigid and two swivel 5" or 6" bolted-on casters
- Comes with hasp for padlock
- Durable industrial blue polyurethane finish

Frame Material: Steel
Overall Height: 62.5"
Lip Configuration: Lip Up
Handle Height: 42"
Inside Wall Height: 55"
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	SHELF DIMENSIONS	CAPACITY	OVERALL LENGTH	OVERALL WIDTH	CLEARANCE BETWEEN SHELVES	WHEEL MATERIAL	BASE LENGTH	BASE WIDTH	WEIGHT	WHEEL DIAM
OPS-12454	2	39" W x 26" L	1200 lbs.	39"	26"	25"	Rubber	36"	24"	157 lbs.	—
OPS-12455	2	24" W x 48" L	1200 lbs.	51"	26"	25"	Rubber	48"	24"	172 lbs.	5"
OPS-12456	2	24" W x 60" L	1200 lbs.	63"	26"	25"	Rubber	60"	24"	189 lbs.	5"
OPS-12457	2	30" W x 48" L	1200 lbs.	51"	32"	25"	Rubber	48"	30"	212 lbs.	5"
OPS-12458	2	36" W x 60" L	1200 lbs.	63"	32"	25"	Rubber	60"	30"	222 lbs.	5"
OPS-12459	2	30" W x 75" L	1200 lbs.	75"	32"	25"	Rubber	72"	30"	241 lbs.	5"
OPS-12460	2	24" W x 48" L	2400 lbs.	51"	26"	25"	Polyurethane	48"	24"	172 lbs.	6"
OPS-12461	2	24" W x 60" L	2400 lbs.	63"	26"	25"	Polyurethane	60"	24"	189 lbs.	6"
OPS-12462	2	30" W x 48" L	2400 lbs.	51"	32"	25"	Polyurethane	48"	30"	212 lbs.	6"
OPS-12463	2	30" W x 60" L	2400 lbs.	63"	32"	25"	Polyurethane	60"	30"	222 lbs.	6"
OPS-12464	2	30" W x 75" L	2400 lbs.	75"	32"	25"	Polyurethane	72"	30"	241 lbs.	6"
OPS-12465	3	24" W x 39" L	1200 lbs.	39"	26"	16"	Rubber	36"	24"	182 lbs.	5"
OPS-12466	3	24" W x 48" L	1200 lbs.	51"	26"	16"	Rubber	48"	24"	204 lbs.	5"

ITEM #	NO. OF SHELVES (cont.)	SHELF DIMENSIONS	CAPACITY	OVERALL LENGTH	OVERALL WIDTH	CLEARANCE BETWEEN SHELVES	WHEEL MATERIAL	BASE LENGTH	BASE WIDTH	WEIGHT	WHEEL DIAM
OPS-12467	3	24" W x 60" L	1200 lbs.	63"	26"	16"	Rubber	60"	24"	228 lbs.	5"
OPS-12468	3	30" W x 48" L	1200 lbs.	51"	32"	16"	Rubber	48"	30"	259 lbs.	5"
OPS-12469	3	30" W x 60" L	1200 lbs.	63"	32"	16"	Rubber	60"	30"	269 lbs.	5"
OPS-12470	3	30" W x 75" L	1200 lbs.	75"	32"	16"	Rubber	72"	30"	297 lbs.	5"
OPS-12471	3	24" W x 48" L	2400 lbs.	51"	26"	16"	Polyurethane	48"	24"	204 lbs.	6"
OPS-12472	3	24" W x 60" L	2400 lbs.	63"	26"	16"	Polyurethane	60"	24"	228 lbs.	6"
OPS-12474	3	30" W x 60" L	2400 lbs.	63"	32"	16"	Polyurethane	60"	30"	269 lbs.	6"



Wire Mesh Truck

2 options · Unit of measure: Each

- Rugged all-welded steel construction, ready to use
- Designed for efficient loading/unloading and transportation of merchandise
- 14-gauge steel shelves, 1 1/2" lip up
- Frame constructed from 1 1/2" angle iron and 2" x 2" wire mesh
- Includes: Two rigid and two swivel 5" or 6" bolted-on casters
- Comes with hasp for padlock
- Durable industrial blue polyurethane finish

No. of Shelves: 3
Capacity: 2400 lbs.
Frame Material: Steel
Overall Width: 32"
Overall Height: 62.5"
Lip Configuration: Lip Up
Handle Height: 42"
Clearance Between Shelves: 16"
Wheel Material: Polyurethane
Wheel Diameter: 6"
Base Width: 30"
Inside Wall Height: 55"
Manufacturer's Warranty: 1 Year Limited

ITEM #	SHELF DIMENSIONS	OVERALL LENGTH	BASE LENGTH	WEIGHT
OPS-12473	30" W x 48" L	51"	48"	259 lbs.
OPS-12475	30" W x 75" L	75"	72"	297 lbs.

Self-Closing Drum Faucets



OPS-12476

Self-Closing Faucet

Unit of measure: Each

- WARNING! Before ordering any faucet, establishing compatibility with the MSDS of the fluid used in application is a must!
- For non-flammable liquids only
- No flame arrestor
- Natural die cast finish
- Can be padlocked closed
- 3/4" pipe thread

Manufacturer's Warranty: 1 Year Limited



OPS-12477

Self-Closing Faucet with Screen

Unit of measure: Each

- WARNING! Before ordering any faucet, establishing compatibility with the MSDS of the fluid used in application is a must!
- Standard 3/4" tapered pipe thread
- Flame arrestor safety faucet
- Natural zinc die cast finish
- Can be padlocked closed

Manufacturer's Warranty: 1 Year Limited

Self-Closing Gate Valves



OPS-12478

Self Closing Gate Valve

Unit of measure: Each

- Heavy-duty brass construction
- For use with viscous non-corrosive fluids heavier than SAE30 motor oil
- Wide opening permits maximum flow
- Fits 2" bung in steel or plastic drums
- Self-closing PTFE blade has fast, positive shut off when handle is released
- 4 1/2" wide handle
- WARNING! Before ordering any valve, establishing compatibility with the MSDS of the fluid used in application is a must!

Material: Brass
Weight: 7 lbs.
Manufacturer's Warranty: 1 Year Limited

Semi Live Skid Steels



Specialized Platform Decks - Semi Live Skids


3 options · Unit of measure: Each

- Ideal solution for removable temporary storage
- Heavy 11-gauge steel deck with reinforced channels
- 52" jack handle (sold separately) engages skids and converts them to portable truck
- Skids and handle roll on 8" Mold-On rubber wheels
- Can be stacked away when not in use
- Durable industrial blue polyurethane finish

Capacity: 2000 lbs.
Wheel Diameter: 8"
Wheel Material: Rubber
Deck Height: 12"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	WEIGHT
OPS-12479	30"	48"	130 lbs.
OPS-12480	30"	60"	140 lbs.
OPS-12481	36"	72"	175 lbs.

Semi Live Skid Wood Decks



Specialized Platform Decks - Semi Live Skids

2 options · Unit of measure: Each

- Ideal solution for removable temporary storage
- 3/16" x 2" x 2" angle frame with hardwood deck
- 52" jack handle (sold separately) engages skids and converts them to portable truck
- Skids and handle roll on 8" Mold-On rubber wheels
- Can be stacked away when not in use
- Durable industrial blue polyurethane finish

Capacity: 2000 lbs.
Wheel Diameter: 8"
Wheel Material: Rubber
Deck Height: 12"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	WEIGHT
OPS-12482	30"	48"	135 lbs.
OPS-12483	36"	72"	180 lbs.

Sheet Racks




OPS-12484

Horizontal Sheet Racks

Unit of measure: Each

- Designed for storage of sheet materials
- Flat storage fully supports materials and reduces warping
- Sheets are accessible from all four sides
- All-welded construction and the frame is made of 2" square tubing
- Five shelf design creates four storage bays spaced 9 1/2" apart and a open top bay
- Bay Capacity: 2000 lbs. evenly distributed
- Maximum rack capacity: 8000 lbs.
- Durable industrial blue polyurethane finish

Height: 48"
Width: 103"
Depth: 55"
Capacity: 2000 lbs.
Storage levels: 5
Overall Dim. L x W x H: 103" X 55" X 48"
Net Wt. lbs.: 575
Manufacturer's Warranty: 1 Year Limited



OPS-12485

Standard Vertical Sheet Racks

Unit of measure: Each

- All-welded steel construction
- Designed for vertically storing sheet goods
- Constructed of heavy gauge steel 1 1/4" tube for bays and a heavy gauge steel 1" x 2" rectangular tube for the frame
- Each bay can hold up to 1000 lbs.
- O.A. Dim.: 84" W x 50" L x 36-3/4" H
- Number of bays: 4
- Distance between bays: 10"
- Weight: 200 lbs.
- Durable industrial blue polyurethane finish
- Equipped with pre-cut holes to enable anchoring to the floor (recommended)

Height: 36-3/4"
Width: 84"
Depth: 50"
Capacity: 4000 lbs.
Storage levels: 1
Manufacturer's Warranty: 1 Year Limited



OPS-12486

Vertical Sheet Storage Racks

Unit of measure: Each

- Accommodates multiple sheet sizes
- All-welded steel construction, 1 1/4" OD round tube dividers
- Two 27" H uprights, two 36" H uprights and one 42" H upright
- Four equal size openings of 7 1/2" clear
- Equipped with pre-cut holes to enable anchoring to the floor (recommended)
- Shipping weight: 72 lbs.
- Durable industrial blue polyurethane finish

Height: 36"
Width: 43-1/2"
Depth: 48"
Capacity: 750 lbs. per bay; total of 3000 lbs.
Storage levels: 1
Bay Capacity: 750 lbs.
Capacity per Bay: 750 lbs.
Overall dimensions: 36" x 48" x 43 1/2"
Manufacturer's Warranty: 1 Year Limited

Shelf Carts



OPS-12487

Deep Lipped Service Cart

Unit of measure: Each

- All welded design, ready to use
- Deep shelf lips for retention
- Two 14 gauge steel shelves welded to 1-1/2" x 1-1/2" x 1/8" steel posts
- 1" diameter tubular ergonomic handle
- Two rigid and two swivel 5" non-marking rubber casters
- Durable industrial blue polyurethane finish

No. of Shelves: 2
Overall Width: 24"
Overall Height: 47"
Overall Depth: 36"
Cart Material: Steel
Construction: All-Welded

Lip Configuration: Lip Up
Wheel Material: Rubber
Capacity: 1200 lbs.
Overall dimensions: 24" W x 42" D x 47" H
Manufacturer's Warranty: 1 Year Limited



OPS-12488

Deep Lipped Service Cart

Unit of measure: Each

- All welded design, ready to use
- Deep shelf lips for retention
- Two 14 gauge steel shelves welded to 1-1/2" x 1-1/2" x 1/8" steel posts
- 1" diameter tubular ergonomic handle
- Two rigid and two swivel 5" non-marking rubber casters
- Durable industrial blue polyurethane finish

No. of Shelves: 2
Overall Width: 24"
Overall Height: 47"
Overall Depth: 36"
Cart Material: Steel
Construction: All-Welded

Lip Configuration: Lip Up
Wheel Material: Rubber
Capacity: 1200 lbs.
Overall dimensions: 24" W x 42" D x 47" H
Manufacturer's Warranty: 1 Year Limited



OPS-12489

Deep Lipped Service Cart

Unit of measure: Each

- All welded design, ready to use
- Deep shelf lips for retention
- Two 14 gauge steel shelves welded to 1-1/2" x 1-1/2" x 1/8" steel posts
- 1" diameter tubular ergonomic handle
- Two rigid and two swivel 5" non-marking rubber casters
- Durable industrial blue polyurethane finish

No. of Shelves: 2
Overall Width: 24"
Overall Height: 47"
Overall Depth: 36"
Cart Material: Steel
Construction: All-Welded

Lip Configuration: Lip Up
Wheel Material: Rubber
Capacity: 1200 lbs.
Overall dimensions: 24" W x 42" D x 47" H
Manufacturer's Warranty: 1 Year Limited



OPS-12490

Heavy-Duty Shelf Cart

Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1-1/2" x 1-1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1-1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Capacity: 1200 lbs. evenly distributed
- Durable industrial blue polyurethane finish

No. of Shelves: 3
Overall Width: 24"
Overall Height: 36"
Overall Depth: 51"
Cart Material: Steel
Construction: All-Welded
Lip Configuration: Lip Up
Wheel Material: Blue Elastic Rubber

Capacity: 1200 lbs.
Handle Height: 36"
Weight: 110 lbs.
Clearance Between Shelves: 12"
Shelf Dimensions: 24" W x 48" L
Colour: Blue
Manufacturer's Warranty: 1 Year Limited



Heavy-Duty Shelf Cart

6 options · Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Durable industrial blue polyurethane finish

Cart Material: Steel
Construction: All-Welded
Wheel Material: Rubber

Capacity: 1200 lbs.
Handle Height: 42"
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	TYPE	SHELF WIDTH	SHELFT DEPTH	WIDTH	DEPTH	HEIGHT	CLEARANCE BETWEEN SHELVES	WEIGH
OPS-12491	4	18"	61"	30"	Lip Down	18"	30"	18"	30"	61"	16"	115 lb
OPS-12492	4	24"	61"	36"	—	24"	36"	24"	36"	61"	16"	140 lb
OPS-12493	5	18"	61"	30"	Lip Down	18"	30"	18"	30"	61"	11"	125 lb
OPS-12500	4	18"	48"	30"	Lip Down	18"	30"	18"	30"	48"	12"	110 lb
OPS-12501	4	24"	48"	36"	Lip Down	24"	36"	24"	36"	48"	12"	135 lb
OPS-12502	4	24"	48"	48"	Lip Down	24"	48"	24"	48"	48"	12"	160 lb



Product range

2 options · Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Durable industrial blue polyurethane finish

No. of Shelves: 5
Overall Height: 61"
Cart Material: Steel
Construction: All-Welded
Lip Configuration: Lip Up
Wheel Material: Rubber
Capacity: 1200 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	OVERALL WIDTH	OVERALL DEPTH	SHELF WIDTH	SHELFT DEPTH	WIDTH	DEPTH	HEIGHT	CLEARANCE BETWEEN SHELVES	HANDLE HEIGHT	WEIGHT
OPS-12494	Heavy-Duty Shelf Cart	18"	33"	18"	30"	18"	30"	61"	11"	42"	125 lbs.
OPS-12518	Heavy-Duty Shelf Carts	24"	39"	—	—	—	—	—	—	—	—



Product range

2 options · Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Durable industrial blue polyurethane finish

No. of Shelves: 5
Overall Width: 24"
Overall Height: 61"
Cart Material: Steel
Construction: All-Welded
Wheel Material: Rubber
Capacity: 1200 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	OVERALL DEPTH	TYPE	SHELF WIDTH	SHELFT DEPTH	WIDTH	DEPTH	HEIGHT	CLEARANCE BETWEEN SHELVES	HANDLE HEIGHT	WEIGHT	LIP CONFIG
OPS-12495	Heavy-Duty Shelf Cart	36"	Lip Down	24"	36"	24"	36"	61"	11"	42"	155 lbs.	—
OPS-12519	Heavy-Duty Shelf Carts	48"	—	—	—	—	—	—	—	—	—	Lip Dow



Product range

4 options · Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Durable industrial blue polyurethane finish

No. of Shelves: 3
Cart Material: Steel
Construction: All-Welded
Lip Configuration: Lip Down
Wheel Material: Rubber
Capacity: 1200 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	HEIGHT	SHELF WIDTH	SHELFT DEPTH	TYPE	WIDTH	DEPTH	CLEARANCE BETWEEN SHELVES	HAND HEIG
OPS-12496	Heavy-Duty Shelf Cart	18"	48"	30"	48"	18"	30"	Lip Down	18"	30"	18"	42"
OPS-12498	Heavy-Duty Shelf Cart	24"	48"	36"	48"	24"	36"	Lip Down	24"	36"	18"	42"
OPS-12509	Heavy-Duty Shelf Carts	18"	36"	33"	—	—	—	—	—	—	12"	36"
OPS-12521	Heavy-Duty Shelf Carts	24"	48"	48"	—	—	—	—	—	—	—	—



Product range

4 options · Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Durable industrial blue polyurethane finish

No. of Shelves: 3
Cart Material: Steel
Construction: All-Welded
Lip Configuration: Lip Up
Capacity: 1200 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	WHEEL MATERIAL	TYPE	SHELF WIDTH	SHELFT DEPTH	HEIGHT	WIDTH	DEPTH	CLEARANC BETWEEN SHELVES
OPS-12497	Heavy-Duty Shelf Cart	18"	48"	33"	Rubber	Lip Up	18"	30"	48"	18"	30"	18"
OPS-12499	Heavy-Duty Shelf Cart	24"	48"	39"	Rubber	Lip Up	24"	36"	48"	24"	36"	18"
OPS-12510	Heavy-Duty Shelf Carts	18"	36"	33"	Blue Elastic Rubber	—	—	—	—	—	—	12"
OPS-12522	Heavy-Duty Shelf Carts	24"	48"	51"	Rubber	—	—	—	—	—	—	—



Heavy-Duty Shelf Carts

2 options · Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Durable industrial blue polyurethane finish

No. of Shelves: 2
Overall Width: 18"
Overall Height: 36"
Overall Depth: 33"
Cart Material: Steel
Construction: All-Welded
Capacity: 1200 lbs.
Manufacturer's Warranty: 1 Year Limited
Handle Height: 36"
Clearance Between Shelves: 27"

ITEM #	LIP CONFIGURATION	WHEEL MATERIAL	SHELF DIMENSIONS	OVERALL DIMENSIONS	WEIGHT	COLOUR
OPS-12503	Lip Down	Rubber	18"W x 30"L	—	—	—
OPS-12504	Lip Up	Blue Elastic Rubber	18" W x 30" L	18" W x 33" D x 36" H	60 lbs.	Blue



Heavy-Duty Shelf Carts

3 options · Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Durable industrial blue polyurethane finish

Overall Width: 24"
Overall Height: 36"
Cart Material: Steel
Construction: All-Welded
Lip Configuration: Lip Down
Wheel Material: Rubber
Capacity: 1200 lbs.
Handle Height: 36"
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	OVERALL DEPTH	OVERALL DIMENSIONS	SHELF DIMENSIONS	COLOUR	CLEARANCE BETWEEN SHELVES	WEIGHT
OPS-12505	2	39"	24" W x 39" D x 36" H	24" W x 36" L	Blue	27"	65 lbs.
OPS-12507	2	51"	—	24"W x 48"L	—	27"	—
OPS-12513	3	51"	—	24"W x 48"L	—	12"	—



Heavy-Duty Shelf Carts

3 options · Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Durable industrial blue polyurethane finish

Overall Width: 24"
Overall Height: 36"
Overall Depth: 39"
Cart Material: Steel
Construction: All-Welded
Capacity: 1200 lbs.
Handle Height: 36"
Overall Dimensions: 24" W x 39" D x 36" H
Shelf Dimensions: 24" W x 36" L
Colour: Blue
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	LIP CONFIGURATION	WHEEL MATERIAL	WEIGHT	CLEARANCE BETWEEN SHELVES
OPS-12506	2	Lip Up	Blue Elastic Rubber	65 lbs.	27"
OPS-12511	3	Lip Down	Rubber	85 lbs.	12"
OPS-12512	3	Lip Up	Blue Elastic Rubber	85 lbs.	12"



OPS-12508

Heavy-Duty Shelf Carts

Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Capacity: 1200 lbs. evenly distributed
- Durable industrial blue polyurethane finish

No. of Shelves: 2
Overall Width: 24"
Overall Height: 36"
Overall Depth: 51"
Cart Material: Steel
Construction: All-Welded
Lip Configuration: Lip Up
Wheel Material: Blue Elastic Rubber
Capacity: 1200 lbs.
Overall Dimensions: 24" W x 51" D x 36" H
Handle Height: 36"
Weight: 100 lbs.
Shelf Dimensions: 24" W x 48" L
Clearance Between Shelves: 27"
Colour: Blue
Manufacturer's Warranty: 1 Year Limited



Heavy-Duty Shelf Carts

7 options · Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Durable industrial blue polyurethane finish

Cart Material: Steel
Construction: All-Welded
Lip Configuration: Lip Up
Wheel Material: Rubber
Capacity: 1200 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH
OPS-12514	4	18"	61"	33"
OPS-12515	4	24"	61"	39"
OPS-12517	4	24"	61"	51"

ITEM #	NO. OF SHELVES (cont.)	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH
OPS-12520	5	24"	61"	51"
OPS-12523	4	18"	48"	33"
OPS-12524	4	24"	48"	39"
OPS-12525	4	24"	48"	51"



OPS-12516

Heavy-Duty Shelf Carts

Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 5" non-marking casters
- Durable industrial blue polyurethane finish

No. of Shelves: 4
Overall Width: 24"
Overall Height: 61"
Overall Depth: 48"
Cart Material: Steel
Construction: All-Welded
Lip Configuration: Lip Down
Wheel Material: Rubber
Capacity: 1200 lbs.
Manufacturer's Warranty: 1 Year Limited



Mobile Service Cart

3 options · Unit of measure: Each

- All welded design, ready to use
- Two 14 gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel posts
- 1" diameter tubular handle
- Two rigid and two swivel with brake bolted-on 5" non-marking rubber casters
- Durable industrial blue polyurethane finish

No. of Shelves: 2
Overall Width: 24"
Overall Height: 57"
Overall Depth: 40"
Cart Material: Steel
Construction: All-Welded
Lip Configuration: Lip Down/Lip Up
Wheel Material: Blue Rubber
Capacity: 1200 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	DETAILS
OPS-12526	Louvered panel for small parts bins and lockable drawer for supplies
OPS-12527	Pegboard panel for hanging tools and lockable drawer for supplies
OPS-12528	Half pegboard and half louvered panel for hanging tools and small parts bins, and lockable…



Outdoor Shelf Cart

6 options · Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 8" non-marking casters
- Durable Industrial Blue double coated polyurethane finish resists the harshest weather conditions
- Zinc plated flat-free casters resist corrosion and rust

No. of Shelves: 2
Overall Height: 39"
Cart Material: Steel
Construction: All-Welded
Wheel Material: Flat-Free
Capacity: 1200 lbs.
Handle Height: 39"
Clearance Between Shelves: 27"
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH	OVERALL DEPTH	LIP CONFIGURATION	WEIGHT	SHELF DIMENSIONS	COLOUR
OPS-12529	18"	33"	Lip Up	60 lbs.	18" W x 30" L	Blue
OPS-12530	24"	39"	Lip Up	65 lbs.	24" W x 36" L	Blue
OPS-12531	24"	51"	Lip Up	100 lbs.	24" W x 48" L	Blue
OPS-12535	18"	33"	Lip Down	—	18"W x 30"L	—
OPS-12536	24"	39"	Lip Down	65 lbs.	24" W x 36" L	Blue
OPS-12537	24"	51"	Lip Down	—	24"W x 48"L	—



Outdoor Shelf Cart

3 options · Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 8" non-marking casters
- Capacity: 1200 lbs. evenly distributed
- Durable Industrial Blue double coated polyurethane finish resists the harshest weather conditions
- Zinc plated flat-free casters resist corrosion and rust

No. of Shelves: 3
Overall Height: 39"
Cart Material: Steel
Construction: All-Welded
Lip Configuration: Lip Up
Wheel Material: Flat-Free
Capacity: 1200 lbs.
Handle Height: 39"
Colour: Blue
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH	OVERALL DEPTH	WEIGHT	SHELF DIMENSIONS	CLEARANCE BETWEEN SHELVES
OPS-12532	18"	33"	75 lbs.	18" W x 30" L	27"
OPS-12533	24"	39"	85 lbs.	24" W x 36" L	12"
OPS-12534	24"	51"	110 lbs.	24" W x 48" L	12"



Outdoor Shelf Cart

3 options · Unit of measure: Each

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Shelves is available with a 1 1/2" lip configured up or down
- 2 rigid and 2 swivel bolted-on 8" non-marking casters
- Durable Industrial Blue double coated polyurethane finish resists the harshest weather conditions
- Zinc plated flat-free casters resist corrosion and rust

No. of Shelves: 3
Overall Height: 39"
Cart Material: Steel
Construction: All-Welded
Lip Configuration: Lip Down
Wheel Material: Flat-Free
Capacity: 1200 lbs.
Manufacturer's Warranty: 1 Year Limited
Handle Height: 39"
Clearance Between Shelves: 12"

ITEM #	OVERALL WIDTH	OVERALL DEPTH	SHELF DIMENSIONS	COLOUR	WEIGHT
OPS-12538	18"	33"	18"W x 30"L	—	—
OPS-12539	24"	39"	24" W x 36" L	Blue	85 lbs.
OPS-12540	24"	51"	24"W x 48"L	—	—



Shelf Carts

5 options · Unit of measure: Each

- 16-gauge steel shelves with 2 1/2" high lip
- 1 1/2" x 1 1/2" x 12-gauge formed steel posts
- 1 1/4" diameter tubular steel handle
- Top and middle shelves can be installed lip up or down
- Two rigid and two swivel bolted-on casters
- Easy-to-assemble shipped knocked-down design
- Durable industrial blue powder coat finish
- 5" Polyolefin casters
- Capacity is based on evenly distributed weight

Overall Height: 36"
Cart Material: Steel
Construction: Knocked Down
Lip Configuration: Lip Up
Wheel Material: Polyolefin
Capacity: 900 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	OVERALL WIDTH	OVERALL DEPTH
OPS-12541	2	18"	30"
OPS-12542	2	24"	36"
OPS-12543	2	24"	48"
OPS-12545	3	24"	36"
OPS-12546	3	24"	48"



Shelf Carts

6 options · Unit of measure: Each

- 16-gauge steel shelves with 2 1/2" high lip
- 1 1/2" x 1 1/2" x 12-gauge formed steel posts
- 1 1/4" diameter tubular steel handle
- Top and middle shelves can be installed lip up or down
- Two rigid and two swivel bolted-on casters
- Easy-to-assemble shipped knocked-down design
- Durable industrial blue powder coat finish
- Capacity is based on evenly distributed weight

No. of Shelves: 3
Cart Material: Steel
Construction: Knocked Down
Lip Configuration: Lip Up
Capacity: 900 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	WHEEL MATERIAL
OPS-12544	18"	36"	30"	Polyolefin
OPS-12555	24"	36"	36"	Blue Rubber
OPS-12556	24"	36"	48"	Blue Rubber
OPS-12569	18"	48"	30"	Polyolefin
OPS-12570	24"	48"	36"	Polyolefin
OPS-12571	24"	48"	48"	Polyolefin



Shelf Carts

6 options · Unit of measure: Each

- 16-gauge steel shelves with 2 1/2" high lip
- 1 1/2" x 1 1/2" x 12-gauge formed steel posts
- 1 1/4" diameter tubular steel handle
- Top and middle shelves can be installed lip up or down
- Two rigid and two swivel bolted-on casters
- Easy-to-assemble shipped knocked-down design
- Durable industrial blue powder coat finish
- 8" Pneumatic casters
- Capacity is based on evenly distributed weight

Overall Width: 24"
Cart Material: Steel
Construction: Knocked Down
Lip Configuration: Lip Up
Wheel Material: Pneumatic
Capacity: 900 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	OVERALL HEIGHT	OVERALL DEPTH
OPS-12547	2	40"	36"
OPS-12548	2	40"	48"
OPS-12549	3	40"	36"
OPS-12550	3	40"	48"
OPS-12572	3	52"	36"
OPS-12573	3	52"	48"



Shelf Carts

6 options · Unit of measure: Each

- 16-gauge steel shelves with 2 1/2" high lip
- 1 1/2" x 1 1/2" x 12-gauge formed steel posts
- 1 1/4" diameter tubular steel handle
- Top and middle shelves can be installed lip up or down
- Two rigid and two swivel bolted-on casters
- Easy-to-assemble shipped knocked-down design
- Durable industrial blue powder coat finish
- 5" Blue elastic rubber casters
- Capacity is based on evenly distributed weight

Cart Material: Steel
Construction: Knocked Down
Lip Configuration: Lip Up
Capacity: 900 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	WHEEL MATERIAL
OPS-12551	2	18"	36"	30"	Blue Rubber
OPS-12552	2	24"	36"	36"	Blue Rubber
OPS-12554	3	18"	36"	30"	Blue Rubber
OPS-12557	3	18"	48"	30"	Rubber
OPS-12558	3	24"	48"	36"	Rubber
OPS-12559	3	24"	48"	48"	Rubber



OPS-12553

Shelf Carts

Unit of measure: Each

- 16-gauge steel shelves with 2 1/2" high lip
- 1 1/2" x 1 1/2" x 12-gauge formed steel posts
- 1 1/4" diameter tubular steel handle
- Top and middle shelves can be installed lip up or down
- Two rigid and two swivel bolted-on casters
- Easy-to-assemble shipped knocked-down design
- Durable industrial blue powder coat finish
- 5" Blue elastic rubber casters
- Capacity is based on evenly distributed weight

No. of Shelves: 2
Overall Width: 24"
Overall Height: 36"
Overall Depth: 48"
Cart Material: Steel
Construction: Knocked Down
Lip Configuration: Lip Up
Wheel Material: Blue Rubber
Capacity: 900 lbs.
Manufacturer's Warranty: 1 Year Limited



Shelf Carts

16 options · Unit of measure: Each

- 16-gauge steel shelves with 2 1/2" high lip
- 1 1/2" x 1 1/2" x 12-gauge formed steel posts
- 1 1/4" diameter tubular steel handle
- Top and middle shelves can be installed lip up or down
- Two rigid and two swivel bolted-on casters
- Easy-to-assemble shipped knocked-down design
- Durable industrial blue powder coat finish
- Capacity is based on evenly distributed weight

No. of Shelves: 4
Cart Material: Steel
Construction: Knocked Down
Lip Configuration: Lip Up
Capacity: 900 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	WHEEL MATERIAL
OPS-12560	18"	48"	30"	Rubber
OPS-12561	24"	48"	36"	Rubber
OPS-12562	24"	48"	48"	Rubber
OPS-12563	18"	61"	30"	Rubber
OPS-12564	24"	61"	36"	Rubber
OPS-12565	24"	61"	48"	Rubber
OPS-12574	18"	48"	30"	Polyolefin
OPS-12575	24"	48"	36"	Polyolefin
OPS-12576	24"	48"	48"	Polyolefin
OPS-12577	18"	61"	30"	Polyolefin
OPS-12578	24"	61"	36"	Polyolefin
OPS-12579	24"	61"	48"	Polyolefin
OPS-12580	24"	52"	36"	Pneumatic
OPS-12581	24"	52"	48"	Pneumatic
OPS-12582	24"	65"	36"	Pneumatic
OPS-12583	24"	65"	48"	Pneumatic



Shelf Carts

8 options · Unit of measure: Each

- 16-gauge steel shelves with 2 1/2" high lip
- 1 1/2" x 1 1/2" x 12-gauge formed steel posts
- 1 1/4" diameter tubular steel handle
- Top and middle shelves can be installed lip up or down
- Two rigid and two swivel bolted-on casters
- Easy-to-assemble shipped knocked-down design
- Durable industrial blue powder coat finish
- Capacity is based on evenly distributed weight

No. of Shelves: 5
Cart Material: Steel
Construction: Knocked Down
Lip Configuration: Lip Up
Capacity: 900 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	WHEEL MATERIAL
OPS-12566	18"	61"	30"	Blue Rubber
OPS-12567	24"	61"	36"	Rubber
OPS-12568	24"	61"	48"	Rubber
OPS-12584	18"	61"	30"	Polyolefin
OPS-12585	24"	61"	36"	Polyolefin
OPS-12586	24"	61	48"	Polyolefin
OPS-12587	24"	65"	36"	Pneumatic
OPS-12588	24"	65"	48"	Pneumatic

Shelf For Cabinets



OPS-12589

Cabinet Workbench - Shelves

Unit of measure: Each

- Made of 14-gauge steel
- Maximum 2 per cabinet

Width: 58 3/4"
Material: Steel
Shelf Capacity: 300 lbs.
Colour: Blue

Weight: 15 lbs.
Length: 27 3/4"
Manufacturer's Warranty: 1 Year Limited



Deep Door Storage Cabinet - Extra Shelf

2 options · Unit of measure: Each

Material: Steel
Colour: Grey

Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH	SHELF CAPACITY	WEIGHT
OPS-12590	38"	17"	500 lbs.	18 lbs.
OPS-12591	18"	6"	35 lbs.	2 lbs.



OPS-12592

Replacement Cabinet Shelves

Unit of measure: Each

Colour: Yellow

Manufacturer's Warranty: 1 Year Limited



Replacement Shelf for Knocked Down Cabinet

3 options · Unit of measure: Each

- Does not include shelf hang plates

Material: Steel
Colour: Grey

Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH	SHELF CAPACITY
OPS-12593	30"	15"	100 lbs.
OPS-12594	36"	24"	200 lbs.
OPS-12595	48"	24"	300 lbs.

Shelf For Coated Wire Shelf Units



Product range

14 options · Unit of measure: Each

- NSF certified

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	WIDTH	CAPACITY	DEPTH	*NOTE
OPS-12596	Heavy-Duty Green Epoxy Finish Wire Shelving - Shelves	30"	800 lbs.	18"	—
OPS-12597	Shelf for Green Epoxy Finish Wire Shelving	72"	600 lbs.	14"	—
OPS-12598	Shelf for Heavy-Duty Green Epoxy Finish Wire Shelving	36"	800 lbs.	18"	Evenly distributed weight
OPS-12599	Shelf for Heavy-Duty Green Epoxy Finish Wire Shelving	48"	800 lbs.	18"	Evenly distributed weight
OPS-12600	Shelf for Heavy-Duty Green Epoxy Finish Wire Shelving	60"	600 lbs.	18"	Evenly distributed weight
OPS-12601	Shelf for Heavy-Duty Green Epoxy Finish Wire Shelving	72"	600 lbs.	18"	Evenly distributed weight
OPS-12602	Shelf for Heavy-Duty Green Epoxy Finish Wire Shelving	36"	800 lbs.	24"	Evenly distributed weight
OPS-12603	Shelf for Heavy-Duty Green Epoxy Finish Wire Shelving	48"	800 lbs.	24"	Evenly distributed weight
OPS-12604	Shelf for Heavy-Duty Green Epoxy Finish Wire Shelving	60"	600 lbs.	24"	Evenly distributed weight
OPS-12605	Shelf for Heavy-Duty Green Epoxy Finish Wire Shelving	72"	600 lbs.	24"	—
OPS-12606	Shelf for Heavy-Duty Green Epoxy Finish Wire Shelving	30"	800 lbs.	14"	—
OPS-12607	Shelf for Heavy-Duty Green Epoxy Finish Wire Shelving	36"	800 lbs.	14"	—
OPS-12608	Shelf for Heavy-Duty Green Epoxy Finish Wire Shelving	48"	800 lbs.	14"	—
OPS-12609	Shelf for Heavy-Duty Green Epoxy Finish Wire Shelving	60"	600 lbs.	14"	—

Shelf For Wire Shelf Units



Cannabis Dry Rack Shelf

3 options · Unit of measure: Each

- Green epoxy wire shelving is ideal for use in wet environments
- 3" wire spacing ideal for drying produce
- Superior rust resistance
- Designed to minimize dust, improve air circulation and provide greater visibility of stored items
- NSF certified

Capacity: 100 lbs.
Material: Green Epoxy
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-12610	36"	18"
OPS-12611	48"	24"
OPS-12612	72"	24"




Product range

4 options · Unit of measure: Each

Depth: 14"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	WEIGHT	*NOTE
OPS-12613	Standard-Duty Chromate Wire Shelf	500 lbs.	36"	6.8 lbs.	—
OPS-12630	Wire Shelf for Heavy-Duty Chromate Wire Shelving	800 lbs.	30"	7.5 lbs.	Evenly distributed weight
OPS-12631	Wire Shelf for Heavy-Duty Chromate Wire Shelving	800 lbs.	36"	8.25 lbs.	Evenly distributed weight
OPS-12632	Wire Shelf for Heavy-Duty Chromate Wire Shelving	800 lbs.	48"	10.5 lbs.	Evenly distributed weight



Product range

7 options · Unit of measure: Each

- Shelf ribs run front to back allowing items to slide on and off shelves smoothly

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	WEIGHT	*NOTE
OPS-12614	Standard-Duty Chromate Wire Shelf	500 lbs.	36"	18"	8 lbs.	—
OPS-12615	Standard-Duty Chromate Wire Shelf	500 lbs.	48"	18"	10.8 lbs.	—
OPS-12616	Standard-Duty Chromate Wire Shelf	500 lbs.	48"	24"	13.3 lbs.	—
OPS-12622	Wire Shelf for Heavy-Duty Chromate Wire Shelving	800 lbs.	36"	18"	8.5 lbs.	Evenly distributed weight
OPS-12623	Wire Shelf for Heavy-Duty Chromate Wire Shelving	800 lbs.	48"	18"	10 lbs.	Evenly distributed weight
OPS-12626	Wire Shelf for Heavy-Duty Chromate Wire Shelving	800 lbs.	36"	24"	10.5 lbs.	Evenly distributed weight
OPS-12627	Wire Shelf for Heavy-Duty Chromate Wire Shelving	800 lbs.	48"	24"	14 lbs.	Evenly distributed weight




Product range

5 options · Unit of measure: Each

- Shelf ribs run front to back allowing items to slide on and off shelves smoothly

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CAPACITY	WIDTH	DEPTH	WEIGHT	*NOTE
OPS-12617	Standard-Duty Chromate Wire Shelf	400 lbs.	72"	24"	18.9 lbs.	—
OPS-12624	Wire Shelf for Heavy-Duty Chromate Wire Shelving	600 lbs.	60"	18"	14.5 lbs.	Evenly distributed weight
OPS-12625	Wire Shelf for Heavy-Duty Chromate Wire Shelving	600 lbs.	72"	18"	15 lbs.	Evenly distributed weight
OPS-12628	Wire Shelf for Heavy-Duty Chromate Wire Shelving	600 lbs.	60"	24"	17.8 lbs.	Evenly distributed weight
OPS-12629	Wire Shelf for Heavy-Duty Chromate Wire Shelving	600 lbs.	72"	24"	22 lbs.	Evenly distributed weight



Wire Basket Shelf

3 options · Unit of measure: Each

- Basket shelf design allows loose items to be contained and easily displayed
- NSF certified

Capacity: 400 lbs.

Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-12618	36"	18"
OPS-12619	18"	48"
OPS-12620	24"	48"



Wire Shelf for Heavy-Duty Chromate Wire Shelving

3 options · Unit of measure: Each

- NSF certified

***Note:** Evenly distributed weight

Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	WIDTH	DEPTH	WEIGHT
OPS-12621	800 lbs.	30"	18"	6.9 lbs.
OPS-12633	600 lbs.	60"	14"	12 lbs.
OPS-12634	600 lbs.	72"	14"	15 lbs.



Wire Slanted Shelf

3 options · Unit of measure: Each

- Slanted shelf design allows for visibility and easy access to stored goods
- 3" front lip prevents items from sliding off the shelf
- NSF certified

Capacity: 400 lbs.

Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-12635	18"	36"
OPS-12636	18"	48"
OPS-12637	24"	48"

Shelving Unit



Heavy-Duty Shelving

26 options · Unit of measure: Each

Kit Type: Starter
Material: Steel

Style: Open
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	SHELF CAPACITY	WIDTH	DEPTH	HEIGHT	SHELVING UNIT TYPE	OVERALL CAPACITY	COLOUR	WEIGHT
OPS-12638	5	1200 lbs.	36"	18"	72"	Boltless	6000 lbs.	—	—
OPS-12639	5	1200 lbs.	36"	24"	72"	Boltless	6000 lbs.	—	—
OPS-12640	5	1200 lbs.	48"	18"	72"	Boltless	6000 lbs.	—	—
OPS-12641	5	1200 lbs.	48"	24"	72"	Boltless	6000 lbs.	—	—
OPS-12642	5	3000 lbs.	36"	18"	72"	Bolted	15000 lbs.	Grey	171 lbs.
OPS-12643	5	3000 lbs.	48"	18"	72"	Bolted	15000 lbs.	Grey	215 lbs.
OPS-12644	5	3000 lbs.	60"	18"	72"	Bolted	15000 lbs.	Grey	264 lbs.
OPS-12645	5	3000 lbs.	36"	24"	72"	Bolted	15000 lbs.	Grey	215 lbs.
OPS-12646	5	3000 lbs.	48"	24"	72"	Bolted	15000 lbs.	Grey	264 lbs.
OPS-12647	5	3000 lbs.	60"	24"	72"	Bolted	15000 lbs.	Grey	353 lbs.
OPS-12648	3	1200 lbs.	48"	36"	84"	Boltless	3600 lbs.	—	—
OPS-12649	3	1200 lbs.	48"	24"	84"	Boltless	3600 lbs.	—	—
OPS-12650	3	750 lbs.	72"	24"	84"	Boltless	2250 lbs.	—	—
OPS-12651	3	600 lbs.	96"	24"	84"	Boltless	1800 lbs.	—	—
OPS-12652	4	3000 lbs.	36"	18"	72"	Bolted	9000 lbs.	Grey	171 lbs.
OPS-12653	4	3000 lbs.	48"	18"	72"	Bolted	9000 lbs.	Grey	215 lbs.
OPS-12654	4	3000 lbs.	60"	18"	72"	Bolted	9000 lbs.	Grey	264 lbs.
OPS-12655	4	3000 lbs.	36"	24"	72"	Bolted	9000 lbs.	Grey	215 lbs.
OPS-12656	4	3000 lbs.	48"	24"	72"	Bolted	9000 lbs.	Grey	264 lbs.
OPS-12657	4	3001 lbs.	60"	24"	72"	Bolted	9000 lbs.	Grey	353 lbs.
OPS-12658	3	3000 lbs.	36"	18"	72"	Bolted	12000 lbs.	Grey	171 lbs.
OPS-12659	3	3000 lbs.	48"	18"	72"	Bolted	12000 lbs.	Grey	215 lbs.
OPS-12660	3	3000 lbs.	60"	18"	72"	Bolted	12000 lbs.	Grey	264 lbs.

ITEM #	NO. OF SHELVES (cont.)	SHELF CAPACITY	WIDTH	DEPTH	HEIGHT	SHELVING UNIT TYPE	OVERALL CAPACITY	COLOUR	WEIGHT
OPS-12661	3	3000 lbs.	36"	24"	72"	Bolted	12000 lbs.	Grey	215 lbs.
OPS-12662	3	3000 lbs.	48"	24"	72"	Bolted	12000 lbs.	Grey	264 lbs.
OPS-12663	3	3000 lbs.	60"	24"	72"	Bolted	12000 lbs.	Grey	353 lbs.



OPS-12664

Wide Span Shelving with Jumbo Plastic Bins

Unit of measure: Each

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required
- Includes 16 OPS-12246 red bins (15-1/2"W x 25"D x 13"H)
- Includes 16 OPS-12246 red bins (15-1/2"W x 25"D x 13"H)

Kit Type: Starter
No. of Shelves: 4
Shelf Capacity: 800 lbs.
Material: Steel
Width: 66"
Depth: 18"
Height: 72"
Shelving Unit Type: Boltless
Style: Open
No. of Bins: 16
Colour: Red
Manufacturer's Warranty: 1 Year Limited




OPS-12665

Wide Span Shelving with Jumbo Plastic Bins

Unit of measure: Each

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required
- Includes 16 OPS-12247 blue bins (15-1/2"W x 25"D x 13"H)
- Includes 16 OPS-12247 blue bins (15-1/2"W x 25"D x 13"H)

Kit Type: Starter
No. of Shelves: 4
Shelf Capacity: 800 lbs.
Material: Steel
Width: 66"
Depth: 18"
Height: 72"
Shelving Unit Type: Boltless
Style: Open
No. of Bins: 16
Colour: Blue
Manufacturer's Warranty: 1 Year Limited



OPS-12666

Wide Span Shelving with Jumbo Plastic Bins

Unit of measure: Each

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required
- Includes 16 OPS-12248 green bins (15-1/2"W x 25"D x 13"H)
- Includes 16 OPS-12248 green bins (15-1/2"W x 25"D x 13"H)

Kit Type: Starter
No. of Shelves: 4
Shelf Capacity: 800 lbs.
Material: Steel
Width: 66"
Depth: 18"
Height: 72"
Shelving Unit Type: Boltless
Style: Open
No. of Bins: 16
Colour: Green
Manufacturer's Warranty: 1 Year Limited



OPS-12667

Wide Span Shelving with Jumbo Plastic Bins

Unit of measure: Each

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required
- Includes 16 OPS-12249 yellow bins (15-1/2"W x 25"D x 13"H)
- Includes 16 OPS-12249 yellow bins (15-1/2"W x 25"D x 13"H)

Kit Type: Starter
No. of Shelves: 4
Shelf Capacity: 800 lbs.
Material: Steel
Width: 66"
Depth: 18"
Height: 72"
Shelving Unit Type: Boltless
Style: Open
No. of Bins: 16
Colour: Yellow
Manufacturer's Warranty: 1 Year Limited



OPS-12668

Wide Span Shelving with Jumbo Plastic Bins

Unit of measure: Each

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required
- Includes 12 OPS-12246 red bins (15-1/2"W x 25"D x 13"H)
- Includes 12 OPS-12246 red bins (15-1/2"W x 25"D x 13"H)

Kit Type: Starter
No. of Shelves: 3
Shelf Capacity: 800 lbs.
Material: Steel
Width: 66"
Depth: 18"
Height: 60"
Shelving Unit Type: Boltless
Style: Open
No. of Bins: 12
Colour: Red
Manufacturer's Warranty: 1 Year Limited



OPS-12669

Wide Span Shelving with Jumbo Plastic Bins

Unit of measure: Each

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required
- Includes 12 OPS-12247 blue bins (15-1/2"W x 25"D x 13"H)
- Includes 12 OPS-12247 blue bins (15-1/2"W x 25"D x 13"H)

Kit Type: Starter
No. of Shelves: 3
Shelf Capacity: 800 lbs.
Material: Steel
Width: 66"
Depth: 18"
Height: 60"
Shelving Unit Type: Boltless
Style: Open
No. of Bins: 12
Colour: Blue
Manufacturer's Warranty: 1 Year Limited



OPS-12670

Wide Span Shelving with Jumbo Plastic Bins

Unit of measure: Each

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required
- Includes 12 OPS-12248 green bins (15-1/2"W x 25"D x 13"H)
- Includes 12 OPS-12248 green bins (15-1/2"W x 25"D x 13"H)

Kit Type: Starter
No. of Shelves: 3
Shelf Capacity: 800 lbs.
Material: Steel
Width: 66"
Depth: 18"
Height: 60"
Shelving Unit Type: Boltless
Style: Open
No. of Bins: 12
Colour: Green
Manufacturer's Warranty: 1 Year Limited



OPS-12671

Wide Span Shelving with Jumbo Plastic Bins

Unit of measure: Each

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required
- Includes 12 OPS-12249 yellow bins (15-1/2"W x 25"D x 13"H)
- Includes 12 OPS-12249 yellow bins (15-1/2"W x 25"D x 13"H)

Kit Type: Starter
No. of Shelves: 3
Shelf Capacity: 800 lbs.
Material: Steel
Width: 66"
Depth: 18"
Height: 60"
Shelving Unit Type: Boltless
Style: Open
No. of Bins: 12
Colour: Yellow
Manufacturer's Warranty: 1 Year Limited



OPS-12672

Wide Span Shelving with Jumbo Plastic Bins

Unit of measure: Each

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required
- Includes 4 red OPS-12246, 4 blue OPS-12247 & 4 yellow OPS-12249 bins
- Includes 4 red OPS-12246, 4 blue OPS-12247 & 4 yellow OPS-12249 bins

Kit Type: Starter
No. of Shelves: 3
Shelf Capacity: 800 lbs.
Material: Steel
Width: 66"
Depth: 18"
Height: 60"
Shelving Unit Type: Boltless
Style: Open
No. of Bins: 12
Colour: Red, Blue, Yellow
Manufacturer's Warranty: 1 Year Limited



OPS-12673

Wide Span Shelving with Jumbo Plastic Bins

Unit of measure: Each

- Ideal for storing supplies in warehouses or shops
- No bolt shelving system can be built quickly and easily
- 12-gauge steel posts and 13-gauge beams
- Shelf levels include 5/8" particleboard decking and required tie bars
- Offered configurations include three levels with 12 bins and four levels with 16 bins
- Plastic bin dimensions: 15 1/2" W x 25" D x 13" H
- Assembly required
- Includes 4 red OPS-12246, 4 blue OPS-12247, 4 green OPS-12248 & 4 yellow OPS-12249 bins
- Includes 4 red OPS-12246, 4 blue OPS-12247, 4 green OPS-12248 & 4 yellow OPS-12249 bins

Kit Type: Starter
No. of Shelves: 4
Shelf Capacity: 800 lbs.
Material: Steel
Width: 66"
Depth: 18"
Height: 72"
Shelving Unit Type: Boltless
Style: Open
No. of Bins: 16
Colour: Red, Blue, Yellow, Green
Manufacturer's Warranty: 1 Year Limited

Shop Desk Parts & Accessories



OPS-12674

Open Floor Style Shop Desk - Optional Caster Kit

Unit of measure: Each

- Wheel material: Polyurethane
- Wheel diameter: 2-1/2"
- Thread width: 1"
- Set includes two swivel casters, two swivel casters with brake and hardware
- Fits to shop desk models OPS-10525 and OPS-10524

Manufacturer's Warranty: 1 Year Limited

Shop Top Workbenches



Industrial Duty Workbench

4 options · Unit of measure: Each

- Features adjustable steel legs
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use
- Powder coated metal components

Capacity: 1000 lbs.
Height: 34"
Width: 60"
Shop Top Overall Thickness: 1-3/4"
Manufacturer's Warranty: 1 Year Limited
Frame Colour: Black

ITEM #	CONFIGURATION	DEPTH
OPS-12675	Top & Legs Only	24"
OPS-12676	Top & Legs Only	36"
OPS-12677	Shelf	24"
OPS-12678	Shelf	36"

Special Purpose Tarps



High-Visibility Heavy-Duty Woven Tarp

3 options · Unit of measure: Each

- Super bright tarps can't be missed on busy job sites
- Recommended for construction zones, warehouses and outdoor storage areas
- Super thick, UV-treated poly with rope-reinforced hems
- Both sides laminated
- Features plastic reinforced corners
- High-visibility lime on one side, orange on the other
- Secure with Tarp Straps (sold separately)

Thickness: 12 mils
Material: Polyethylene
Colour: Green/Orange
Inside Grommet: 7/16"
Outside Grommet: 1"
Weave Count: 14" x 14"
Grommet Material: Brass
Manufacturer's Warranty: 1 Year Limited
Grommet Spacing: 36"

ITEM #	DIMENSIONS	WEIGHT
OPS-12679	16' x 20'	15 lbs.
OPS-12680	20' x 30'	29 lbs.
OPS-12681	40' x 60'	112 lbs.



OPS-12682
Insulated Tarp

Unit of measure: Each

- Lightweight and flexible, moisture resistant insulated tarpaulin
- Manufactured with 3/16" closed cell polyethylene foam insulation
- R-value is maintained in damp cold conditions
- Durable, water resistant polyethylene shell
- Heavy-duty rust resistant grommets every 2'
- UV resistant

Dimensions: 20' x 12'
Thickness: 8 mils
Material: Polyethylene
Colour: White
R Value: 2
Manufacturer's Warranty: 1 Year Limited



OPS-12683
Insulated Tarps
Unit of measure: Each

- Lightweight and flexible, moisture resistant insulated tarpaulin
- Manufactured with 3/16" closed cell polyethylene foam insulation
- R-value is maintained in damp cold conditions
- Durable, water resistant polyethylene shell
- Heavy-duty rust resistant grommets every 2'
- UV resistant

Dimensions: 20' x 12'
Thickness: 8 mils
Material: Polyethylene
Colour: Orange
R Value: 2
Manufacturer's Warranty: 1 Year Limited

Specialty Containers



OPS-12684
Mobile Giant Stacking Bin
Unit of measure: Each

- Injection molded from high density polyethylene
- Extra heavy, double wall thickness with interlock preformed lip allows containers to stack securely
- Molded carrying handle on backside
- Molded-in divider and label slots
- Optional windows available
- Can withstand temperatures ranging from -40° to 250°F
- Waterproof, will not rust or corrode
- Unaffected by chemicals and solvents
- Mobile bin comes with 2 swivel & 2 swivel with brakes 3" casters
- 250-lb mobile capacity

Colour: Blue
Outside Width: 18-3/8"
Outside Depth: 29"
Outside Height: 11-7/8"
Capacity: 150 lbs.
Outside Dimensions W" x D" x H": 18 3/8 x 29 x 11 7/8
Note: Includes heavy-duty spread bar for extra strength and support; Mobile bins
Manufacturer's Warranty: 1 Year Limited



OPS-12685
Mobile Giant Stacking Bin
Unit of measure: Each

- Injection molded from high density polyethylene
- Extra heavy, double wall thickness with interlock preformed lip allows containers to stack securely
- Molded carrying handle on backside
- Molded-in divider and label slots
- Optional windows available
- Can withstand temperatures ranging from -40° to 250°F
- Waterproof, will not rust or corrode
- Unaffected by chemicals and solvents
- Mobile bin comes with 2 swivel & 2 swivel with brakes 3" casters
- 250-lb mobile capacity

Colour: Red
Outside Width: 18-3/8"
Outside Depth: 29"
Outside Height: 11-7/8"
Capacity: 150 lbs.
Outside Dimensions W" x D" x H": 18 3/8 x 29 x 11 7/8
Note: Includes heavy-duty spread bar for extra strength and support
Manufacturer's Warranty: 1 Year Limited



OPS-12686

Mobile Giant Stacking Bin

Unit of measure: Each

- Injection molded from high density polyethylene
- Extra heavy, double wall thickness with interlock preformed lip allows containers to stack securely
- Molded carrying handle on backside
- Molded-in divider and label slots
- Optional windows available
- Can withstand temperatures ranging from -40° to 250°F
- Waterproof, will not rust or corrode
- Unaffected by chemicals and solvents
- Mobile bin comes with 2 swivel & 2 swivel with brakes 3" casters
- 250-lb mobile capacity

Colour: Green
Outside Width: 18-3/8"
Outside Depth: 29"
Outside Height: 11-7/8"
Capacity: 150 lbs.

Outside Dimensions W" x D" x H": 18 3/8 x 29 x 11 7/8
Note: Includes heavy-duty spread bar for extra strength and support
Manufacturer's Warranty: 1 Year Limited



OPS-12687

Mobile Giant Stacking Bin

Unit of measure: Each

- Injection molded from high density polyethylene
- Extra heavy, double wall thickness with interlock preformed lip allows containers to stack securely
- Molded carrying handle on backside
- Molded-in divider and label slots
- Optional windows available
- Can withstand temperatures ranging from -40° to 250°F
- Waterproof, will not rust or corrode
- Unaffected by chemicals and solvents
- Mobile bin comes with 2 swivel & 2 swivel with brakes 3" casters
- 250-lb mobile capacity

Colour: Yellow
Outside Width: 18-3/8"
Outside Depth: 29"
Outside Height: 11-7/8"
Capacity: 150 lbs.

Outside Dimensions W" x D" x H": 18 3/8 x 29 x 11 7/8
Note: Includes heavy-duty spread bar for extra strength and support
Manufacturer's Warranty: 1 Year Limited

Specialty Wheel Chocks



OPS-12688

Pallet Truck Chock

Unit of measure: Each

- Reduce freight claims and trailer damage caused by runaway pallet trucks
- Roll the pallet truck's wheels up the incline into the holding area
- The pallet jack stop functions on any surface without slipping

Material: Rubber
Colour: Black

Dimensions: 345mm X 295mm X 55mm
Manufacturer's Warranty: 1 Year Limited

Stack and Nest Containers




OPS-12689
Tool Caddy

Unit of measure: Each

- Three compartments for better organization of tools and supplies
- Grip handle for easier transportation

Colour: Grey
Height: 6.75"
Width: 11.75"
Depth: 4"
Manufacturer's Warranty: 1 Year Limited

Stacking Racks



Stacking Racks

4 options · Unit of measure: Each

- Rugged all-welded 2" sq. tubing steel construction
- Utilize warehouse airspace and lower the chances of damage that is associated with bulk stacking
- Designed for storage of loose and palletized goods
- Holds 4000 lbs. per rack and can be stacked 4 high
- Durable industrial blue polyurethane finish
- Posts and bases are sold separately

Width: 48"
Capacity: 4000 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	INSIDE DIMENSIONS W" X D"	WEIGHT
OPS-12690	42"	44 x 38	85 lbs.
OPS-12691	48"	44 x 44	90 lbs.
OPS-12692	42"	44 x 38	110 lbs.
OPS-12693	48"	44 x 44	115 lbs.



OPS-12694
Stacking U-Racks

Unit of measure: Each

- Lightweight, economical, and easy to set up
- Rugged all-welded construction
- Stacks up to 4 units high, providing quick and efficient storage for long materials while saving floor space

Width: 25"
Depth: 4"
Capacity: 10000 lbs.
Outer Dimensions: 4"D x 19.5"H x 25"W
Inner Dimensions: 15.5" (Bottom) x 20.5" (Top)
Weight: 37 lbs.

Stainless Steel Tops



304 Stainless Steel Wood-Filled Workbench Tops

12 options · Unit of measure: Each

- Heavy-duty 14-gauge stainless steel with a number 4 finish and formed edges
- Reinforced with wood core for sound reduction and added strength

Overall Thickness: 1-3/4"

Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	WIDTH	WEIGHT
OPS-12695	24"	48"	64 lbs.
OPS-12696	24"	60"	70 lbs.
OPS-12697	30"	48"	72 lbs.
OPS-12698	30"	60"	92 lbs.
OPS-12699	30"	72"	112 lbs.
OPS-12700	30"	84"	129 lbs.
OPS-12701	30"	96"	143 lbs.
OPS-12702	36"	48"	87 lbs.
OPS-12703	36"	60"	110 lbs.
OPS-12704	36"	72"	132 lbs.
OPS-12705	36"	84"	154 lbs.
OPS-12706	36"	96"	169 lbs.

Stainless Workbenches



OPS-12707

Stainless Steel Top Workbench

Unit of measure: Each

- Top constructed of 14-gauge stainless steel with a number 4 finish and formed edges
- Top reinforced with wood core for sound reduction and added strength
- 1 3/4" overall thickness
- Legs and stringers are constructed from 14-gauge steel powder coated industrial grey finish

Capacity: 2500 lbs. evenly distributed
Configuration: Top & Legs Only
Height: 34"
Width: 72"
Depth: 30"
Overall dimensions: 72" W x 30" D x 34" H
Manufacturer's Warranty: 1 Year Limited

Stair Hand Trucks



OPS-12708

Stair Climbing Hand Truck

Unit of measure: Each

- Triple-wheel assembly that works great when going up and down stairs
- Wheels smoothly rotate as you go up or down each step
- 6-1/4" solid rubber wheels (3 per side)

Handle Type: Continuous
Frame Material: Steel
Wheel Material: Rubber
Capacity: 300 lbs.
Overall Height: 45-5/8"
Overall Width: 23-3/4"
Manufacturer's Warranty: 1 Year Limited

Standard Funnels



Funnel

2 options · Unit of measure: Each

- Translucent high density polyethylene construction
- Comes complete with a polyethylene flexible spout for difficult to reach areas
- Curved funnel ends make the funnel splash and spill proof
- Wire mesh screen keeps contaminants out

Funnel Material: Polyethylene
Spout: Curved
Manufacturer's Warranty: 1 Year Limited

ITEM #	FUNNEL CAPACITY	DIAMETER
OPS-12709	1.7 L	8"
OPS-12710	3 L	9.5"

Standard Tarps



Tarp

22 options · Unit of measure: Each

- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 3'
- Increased UV resistance for long life
- Water-resistant coating
- Finished sizes may vary due to hem allowance
- 8 x 8 weave density
- 100 micrometres (4-mil) thick

Thickness: 4 mils
Material: Polyethylene
Colour: Blue
Type: Standard-Duty
Manufacturer's Warranty: 1 Year Limited

ITEM #	DIMENSIONS
OPS-12711	7' x 5'
OPS-12712	8' x 6'
OPS-12713	10' x 8'
OPS-12714	12' x 10'
OPS-12715	20' x 10'
OPS-12716	16' x 12'
OPS-12717	20' x 16'
OPS-12718	24' x 18'
OPS-12719	30' x 20'
OPS-12720	30' x 24'
OPS-12721	40' x 30'
OPS-12722	50' x 30'
OPS-12723	50' x 40'
OPS-12724	60' x 40'
OPS-12725	14' x 10'
OPS-12726	16' x 10'
OPS-12727	14' x 12'
OPS-12728	18' x 12'
OPS-12729	20' x 12'
OPS-12730	24' x 12'
OPS-12731	20' x 18'

ITEM #	DIMENSIONS (cont.)
OPS-12732	24' x 20'



Tarp

22 options · Unit of measure: Each

- Reinforced polypropylene rope sewn in welded hems
- Increased UV resistance for long life
- Finished sizes may vary due to hem allowance

Material: Polyethylene

Manufacturer's Warranty: 1 Year Limited

ITEM #	DIMENSIONS	THICKNESS	COLOUR	TYPE	COATING
OPS-12733	8' x 6'	6 mils	White	Heavy-Duty	—
OPS-12734	10' x 8'	6 mils	White	Heavy-Duty	—
OPS-12735	12' x 10'	6 mils	White	Heavy-Duty	—
OPS-12736	16' x 12'	6 mils	White	Heavy-Duty	—
OPS-12737	20' x 16'	6 mils	White	Heavy-Duty	—
OPS-12738	24' x 18'	6 mils	White	Heavy-Duty	—
OPS-12739	30' x 20'	6 mils	White	Heavy-Duty	—
OPS-12740	30' x 24'	6 mils	White	Heavy-Duty	—
OPS-12741	40' x 30'	6 mils	White	Heavy-Duty	—
OPS-12742	50' x 30'	6 mils	White	Heavy-Duty	—
OPS-12743	50' x 40'	6 mils	White	Heavy-Duty	—
OPS-12744	60' x 40'	6 mils	White	Heavy-Duty	—
OPS-12755	10' x 8'	12 mils	Silver	Super Heavy-Duty	—
OPS-12756	12' x 10'	12 mils	Silver	Super Heavy-Duty	—
OPS-12757	20' x 16'	12 mils	Silver	Super Heavy-Duty	—
OPS-12758	24' x 18'	12 mils	Silver	Super Heavy-Duty	—
OPS-12759	30' x 20'	12 mils	Silver	Super Heavy-Duty	—
OPS-12760	30' x 24'	12 mils	Silver	Super Heavy-Duty	—
OPS-12761	40' x 30'	12 mils	Silver	Super Heavy-Duty	—
OPS-12762	50' x 30'	12 mils	Silver	Super Heavy-Duty	—
OPS-12763	60' x 30'	12 mils	Silver	Super Heavy-Duty	—
OPS-12764	40' x 60'	12 mils	Silver	Super Heavy-Duty	Water Resistant



Tarp

10 options · Unit of measure: Each

- Reinforced polypropylene rope sewn in welded hems
- Heavy-duty rust-resistant grommets every 3'
- Increased UV resistance for long life
- Water-resistant coating
- Finished sizes may vary due to hem allowance
- 14 x 14 high density weave
- 225 micrometres (9-mil) thick
- 9" x 9" three layers on each four corners

Thickness: 9 mils
Material: Polyethylene
Colour: Green
Type: Heavy-Duty
Manufacturer's Warranty: 1 Year Limited

ITEM #	DIMENSIONS
OPS-12745	8' x 6'
OPS-12746	10' x 8'
OPS-12747	12' x 10'
OPS-12748	16' x 12'
OPS-12749	20' x 16'
OPS-12750	30' x 20'
OPS-12751	40' x 30'
OPS-12752	50' x 30'
OPS-12753	50' x 40'
OPS-12754	60' x 40'

Stationary Bin Racks



OPS-12765

Double-Sided Stationary Bin Rack

Unit of measure: Each

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double- sided racks to meet your storage needs
- Durable industrial blue polyurethane finish
- Bins supplied: 56x 8 1/4" W x 14 3/4" D x 7" H

Width: 36"
Depth: 24"
Height: 61"
Capacity: 3360 lbs.
Unit Type: Double-sided
No. of Bins: 56
Colour: Blue
Manufacturer's Warranty: 1 Year Limited



OPS-12766

Double-Sided Stationary Bin Rack

Unit of measure: Each

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double- sided racks to meet your storage needs
- Durable industrial blue polyurethane finish
- Bins supplied: 56x 8 1/4" W x 14 3/4" D x 7" H

Width: 36"
Depth: 24"
Height: 61"
Capacity: 3360 lbs.
Unit Type: Double-sided
No. of Bins: 56
Colour: Red
Manufacturer's Warranty: 1 Year Limited



OPS-12767

Double-Sided Stationary Bin Rack

Unit of measure: Each

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double- sided racks to meet your storage needs
- Durable industrial blue polyurethane finish
- Bins supplied: 56x 8 1/4" W x 14 3/4" D x 7" H

Width: 36"
Depth: 24"
Height: 61"
Capacity: 3360 lbs.

Unit Type: Double-sided
No. of Bins: 56
Colour: Yellow
Manufacturer's Warranty: 1 Year Limited



OPS-12768

Double-Sided Stationary Bin Rack

Unit of measure: Each

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double- sided racks to meet your storage needs
- Durable industrial blue polyurethane finish
- Bins supplied: 56x 8 1/4" W x 14 3/4" D x 7" H

Width: 61"
Depth: 56"
Height: 24"
Capacity: 3360 lbs.

Unit Type: Double-sided
No. of Bins: 56
Colour: Green
Manufacturer's Warranty: 1 Year Limited



OPS-12769

Single-Sided Stationary Bin Rack

Unit of measure: Each

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double- sided racks to meet your storage needs
- Durable industrial blue polyurethane finish
- Bins supplied: 28x 8 1/4" W x 14 3/4" D x 7" H

Width: 36"
Depth: 12"
Height: 61"
Capacity: 1680 lbs.

Unit Type: Single-sided
No. of Bins: 28
Colour: Blue
Manufacturer's Warranty: 1 Year Limited



OPS-12770

Single-Sided Stationary Bin Rack

Unit of measure: Each

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double- sided racks to meet your storage needs
- Durable industrial blue polyurethane finish
- Bins supplied: 28x 8 1/4" W x 14 3/4" D x 7" H

Width: 36"
Depth: 12"
Height: 61"
Capacity: 1680 lbs.

Unit Type: Single-sided
No. of Bins: 28
Colour: Red
Manufacturer's Warranty: 1 Year Limited



OPS-12771

Single-Sided Stationary Bin Rack

Unit of measure: Each

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double- sided racks to meet your storage needs
- Durable industrial blue polyurethane finish
- Bins supplied: 28x 8 1/4" W x 14 3/4" D x 7" H

Width: 36"
Depth: 12"
Height: 61"
Capacity: 1680 lbs.

Unit Type: Single-sided
No. of Bins: 28
Colour: Yellow
Manufacturer's Warranty: 1 Year Limited



OPS-12772

Single-Sided Stationary Bin Rack

Unit of measure: Each

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double- sided racks to meet your storage needs
- Durable industrial blue polyurethane finish
- Bins supplied: 28x 8 1/4" W x 14 3/4" D x 7" H

Width: 36"
Depth: 12"
Height: 61"
Capacity: 1680 lbs.

Unit Type: Single-sided
No. of Bins: 28
Colour: Green
Manufacturer's Warranty: 1 Year Limited



OPS-12773

Stationary Bin Racks -Single-Sided - Rack Only

Unit of measure: Each

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double- sided racks to meet your storage needs
- Durable industrial blue polyurethane finish

Width: 36"
Depth: 12"
Height: 61"
Unit Type: Single-sided

Rack Dimensions W" x D" x H": 36 x 12 x 61
Weight: 60 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-12774

Stationary Bin Racks - Double-Sided - Rack Only

Unit of measure: Each

- Designed to be permanently installed to the floor
- All-welded stationary bin racks
- Constructed of 1 1/4" square tube frame
- Choose from either single or double- sided racks to meet your storage needs
- Durable industrial blue polyurethane finish

Width: 36"
Depth: 24"
Height: 61"
Unit Type: Double-sided

Rack Dimensions W" x D" x H": 36 x 24 x 61
Weight: 100 lbs.
Manufacturer's Warranty: 1 Year Limited

Steel Bulk Containers



Bulk Stacking Containers

2 options · Unit of measure: Each

- Fully Enclosed
- Heavy-duty all-welded construction
- All containers use a 13-gauge corrugated sheet steel base
- 2" x 2" x 3/16" angle posts
- 4-way fork truck entry with 4" under-clearance
- Available with one drop gate or fully enclosed sides
- Height: 24" inside, 30" overall
- Stackable up to 5 high
- Other sizes are available
- Durable industrial blue polyurethane finish

Gauge: 13
Capacity: 3500 lbs.
Height: 30"

No. of Drop Gates: None
Type: SHEET CONTAINERS
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	WIDTH	WEIGHT
OPS-12775	40.5"	34.5"	150 lbs.
OPS-12777	48.5"	40.5"	185 lbs.



Bulk Stacking Containers

2 options · Unit of measure: Each

- Heavy-duty all-welded construction
- All containers use a 13-gauge corrugated sheet steel base
- 2" x 2" x 3/16" angle posts
- 4-way fork truck entry with 4" under-clearance
- Available with one drop gate or fully enclosed sides
- Height: 24" inside, 30" overall
- Stackable up to 5 high
- Other sizes are available
- Durable industrial blue polyurethane finish

Gauge: 13
Capacity: 3500 lbs.
Height: 30"

No. of Drop Gates: 1
Type: SHEET CONTAINERS
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	WIDTH	WEIGHT
OPS-12776	40.5"	34.5"	150 lbs.
OPS-12778	48.5"	40.5"	185 lbs.

Steel Deck Dollies



Angle Frame Dollies

4 options · Unit of measure: Each

- Built to withstand tough factory and warehouse environments
- Heavy-duty all-welded 1.5" x 1.5" x 1/8" angle frame construction
- Four bolted-on 4" swivel non-marking rubber casters
- Durable industrial blue polyurethane finish

Capacity: 1200 lbs.
Deck Height: 7"
Wheel Material: Rubber

Frame Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH	WEIGHT
OPS-12779	18"	18"	19.28 lbs.
OPS-12780	18"	24"	17.8 lbs.
OPS-12781	24"	24"	22.1 lbs.

ITEM #	WIDTH (cont.)	DEPTH	WEIGHT
OPS-12782	24"	36"	22,8 lbs.



Cabinet Dolly

6 options · Unit of measure: Each

- Durable steel construction
- Features swivel casters with locking brake
- Casters are non-marking, impact-resistant, and easy to maintain

Capacity: 1000 lbs.
Wheel Material: Polyolefin
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH	DECK HEIGHT	PLATFORM COLOUR
OPS-12783	18"	36"	4-9/16"	—
OPS-12784	24"	36"	4-9/16"	—
OPS-12785	24"	48"	4-9/16"	—
OPS-12786	18"	36"	1.375"	Black
OPS-12787	24"	36"	1.375"	Black
OPS-12788	24"	48"	1.375"	Black



Product range

2 options · Unit of measure: Each

- Instantly make any stacking container mobile
- Retention posts for cup feet securely holds container in place
- Equipped with four 6" polyurethane swivel casters – 2 with brake
- Constructed from rugged 2" x 2" x 3/16" angle iron steel

Capacity: 3000 lbs.
Deck Height: 10"
Wheel Material: Polyurethane
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	WIDTH	DEPTH	WEIGHT
OPS-12789	Dolly for Open Mesh Container	40.5"	34-1/2"	78 lbs.
OPS-12790	Dolly for Stacking Container	48.5"	40-1/2"	86 lbs.



OPS-12791

Mobile Dolly Base for Deep Door Storage Cabinets

Unit of measure: Each

- Heavy-duty steel construction
- Unique "no front lip " design for use with all Deep Door Cabinets
- 4 " Non-marking sandwich bolted on casters, including 2 swivel with brake and 2 rigid
- 2 Component grey polyurethane paint

Capacity: 1500 lbs.
Width: 38"
Depth: 24"
Deck Height: 7"
Wheel Material: Nylon
Manufacturer's Warranty: 1 Year Limited



OPS-12792
Pallet Dolly

Unit of measure: Each

- Fits most standard pallets up to 42" x 48"
- Can be used with loaded or empty pallets
- (4) 6" swivel polyurethane casters, (2) with brakes
- Rugged, angle iron construction with load retention corner brackets

Capacity: 3000 lbs.
Width: 48.5"
Depth: 43"
Deck Height: 8"
Wheel Material: Polyurethane
Manufacturer's Warranty: 1 Year Limited



Steel Deck Dollies

3 options · Unit of measure: Each

- Rugged dollies ideal for moving heavy loads
- 14-gauge steel construction
- Optional T-handle facilitates movement with heavy loads
- Four bolted-on 4" swivel non-marking rubber casters
- Durable industrial blue polyurethane finish

Capacity: 1200 lbs.
Deck Height: 7"
Wheel Material: Rubber
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH	WEIGHT
OPS-12793	18"	18"	16 lbs.
OPS-12794	18"	24"	19.55 lbs.
OPS-12795	24"	24"	24.4 lbs.

Steel Deck Wagon Trucks



Outdoor Platform Wagon Truck

3 options · Unit of measure: Each

- Flush deck allows for easy loading/unloading of cargo
- Steel deck made of an all-welded 11-gauge steel
- Handle can be raised up to 45"
- Fifth wheel design allows for easier manoeuvering
- T-handle with vinyl handgrips
- Rolls on four 10" pneumatic wheels
- Durable Industrial Blue double coated polyurethane finish resists the harshest weather conditions

Handle Height: 45"
Capacity: 1000 lbs.
Wheel Diameter: 10"
Wheel Material: Pneumatic
Deck Height: 14.25"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	WEIGHT
OPS-12796	24"	48"	130 lbs.
OPS-12797	30"	60"	170 lbs.
OPS-12798	36"	72"	210 lbs.



Platform Trucks - Ergonomic Platform Wagon Trucks

3 options · Unit of measure: Each

- Flush deck allows for easy loading/unloading of cargo
- Steel deck made of an all-welded 11-gauge steel
- Handle can be raised up to 45"
- Fifth wheel design allows for easier manoeuvering
- T-handle with vinyl handgrips
- Rolls on four 10" pneumatic wheels
- Durable industrial blue polyurethane finish

Handle Height: 45"
Capacity: 1000 lbs.
Wheel Diameter: 10"
Wheel Material: Pneumatic
Deck Height: 14.25"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	WEIGHT
OPS-12799	24"	48"	130 lbs.
OPS-12800	30"	60"	170 lbs.
OPS-12801	36"	72"	210 lbs.



OPS-12802

Wagon with Drop Sides

Unit of measure: Each

- Durable drop■side wagon design allows for easy loading, unloading, and oversized cargo handling
- Includes both a Hitch Handle and a Continuous Handle in the box for versatile pulling or towing options
- Tested to a 1.5× safety factor, ensuring the wagon performs reliably at its rated capacity
- Blue powder■coated finish for a clean, professional look and added corrosion resistance

Deck Width: 24"
Deck Length: 48"
Handle Height: 48"
Capacity: 800 lbs.
Wheel Diameter: 13"
Wheel Material: Pneumatic
Colour: Blue
Weight: 88 lbs.

Steel Machine Rollers



OPS-12803


Machine Roller

Unit of measure: Each

- Effortlessly transport heavy machinery and equipment across concrete floors while maintaining superior safety
- Features a continuous chain of hardened steel rollers that circulate beneath a durable load plate for smooth movement
- Swivel rollers enable precise maneuvering and directional changes in confined spaces
- Swivel lock design merges rigid and rotating functions, with spring-loaded locks that secure positions every 45°
- Padded, non-slip tops ensure a firm grip on metal equipment and deliver stable movement across imperfect floors

Capacity: 10 Tons
Top Design: Padded
Swivel Lock or Rigid: Swivel Lock
Colour: Blue
Weight: 38.58 lbs.
Capacity Measured In: Metric Tonnes

Steel Platform Trucks



Product range

2 options · Unit of measure: Each

- Ideal truck for institutional applications - hospitals, restaurants, shopping centres, offices, industry and anywhere else a quiet ride and professional appearance is required
- 14-gauge steel deck with 2" lip underneath
- Non-skid rubber surface means product will not shift during use
- Rubber corner bumpers protect walls and furniture
- 1 1/4" tubular chrome handle with end panel contains small packages
- 5" non-marking rubber casters for a smooth, quiet ride; two rigid/two swivel
- 1200-lb. capacity evenly distributed
- Shipped knocked down

Capacity: 1000 lbs.
Caster Placement: Corner Standard
Wheel Diameter: 5"
Wheel Material: Rubber
Caster Type: Non-Marking Rubber
Caster Size: 5"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	DECK WIDTH	DECK LENGTH	LENGTH	WIDTH	WEIGHT
OPS-12804	Deluxe Commercial Platform Truck	24"	48"	48"	24"	70 lbs.
OPS-12858	Institutional Platform Trucks	30"	60"	60"	30"	100 lbs.



Elevated Platform Trucks

6 options · Unit of measure: Each

- All-welded steel construction, ready-to-use
- 11-gauge steel deck with 2" square tube frames
- 1 1/4" round tube handle extends 14" above deck
- Removable handle
- Durable industrial blue polyurethane finish

Caster Placement: Corner Standard
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	HANDLE HEIGHT	CAPACITY	WHEEL DIAMETER	WHEEL MATERIAL	DECK HEIGHT	WEIGHT
OPS-12805	24"	48"	42"	2000 lbs.	8"	Nylon	28"	140 lbs.
OPS-12806	30"	60"	42"	2000 lbs.	8"	Nylon	28"	172 lbs.
OPS-12807	24"	48"	42"	1800 lbs.	8"	Rubber	28"	140 lbs.
OPS-12808	30"	60"	42"	1800 lbs.	8"	Rubber	28"	172 lbs.
OPS-12809	24"	48"	45"	1000 lbs.	10"	Pneumatic	31"	140 lbs.
OPS-12810	30"	60"	45"	1000 lbs.	10"	Pneumatic	31"	172 lbs.



Heavy-Duty Platform Truck

44 options · Unit of measure: Each

- Removable 1 1/4" chrome handle can be placed at either end
- Double-welded sockets
- Available in standard caster or diamond tilt placement
- Standard Corner pattern is 2 swivel casters in the back and 2 rigid casters in the front of the platform truck
- Diamond Tilt pattern allows the truck to Tilt-balance slightly on the centre side casters, allowing the truck to turn in its own length
- Various casters are available to meet your specific application
- Two rigid and two swivel bolted-on casters
- Durable industrial blue polyurethane finish

Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	HANDLE HEIGHT	CAPACITY	CASTER PLACEMENT	WHEEL DIAMETER	WHEEL MATERIAL	DECK	DECK HEIGHT	WEIGHT	TYPE	PLA SIZE
OPS-12811	24"	48"	40"	2500 lbs.	Corner Standard	8"	Nylon	Steel Deck	11"	110 lbs.	—	—
OPS-12812	24"	48"	40"	2500 lbs.	Diamond Tilt	8"	Nylon	Steel Deck	11"	120 lbs.	—	—
OPS-12813	30"	48"	40"	2500 lbs.	Corner Standard	8"	Nylon	Steel Deck	11"	125 lbs.	—	—
OPS-12814	30"	48"	40"	2500 lbs.	Diamond Tilt	8"	Nylon	Steel Deck	11"	135 lbs.	—	—
OPS-12815	30"	60"	40"	2500 lbs.	Corner Standard	8"	Nylon	Steel Deck	11"	140 lbs.	—	—
OPS-12816	30"	60"	40"	2500 lbs.	Diamond Tilt	8"	Nylon	Steel Deck	11"	150 lbs.	—	—
OPS-12817	36"	72"	40"	2500 lbs.	Corner Standard	8"	Nylon	Steel Deck	11"	180 lbs.	—	—
OPS-12818	36"	72"	40"	2500 lbs.	Diamond Tilt	8"	Nylon	Steel Deck	11"	195 lbs.	—	—
OPS-12819	48"	96"	40"	2500 lbs.	Corner Standard	8"	Nylon	Steel Deck	11"	240 lbs.	—	—
OPS-12820	48"	96"	40"	2500 lbs.	Diamond Tilt	8"	Nylon	Steel Deck	11"	260 lbs.	—	—
OPS-12821	24"	48"	42"	1200 lbs.	Corner Standard	10"	Pneumatic	Steel Deck	13"	110 lbs.	—	—
OPS-12822	24"	48"	42"	1200 lbs.	Diamond Tilt	10"	Pneumatic	Steel Deck	13"	120 lbs.	—	—
OPS-12823	24"	48"	42"	1200 lbs.	Diamond Tilt	10"	Pneumatic	Wood Deck	13"	115 lbs.	—	—
OPS-12824	30"	48"	42"	1200 lbs.	Corner Standard	10"	Pneumatic	Steel Deck	13"	125 lbs.	—	—
OPS-12825	30"	48"	42"	1200 lbs.	Corner Standard	10"	Pneumatic	Wood Deck	13"	125 lbs.	—	—
OPS-12826	30"	48"	42"	1200 lbs.	Diamond Tilt	10"	Pneumatic	Steel Deck	13"	135 lbs.	—	—
OPS-12827	30"	48"	42"	1200 lbs.	Diamond Tilt	10"	Pneumatic	Wood Deck	13"	130 lbs.	—	—
OPS-12828	30"	60"	42"	1200 lbs.	Corner Standard	10"	Pneumatic	Steel Deck	13"	140 lbs.	—	—
OPS-12829	30"	60"	42"	1200 lbs.	Diamond Tilt	10"	Pneumatic	Steel Deck	13"	150 lbs.	—	—
OPS-12830	30"	60"	42"	1200 lbs.	Diamond Tilt	10"	Pneumatic	Wood Deck	13"	145 lbs.	—	—
OPS-12831	36"	72"	42"	1200 lbs.	Corner Standard	10"	Pneumatic	Wood Deck	13"	180 lbs.	—	—
OPS-12832	36"	72"	42"	1200 lbs.	Corner Standard	10"	Pneumatic	Steel Deck	13"	180 lbs.	Standard Corner	—
OPS-12833	36"	72"	42"	1200 lbs.	Diamond Tilt	10"	Pneumatic	Steel Deck	13"	195 lbs.	—	—

ITEM #	DECK WIDTH (cont.)	DECK LENGTH	HANDLE HEIGHT	CAPACITY	CASTER PLACEMENT	WHEEL DIAMETER	WHEEL MATERIAL	DECK	DECK HEIGHT	WEIGHT	TYPE	PLAT SIZE
OPS-12834	36"	72"	42"	1200 lbs.	Diamond Tilt	10"	Pneumatic	Wood Deck	13"	190 lbs.	—	—
OPS-12835	48"	96"	42"	1200 lbs.	Corner Standard	10"	Pneumatic	Steel Deck	13"	240 lbs.	—	—
OPS-12836	48"	96"	42"	1200 lbs.	Corner Standard	10"	Pneumatic	Wood Deck	13"	240 lbs.	—	—
OPS-12837	48"	96"	42"	1200 lbs.	Diamond Tilt	10"	Pneumatic	Steel Deck	13"	260 lbs.	—	—
OPS-12838	48"	96"	42"	1200 lbs.	Diamond Tilt	10"	Pneumatic	Wood Deck	13"	250 lbs.	—	—
OPS-12839	24"	48"	40"	2000 lbs.	Corner Standard	8"	Rubber	Steel Deck	11"	110 lbs.	—	—
OPS-12840	24"	48"	40"	2000 lbs.	Diamond Tilt	8"	Rubber	Steel Deck	11"	120 lbs.	—	—
OPS-12841	24"	48"	40"	2000 lbs.	Diamond Tilt	8"	Rubber	Wood Deck	11"	115 lbs.	—	—
OPS-12842	30"	48"	40"	2000 lbs.	Corner Standard	8"	Rubber	Steel Deck	11"	125 lbs.	—	—
OPS-12843	30"	48"	40"	2000 lbs.	Diamond Tilt	8"	Rubber	Wood Deck	11"	130 lbs.	—	—
OPS-12844	30"	60"	40"	2000 lbs.	Corner Standard	8"	Rubber	Steel Deck	11"	140 lbs.	—	—
OPS-12845	30"	60"	40"	2000 lbs.	Diamond Tilt	8"	Rubber	Steel Deck	11"	150 lbs.	—	—
OPS-12846	36"	72"	40"	2000 lbs.	Corner Standard	8"	Rubber	Steel Deck	11"	180 lbs.	—	—
OPS-12847	36"	72"	40"	2000 lbs.	Corner Standard	8"	Rubber	Wood Deck	11"	180 lbs.	—	—
OPS-12848	36"	72"	40"	2000 lbs.	Diamond Tilt	8"	Rubber	Steel Deck	11"	195 lbs.	—	—
OPS-12849	36"	72"	40"	2000 lbs.	Diamond Tilt	8"	Rubber	Wood Deck	11"	190 lbs.	—	—
OPS-12850	48"	96"	40"	2000 lbs.	Corner Standard	8"	Rubber	Steel Deck	11"	240 lbs.	—	—
OPS-12851	48"	96"	40"	2000 lbs.	Diamond Tilt	8"	Rubber	Steel Deck	11"	260 lbs.	—	—
OPS-12852	48"	96"	40"	2000 lbs.	Diamond Tilt	8"	Rubber	Wood Deck	11"	250 lbs.	—	—
OPS-12853	30"	48"	40"	2000 lbs.	Diamond Tilt	8"	Rubber	Steel Deck	11"	135 lbs.	—	—
OPS-12854	30"	60"	40"	2000 lbs.	Diamond Tilt	8"	Rubber	Wood Deck	11"	145 lbs.	—	30 x



Product range

5 options · Unit of measure: Each

- Steel deck made of a heavy-duty all-welded 11-gauge steel with reinforced channel formed deck
- Double-welded sockets
- Available in standard caster or diamond tilt placement
- Standard Corner pattern is 2 swivel casters in the back and 2 rigid casters in the front of the platform truck
- Diamond Tilt pattern allows the truck to Tilt-balance slightly on the centre side casters, allowing the truck to turn in its own length
- Various casters are available to meet your specific application
- Two rigid and two swivel bolted-on casters
- Durable Industrial Blue double coated polyurethane finish resists the harshest weather conditions
- Zinc plated flat-free casters resist corrosion and rust

Handle Height: 42"
Capacity: 1200 lbs.
Caster Placement: Corner Standard
Wheel Diameter: 10"
Wheel Material: Flat Free
Deck Material: Steel
Deck Height: 13"
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	DECK WIDTH	DECK LENGTH	WEIGHT
OPS-12855	Heavy-Duty Platform Truck	24"	48"	110 lbs.
OPS-12859	Outdoor Platform Truck	30"	48"	125 lbs.
OPS-12860	Outdoor Platform Truck	30"	60"	140 lbs.
OPS-12861	Outdoor Platform Truck	36"	72"	180 lbs.
OPS-12862	Outdoor Platform Truck	48"	96"	240 lbs.



Institutional Platform Trucks

2 options · Unit of measure: Each

- Ideal truck for institutional applications - hospitals, restaurants, shopping centres, offices, industry and anywhere else a quiet ride and professional appearance is required
- 14-gauge steel deck with 2" lip underneath
- Non-skid rubber surface means product will not shift during use
- Rubber corner bumpers protect walls and furniture
- 1 1/4" tubular chrome handle with end panel contains small packages
- 5" non-marking rubber casters for a smooth, quiet ride; two rigid/two swivel
- Shipped knocked down

Capacity: 1000 lbs.
Caster Placement: Corner Standard
Wheel Diameter: 5"
Wheel Material: Rubber
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	HANDLE HEIGHT	LENGTH	WIDTH	WEIGHT	CASTER TYPE	CASTER SIZE
OPS-12856	24"	36"	31"	36"	24"	64 lbs.	—	—
OPS-12857	30"	48"	—	48"	30"	88 lbs.	Non-Marking Rubber	5"



Platform Truck

28 options · Unit of measure: Each

- Choose from the largest selection of platform size and casters to meet your application
- All-welded design 14-gauge steel base
- Two turned down lip and reinforced channels underneath
- Double welded sockets
- Removable 1 1/4" chrome handle can be inserted in either end
- Two swivel and two rigid bolted-on casters
- Shipped knocked down
- Industrial blue powder coat finish

Caster Placement: Corner Standard
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	HANDLE HEIGHT	CAPACITY	WHEEL DIAMETER	WHEEL MATERIAL	DECK HEIGHT	WEIGHT
OPS-12863	24"	36"	36"	1300 lbs.	6"	Nylon	9"	77 lbs.
OPS-12864	24"	36"	39"	1400 lbs.	8"	Nylon	11"	87 lbs.
OPS-12865	24"	36"	39"	1000 lbs.	8"	Pneumatic	11"	79 lbs.
OPS-12866	24"	36"	36"	900 lbs.	6"	Rubber	9"	88 lbs.
OPS-12867	24"	36"	39"	1400 lbs.	8"	Rubber	11"	96 lbs.
OPS-12868	24"	36"	36"	1200 lbs.	5"	Rubber	8"	63 lbs.
OPS-12869	24"	36"	36"	900 lbs.	5"	Polyolefin	8"	61 lbs.
OPS-12870	24"	48"	36"	1300 lbs.	6"	Nylon	9"	90 lbs.
OPS-12871	24"	48"	39"	1400 lbs.	8"	Nylon	11"	100 lbs.
OPS-12872	24"	48"	39"	1000 lbs.	8"	Pneumatic	11"	92 lbs.
OPS-12873	24"	48"	36"	900 lbs.	6"	Rubber	9"	101 lbs.
OPS-12874	24"	48"	39"	1400 lbs.	8"	Rubber	11"	109 lbs.
OPS-12875	24"	48"	36"	1200 lbs.	5"	Rubber	8"	76 lbs.
OPS-12876	24"	48"	36"	900 lbs.	5"	Polyolefin	8"	74 lbs.
OPS-12877	30"	60"	36"	1300 lbs.	6"	Nylon	9"	110 lbs.
OPS-12878	30"	60"	39"	1400 lbs.	8"	Nylon	11"	120 lbs.
OPS-12879	30"	60"	39"	1000 lbs.	8"	Pneumatic	11"	112 lbs.
OPS-12880	30"	60"	36"	900 lbs.	6"	Rubber	9"	121 lbs.
OPS-12881	30"	60"	39"	1400 lbs.	8"	Rubber	11"	129 lbs.
OPS-12882	30"	60"	36"	1200 lbs.	5"	Rubber	8"	96 lbs.
OPS-12883	30"	60"	36"	900 lbs.	5"	Polyolefin	8"	94 lbs.
OPS-12884	30"	48"	36"	1300 lbs.	6"	Nylon	9"	96 lbs.
OPS-12885	30"	48"	39"	1400 lbs.	8"	Nylon	11"	106 lbs.
OPS-12886	30"	48"	39"	1000 lbs.	8"	Pneumatic	11"	98 lbs.
OPS-12887	30"	48"	36"	900 lbs.	6"	Rubber	9"	107 lbs.
OPS-12888	30"	48"	39"	1400 lbs.	8"	Rubber	11"	115 lbs.
OPS-12889	30"	48"	36"	1200 lbs.	5"	Rubber	8"	82 lbs.
OPS-12890	30"	48"	36"	900 lbs.	5"	Polyolefin	8"	80 lbs.



OPS-12891

Specialized Platform Decks - Semi Live Skids

Unit of measure: Each

- Ideal solution for removable temporary storage
- Heavy 11-gauge steel deck with reinforced channels
- 52" jack handle (sold separately) engages skids and converts them to portable truck
- Skids and handle roll on 8" Mold-On rubber wheels
- Can be stacked away when not in use
- Durable industrial blue polyurethane finish

Deck Width: 24"
Deck Length: 48"
Handle Height: 0"
Capacity: 2000 lbs.
Caster Placement: Corner Standard

Wheel Diameter: 8"
Wheel Material: Rubber
Deck Height: 12"
Weight: 110 lbs.
Manufacturer's Warranty: 1 Year Limited



U-Boat Platform Truck

2 options · Unit of measure: Each

- Tilt design allows truck to turn within its own radius
- 11-gauge steel deck is only 10" off the ground for easy loading
- Removable end racks constructed of 1 1/4" round steel tube
- Two 8" x 2" bolted-on rigid casters and four 5" swivel casters
- Durable industrial blue polyurethane finish

Deck Width: 18"
Handle Height: 72"
Capacity: 1500 lbs.
Caster Placement: Diamond Tilt
Wheel Diameter: 8"
Wheel Material: Rubber
Overall Height: 72"
Overall Width: 18"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK LENGTH	OVERALL DEPTH	WEIGHT
OPS-12892	48"	48"	125 lbs.
OPS-12893	60"	60"	80 lbs.

Steel Top Workbenches



Product range

6 options · Unit of measure: Each

Capacity: 2500 lbs.
Configuration: Top & Legs Only
Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT	WEIGHT	WORK SURFACE MATERIAL	LENGTH
OPS-12894	Heavy-Duty Modular Workbench	48"	24"	Steel - Wood Filled	1-3/4"	—	—	—	—
OPS-12941	Pre-Designed Workbench	60"	24"	—	—	34"	—	—	—
OPS-12942	Pre-Designed Workbench	60"	30"	—	—	34"	146 lbs.	Steel-Wood Fill	—
OPS-12943	Pre-Designed Workbench	72"	30"	—	—	34"	166 lbs.	Steel-Wood Fill	—
OPS-12944	Pre-Designed Workbench	60"	36"	—	—	34"	156 lbs.	Steel-Wood Fill	36"
OPS-12945	Pre-Designed Workbench	72"	36"	—	—	34"	164 lbs.	Steel-Wood Fill	36"



Product range

6 options · Unit of measure: Each

Capacity: 2500 lbs.

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	CONFIGURATION	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT
OPS-12895	Heavy-Duty Modular Workbench	Drawers/Shelf	48"	24"	Steel - Wood Filled	1-3/4"	—
OPS-12971	Pre-Designed Workbench	Shelf/Drawers	60"	24"	—	—	34"
OPS-12972	Pre-Designed Workbench	Shelf/Drawers	60"	30"	—	—	34"
OPS-12973	Pre-Designed Workbench	Shelf/Drawers	72"	30"	—	—	34"
OPS-12974	Pre-Designed Workbench	Shelf/Drawers	60"	36"	—	—	34"
OPS-12975	Pre-Designed Workbench	Shelf/Drawers	72"	36"	—	—	34"



Product range

6 options · Unit of measure: Each

Capacity: 2500 lbs.
Configuration: Shelf

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	WIDTH	DEPTH	TOP TYPE	TOP THICKNESS	HEIGHT
OPS-12896	Heavy-Duty Modular Workbench	48"	24"	Steel - Wood Filled	1-3/4"	—
OPS-12946	Pre-Designed Workbench	60"	24"	—	—	34"
OPS-12947	Pre-Designed Workbench	60"	30"	—	—	34"
OPS-12948	Pre-Designed Workbench	72"	30"	—	—	34"
OPS-12949	Pre-Designed Workbench	60"	36"	—	—	34"
OPS-12950	Pre-Designed Workbench	72"	36"	—	—	34"



Product range

4 options · Unit of measure: Each

- Powder coated metal components

Capacity: 1000 lbs.
Configuration: Top & Legs Only

Manufacturer's Warranty: 1 Year Limited
Frame Colour: Grey

ITEM #	PRODUCT	HEIGHT	WIDTH	DEPTH	OVERALL THICKNESS OF STEEL TOP WITH WOOD FILL	TOP TYPE	TOP THICKNESS
OPS-12897	Industrial Duty Workbench	34"	60"	24"	1-3/4"	—	—
OPS-12898	Industrial Duty Workbench	34"	60"	36"	1-3/4"	—	—
OPS-12899	Industrial Duty Workbench	34"	72"	36"	1-3/4"	—	—
OPS-12936	Industrial Modular Workbench	—	48"	24"	—	Steel - Wood Filled	1-3/4"



Product range

4 options · Unit of measure: Each

- Powder coated metal components

Capacity: 1000 lbs.
Configuration: Shelf

Manufacturer's Warranty: 1 Year Limited
Frame Colour: Grey

ITEM #	PRODUCT	HEIGHT	WIDTH	DEPTH	OVERALL THICKNESS OF STEEL TOP WITH WOOD FILL	TOP TYPE	TOP THICKNESS
OPS-12900	Industrial Duty Workbench	34"	60"	24"	1-3/4"	—	—
OPS-12901	Industrial Duty Workbench	34"	60"	36"	1-3/4"	—	—
OPS-12902	Industrial Duty Workbench	34"	72"	36"	1-3/4"	—	—
OPS-12938	Industrial Modular Workbench	—	48"	24"	—	Steel - Wood Filled	1-3/4"



Product range

4 options · Unit of measure: Each

Capacity: 1000 lbs.
Configuration: Drawers/Shelf

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	HEIGHT	WIDTH	DEPTH	OVERALL THICKNESS OF STEEL TOP WITH WOOD FILL	TOP TYPE	TOP THICKNESS
OPS-12903	Industrial Duty Workbench	34"	60"	24"	1-3/4"	—	—
OPS-12904	Industrial Duty Workbench	34"	60"	36"	1-3/4"	—	—
OPS-12905	Industrial Duty Workbench	34"	72"	36"	1-3/4"	—	—
OPS-12937	Industrial Modular Workbench	—	48"	24"	—	Steel - Wood Filled	1-3/4"



Industrial Duty Workbench

3 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 1000 lbs.
Configuration: Door w/ Drawer Combination
Height: 34"
Steel Wood-Fill Top Overall Thickness: 1-3/4"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-12906	24"	60"
OPS-12907	36"	60"
OPS-12908	36"	72"



Industrial Duty Workbench

3 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 1000 lbs.
Configuration: Drawers
Height: 34"
Steel Wood-Fill Top Overall Thickness: 1-3/4"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-12909	24"	60"
OPS-12910	36"	60"
OPS-12911	36"	72"



Industrial Duty Workbench

3 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 1000 lbs.
Configuration: Drawers
Height: 34"
Steel Wood-Fill Top Overall Thickness: 1-3/4"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-12912	24"	60"
OPS-12913	36"	60"
OPS-12914	36"	72"



Industrial Duty Workbench

12 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 1000 lbs.
Height: 34"
Steel Wood-Fill Top Overall Thickness: 1-3/4"
Manufacturer's Warranty: 1 Year Limited

ITEM #	CONFIGURATION	WIDTH	DEPTH	SHIP WEIGHT
OPS-12915	Drawers	36"	72"	208.9 lb
OPS-12916	Drawers	36"	60"	201.3 lb
OPS-12917	Drawers	24"	60"	150.8 lb
OPS-12918	Drawers	36"	72"	220.9 lb
OPS-12919	Drawers	36"	60"	213.3 lb
OPS-12920	Drawers	24"	60"	162.8 lb
OPS-12924	Doors	36"	72"	190.9 lb
OPS-12925	Doors	36"	60"	183.3 lb
OPS-12926	Doors	24"	60"	132.8 lb
OPS-12927	Drawers	36"	72"	228.9 lb
OPS-12928	Drawers	36"	60"	221.3 lb
OPS-12929	Drawers	24"	60"	170.8 lb



Industrial Duty Workbench

3 options · Unit of measure: Each

- Features one adjustable steel leg and one pedestal
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 1000 lbs.
Configuration: Doors
Height: 34"
Steel Wood-Fill Top Overall Thickness: 1-3/4"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-12921	36"	72"
OPS-12922	36"	60"
OPS-12923	24"	60"



Product range

4 options · Unit of measure: Each

- Powder coated metal components

Capacity: 1000 lbs.
Configuration: Top & Legs Only
Manufacturer's Warranty: 1 Year Limited
Frame Colour: Black

ITEM #	PRODUCT	HEIGHT	WIDTH	DEPTH	OVERALL THICKNESS OF STEEL TOP WITH WOOD FILL	TOP TYPE	TOP THICKNESS
OPS-12930	Industrial Duty Workbench	34"	60"	24"	1-3/4"	—	—
OPS-12931	Industrial Duty Workbench	34"	60"	36"	1-3/4"	—	—
OPS-12932	Industrial Duty Workbench	34"	72"	36"	1-3/4"	—	—
OPS-12939	Industrial Modular Workbench	—	48"	24"	—	Steel - Wood Filled	1-3/4"



Product range

4 options · Unit of measure: Each

- Powder coated metal components

Capacity: 1000 lbs.
Configuration: Shelf
Manufacturer's Warranty: 1 Year Limited
Frame Colour: Black

ITEM #	PRODUCT	HEIGHT	WIDTH	DEPTH	OVERALL THICKNESS OF STEEL TOP WITH WOOD FILL	TOP TYPE	TOP THICKNESS
OPS-12933	Industrial Duty Workbench	34"	60"	24"	1-3/4"	—	—
OPS-12934	Industrial Duty Workbench	34"	60"	36"	1-3/4"	—	—
OPS-12935	Industrial Duty Workbench	34"	72"	36"	1-3/4"	—	—
OPS-12940	Industrial Modular Workbench	—	48"	24"	—	Steel - Wood Filled	1-3/4"



Pre-Designed Workbench

5 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 2500 lbs.
Configuration: Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-12951	60"	24"
OPS-12952	60"	30"
OPS-12953	72"	30"
OPS-12954	60"	36"
OPS-12955	72"	36"



Pre-Designed Workbench

10 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 2500 lbs.
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	CONFIGURATION	WIDTH	DEPTH
OPS-12956	Door & Drawers	60"	24"
OPS-12957	Door & Drawers	60"	30"
OPS-12958	Door & Drawers	72"	30"
OPS-12959	Door & Drawers	60"	36"
OPS-12960	Door & Drawers	72"	36"
OPS-12983	Dual Drawers	72"	36"
OPS-12984	Dual Drawers	60"	36"
OPS-12985	Dual Drawers	72"	30"
OPS-12986	Dual Drawers	60"	30"
OPS-12987	Dual Drawers	60"	24"



Pre-Designed Workbench

15 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 2500 lbs.
Configuration: Dual Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH	SHIP WEIGHT
OPS-12961	60"	24"	214.3 lb
OPS-12962	60"	30"	253.3 lb
OPS-12963	72"	30"	272.8 lb
OPS-12964	60"	36"	263.3 lb
OPS-12965	72"	36"	271.0 lb
OPS-12966	60"	24"	218.3 lb
OPS-12967	60"	30"	257.3 lb
OPS-12968	72"	30"	276.8 lb
OPS-12969	60"	36"	267.3 lb
OPS-12970	72"	36"	275.0 lb
OPS-12976	60"	24"	266.3 lb
OPS-12977	60"	30"	305.3 lb
OPS-12978	72"	30"	324.8 lb
OPS-12979	60"	36"	315.3 lb
OPS-12980	72"	36"	323.0 lb



Pre-Designed Workbench

5 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 2500 lbs.
Configuration: Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-12981	60"	24"
OPS-12982	60"	30"
OPS-12988	72"	36"
OPS-12989	60"	36"
OPS-12990	72"	30"



Workbench

5 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 2500 lbs.
Configuration: Drawers
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-12991	60"	24"
OPS-12992	60"	30"
OPS-12993	72"	30"
OPS-12994	60"	36"
OPS-12995	72"	36"



Workbench

40 options · Unit of measure: Each

Capacity: 2500 lbs.
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	CONFIGURATION	WIDTH	DEPTH	DETAILS	SHIP WEIGHT
OPS-12996	Door & Drawers	72"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	277.0 lb
OPS-12997	Door & Drawers	60"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	269.3 lb
OPS-12998	Door & Drawers	72"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	278.8 lb

ITEM #	CONFIGURATION (cont.)	WIDTH	DEPTH	DETAILS	SHIP WEIGHT
OPS-12999	Door & Drawers	60"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	259.3 lb
OPS-13000	Door & Drawers	60"	24"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	220.3 lb
OPS-13001	Drawers	72"	36"	—	210.9 lb
OPS-13002	Drawers	60"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	203.2 lb
OPS-13003	Drawers	72"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	212.7 lb
OPS-13004	Drawers	60"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	193.2 lb
OPS-13005	Drawers	60"	24"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	152.6 lb
OPS-13006	Drawers	72"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	221.3 lb
OPS-13007	Drawers	60"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	215.2 lb
OPS-13008	Drawers	72"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	224.7 lb
OPS-13009	Drawers	60"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	205.2 lb
OPS-13010	Drawers	60"	24"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	164.6 lb
OPS-13016	Doors	72"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	192.9 lb
OPS-13017	Doors	60"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	185.2 lb
OPS-13018	Doors	72"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	194.7 lb
OPS-13019	Doors	60"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	175.2 lb
OPS-13020	Doors	60"	24"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	134.6 lb
OPS-13021	Door w/ Drawer Combination	72"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	230.9 lb
OPS-13022	Door w/ Drawer Combination	60"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	223.2 lb
OPS-13023	Door w/ Drawer Combination	72"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	232.7 lb
OPS-13024	Door w/ Drawer Combination	60"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	213.2 lb
OPS-13025	Door w/ Drawer Combination	60"	24"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	172.6 lb
OPS-13026	Door & Drawers	72"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	261.0 lb
OPS-13027	Door & Drawers	60"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	253.3 lb
OPS-13028	Door & Drawers	72"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	262.8 lb
OPS-13029	Door & Drawers	60"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	243.3 lb
OPS-13030	Door & Drawers	60"	24"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	204.3 lb
OPS-13031	Door & Drawers	72"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	251.0 lb
OPS-13032	Door & Drawers	60"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	243.3 lb

ITEM #	CONFIGURATION (cont.)	WIDTH	DEPTH	DETAILS	SHIP WEIGHT
OPS-13033	Door & Drawers	72"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	252.8 lb
OPS-13034	Door & Drawers	60"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	233.3 lb
OPS-13035	Door & Drawers	60"	24"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	194.3 lb
OPS-13036	Door & Drawers	72"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	249.0 lb
OPS-13037	Door & Drawers	60"	36"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	241.3 lb
OPS-13038	Door & Drawers	72"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	250.8 lb
OPS-13039	Door & Drawers	60"	30"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	231.3 lb
OPS-13040	Door & Drawers	60"	24"	Pre-designed workbenches are a simple, easy-to-assemble solution · Available in many confi…	192.3 lb



Workbench

5 options · Unit of measure: Each

- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Built to withstand industrial use

Capacity: 2500 lbs.
Configuration: Doors
Height: 34"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-13011	72"	36"
OPS-13012	60"	36"
OPS-13013	72"	30"
OPS-13014	60"	30"
OPS-13015	60"	24"

Steel Wheel Chocks



OPS-13041

Ice Chock with Ergonomic Handle

Unit of measure: Each

- The convenient handle makes moving wheel chocks in and out of position easy
- Ergonomically designed steel handle features a durable powder coat finish
- Assembly required

Material: Steel
Colour: Yellow
Max. Tire Diameter: 33"
Width: 8-1/16"
Depth: 10-5/8"
Height: 8-13/16"
Manufacturer's Warranty: 1 Year Limited
Capacity: 10,000 lbs.
Handle Height: 34"



OPS-13042
Ice Chocks

Unit of measure: Each

- Formed steel
- "Tooth" like bottom assures reliable grip
- Lightweight and dependable
- Maximum holding power for snow and ice
- Powder-coated safety yellow finish for high visibility
- Easy-grip carrying handle with bolt holes for attachment

Material: Steel
Colour: Yellow
Max. Tire Diameter: 20"
Width: 8-1/16"
Depth: 10-5/8"
Height: 8-13/16"
Manufacturer's Warranty: 1 Year Limited

Steel Wood-Filled Tops



Cabinet Workbench - Tops

4 options · Unit of measure: Each

- Heavy-duty 14-gauge steel with formed edges
- Reinforced with wood core for sound reduction and added strength

Overall Thickness: 1-3/4"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	WIDTH
OPS-13043	30"	60"
OPS-13044	30"	72"
OPS-13045	36"	60"
OPS-13046	36"	72"



Steel Wood-Filled Workbench Tops

12 options · Unit of measure: Each

- Heavy-duty 14-gauge steel with formed edges
- Reinforced with wood core for sound reduction and added strength

Overall Thickness: 1-3/4"
Colour: Industrial Grey
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	WIDTH	WEIGHT
OPS-13047	24"	48"	59 lbs.
OPS-13048	24"	60"	74 lbs.
OPS-13049	30"	60"	101 lbs.
OPS-13050	30"	72"	110 lbs.
OPS-13051	36"	60"	111 lbs.
OPS-13052	36"	72"	119 lbs.
OPS-13053	30"	48"	70 lbs.
OPS-13054	30"	84"	118 lbs.
OPS-13055	30"	96"	140 lbs.
OPS-13056	36"	48"	88 lbs.

ITEM #	DEPTH (cont.)	WIDTH	WEIGHT
OPS-13057	36"	84"	148 lbs.
OPS-13058	36"	96"	174 lbs.

Stem Casters



OPS-13059
Rubber Stem Caster

Unit of measure: Each

- Casters retract under operators weight, rubber feet drop down

Wheel Diameter: 4" (101.6 mm)
Wheel Material: Rubber
Caster Type: Swivel
Frame Material: Steel
Stem Design: Bolt Hole Fitting
Manufacturer's Warranty: 1 Year Limited

Step Stands



Platform Step Stands

3 options · Unit of measure: Each

- Rugged all welded construction
- Industrial blue polyurethane finish
- Meets ANSI standard A14.7

Capacity: 300 lbs.
Overall Height: 12"
Overall Length: 16"
No. of Steps: 1
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH	WEIGHT	DIMENSIONS
OPS-13060	20"	11 lbs.	16" D x 12" H
OPS-13061	24"	13 lbs.	16" D x 12" H
OPS-13062	32"	16 lbs.	—

Step Stools



Industrial Step Stool

4 options · Unit of measure: Each

- Industrial-duty high density polyethylene is durable and corrosion proof
- Hand holes provide easy lifting locations for maneauvrability
- Open bottom step design allows for easy stacking for storage while not compromising rigidity
- Stair anti-skid tape provides excellent grip and provides a safe non-slip surface
- Rubber feet improve traction on flat surfaces
- Includes spare replacement rubber feet

ITEM #	NO. OF STEPS	OVERALL HEIGHT	OVERALL LENGTH	OVERALL WIDTH	COLOUR	WEIGHT	CAPACITY	MATERIAL	MANUFACTURER'S WARRANTY	TOP STEP HEIGHT	STEP HEIG
OPS-13063	1	12"	20-7/8"	12-3/16"	Yellow	8.38 lbs. (3.8 kg)	560 lbs. (260 kg)	HDPE (High Density Polyethylene)	1 Year Limited	—	—
OPS-13064	2	19-11/16"	26"	22-7/16"	Yellow	17.2 lbs. (7.8 kg)	560 lbs. (260 kg)	HDPE (High Density Polyethylene)	1 Year Limited	—	—
OPS-13065	3	28-1/2"	34-13/16"	22-7/16"	Yellow	26.0 lbs. (11.8 kg)	560 lbs. (260 kg)	HDPE (High Density Polyethylene)	1 Year Limited	—	—
OPS-13066	4	65-1/8"	44"	22-1/4"	—	—	560 lbs.	HDPE	—	39-1/8"	9-7/8



OPS-13067

Industrial Step Stool

Unit of measure: Each

- Industrial-duty high density polyethylene is durable and corrosion proof
- Hand holes provide easy lifting locations for manoeuvrability
- Open bottom step design allows for easy stacking for storage while not compromising rigidity
- Stair anti-skid tape provides excellent grip and provides a safe non-slip surface
- Rubber feet improve traction on flat surfaces
- Includes spare replacement rubber feet

No. of Steps: 1
Overall Height: 12"
Overall Length: 20-7/8"
Overall Width: 12-3/16"
Capacity: 560 lbs. (260 kg)
Material: HDPE
Weight: 8.38 lbs. (3.8 kg)
Manufacturer's Warranty: 1-Year Limited
Colour: Red




Industrial Step Stool

2 options · Unit of measure: Each

- Industrial-duty high density polyethylene is durable and corrosion proof
- Hand holes provide easy lifting locations for manoeuvrability
- Open bottom step design allows for easy stacking for storage while not compromising rigidity
- Stair anti-skid tape provides excellent grip and provides a safe non-slip surface
- Rubber feet improve traction on flat surfaces
- Includes spare replacement rubber feet

Overall Width: 22-7/16"
Capacity: 560 lbs. (260 kg)
Material: HDPE
Manufacturer's Warranty: 1-Year Limited
Colour: Red

ITEM #	NO. OF STEPS	OVERALL HEIGHT	OVERALL LENGTH	WEIGHT
OPS-13068	2	19-11/16"	26"	17.2 lbs. (7.8 kg)
OPS-13069	3	28-1/2"	34-13/16"	26.0 lbs. (11.8 kg)



OPS-13070
Step Stool

Unit of measure: Each

- Heavy-duty steel
- Comes with a double platform with non-slip rubber tread
- Spring-loaded casters retract under slight pressure, forcing base to the floor
- 11" diameter upper platform and 13 1/2" diameter lower platform
- 17 1/4" diameter base has an all-around protective bumper

No. of Steps: 1
Overall Height: 16-1/2"
Overall Length: 17-1/4"
Overall Width: 17-1/4"
Capacity: 330 lbs.
Colour: Black
Weight: 12 lbs.
Manufacturer's Warranty: 1 Year Limited

Stock Picking Carts



Stock Picking Carts


4 options · Unit of measure: Each

- All-welded design, ready to use
- Pick and transport stock without the need for a seperate ladder
- Slip-resistant steps and positive locking engagement for safety
- 14-gauge steel shelves with 1 1/2" lip, configured up
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Durable industrial blue polyurethane finish

No. of Shelves: 3
Capacity: 1200 lbs.
Overall Width: 24"
Cart Material: Steel
Wheel Material: Rubber
Clearance Between Shelves: 12"
Construction: All-Welded
Lip Configuration: Lip Up
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL HEIGHT	OVERALL DEPTH
OPS-13071	61"	64"
OPS-13072	78"	64"
OPS-13073	61"	52"
OPS-13074	78"	52"

Storage Bin Cabinets



OPS-13075

Deep Door Combination Cabinets

Unit of measure: Each

- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- 4" deep hinged doors
- Unique padlock hasp helps prevent access with bolt cutters
- Powder coated industrial grey finish
- Padlock sold separately
- Incorporates louvered bin hanging panels welded to the cabinet's back and doors
- Cabinet only

Height: 72"
Width: 38"
Depth: 24"

Material: Steel
Weight: 316 lbs.
Manufacturer's Warranty: 1 Year Limited

Storage Cabinet



Counter-High Storage Cabinet

3 options · Unit of measure: Each

- Sleek, counter-height cabinets provide low-profile storageideal for maximizing workspace efficiency in warehouses, workshops, or office environments
- Designed for easy assembly
- One-piece base serves as additional shelf
- Locking handle for added security
- Ships knocked down

Height: 42"
No. of Shelves: 2
Colour: Grey
Material: Steel

Shelf Capacity: 300 lbs.
Assembly Type: Knocked Down
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-13076	30"	15"
OPS-13077	36"	24"
OPS-13078	48"	24"



OPS-13079

Hi-Boy Storage Cabinet

Unit of measure: Each

- Manufactured from commercial-quality cold rolled steel sheets
- Door features a lock
- Top, door, sides, shelves, and bottom are 20 gauge steel
- Back made from 24 gauge steel

Height: 72"
Width: 36"
Depth: 18"
No. of Shelves: 4
Colour: Grey

Material: Steel
Shelf Capacity: 150 lbs.
Assembly Type: Knocked Down
Manufacturer's Warranty: 1 Year Limited



OPS-13080

Hi-Boy Storage Cabinet

Unit of measure: Each

- Manufactured from commercial-quality cold rolled steel sheets
- Door features a lock
- Top, door, sides, shelves, and bottom are 20 gauge steel
- Back made from 24 gauge steel

Height: 72"
Width: 36"
Depth: 18"
No. of Shelves: 4
Colour: Black

Material: Steel
Shelf Capacity: 150 lbs.
Assembly Type: Knocked Down
Manufacturer's Warranty: 1 Year Limited



Storage Cabinet

3 options · Unit of measure: Each

- Designed for easy assembly
- One-piece base serves as additional shelf
- Locking handle for added security
- Ships knocked down

No. of Shelves: 4
Colour: Grey
Material: Steel

Shelf Capacity: 300 lbs.
Assembly Type: Knocked Down
Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WIDTH	DEPTH
OPS-13081	66"	30"	15"
OPS-13082	78"	36"	24"
OPS-13083	78"	48"	24"



Storage Cabinet

3 options · Unit of measure: Each


- Designed for easy assembly
- One-piece base serves as additional shelf
- Locking handle for added security
- Ships knocked down

No. of Shelves: 4
Colour: Black
Material: Steel

Shelf Capacity: 300 lbs.
Assembly Type: Knocked Down
Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WIDTH	DEPTH
OPS-13084	66"	30"	15"
OPS-13085	78"	36"	24"
OPS-13086	78"	48"	24"

Strip Curtain Doors




Strip Curtain Doors

7 options · Unit of measure: Each

- Optimal solution for open-door heat/cooling loss
- Provides ideal acoustical barrier from noisy equipment
- Transparent material allows for improved vision and reduced chance of accidents
- Conceal and isolate contaminants to improve work environment and better protect employees
- Clear, flexible vinyl reduces stretching and resists abrasion
- Aluminum hardware used for maximum durability and weather resistance
- Quickly and easily cleaned with abrasive-free detergent or cleaning products
- Deep stains and ingrained dirt can be removed by carefully applying ethanol
- Fits standard door sizes
- Includes all strips, universal mounting header, hardware to attach strips and installation instructions

PVC Material Type: Low Temp. **Manufacturer's Warranty:** 1 Year Limited

ITEM #	DOOR HEIGHT	DOOR WIDTH	STRIP WIDTH	STRIP THICKNESS	WEIGHT	INCLUDES
OPS-13087	10'	10'	12"	0.120"	125 lbs.	15 Strips
OPS-13088	12'	12'	12"	0.120"	175 lbs.	18 Strips
OPS-13089	7'	4'	8"	0.080"	25 lbs.	8 Strips
OPS-13090	8'	5'	8"	0.080"	35 lbs.	10 Strips
OPS-13091	8'	6'	8"	0.080"	40 lbs.	12 Strips
OPS-13092	10'	8'	12"	0.120"	100 lbs.	—
OPS-13093	8'	8'	12"	0.120"	80 lbs.	12 Strips



Strip Curtain Doors

7 options · Unit of measure: Each

- Optimal solution for open-door heat/cooling loss
- Provides ideal acoustical barrier from noisy equipment
- Transparent material allows for improved vision and reduced chance of accidents
- Conceal and isolate contaminants to improve work environment and better protect employees
- Clear, flexible vinyl reduces stretching and resists abrasion
- Aluminum hardware used for maximum durability and weather resistance
- Quickly and easily cleaned with abrasive-free detergent or cleaning products
- Deep stains and ingrained dirt can be removed by carefully applying ethanol
- Fits standard door sizes
- Includes all strips, universal mounting header, hardware to attach strips and installation instructions

PVC Material Type: Standard **Manufacturer's Warranty:** 1 Year Limited

ITEM #	DOOR HEIGHT	DOOR WIDTH	STRIP WIDTH	STRIP THICKNESS	WEIGHT	INCLUDES
OPS-13094	10'	10'	12"	0.120"	125 lbs.	15 Strips
OPS-13095	12'	12'	12"	0.120"	175 lbs.	18 Strips
OPS-13096	7'	4'	8"	0.080"	25 lbs.	8 Strips
OPS-13097	8'	5'	8"	0.080"	35 lbs.	10 Strips
OPS-13098	8'	6'	8"	0.080"	40 lbs.	12 Strips
OPS-13099	10'	8'	12"	0.120"	100 lbs.	12 Strips
OPS-13100	8'	8'	12"	0.120"	80 lbs.	12 Strips

Strip Curtain Rolls



Bulk Strip Curtain Roll

4 options · Unit of measure: Roll

- Ideal barrier for open-door areas to keep out dust, noise and debris
- Improve temperature control to reduce heating and cooling bills
- Two-way visibility reduces the chance of collisions
- Made from PVC (polyvinyl chloride)
- Clear, flexible PVC (polyvinyl chloride) reduces stretching and resists abrasion

Colour: Clear

Manufacturer's Warranty: 1 Year Limited

ITEM #	STRIP WIDTH	STRIP THICKNESS	STRIP LENGTH	PVC MATERIAL TYPE
OPS-13101	12"	0.12"	200'	Low Temperature
OPS-13102	8"	0.08"	300'	Low Temperature
OPS-13103	12"	0.12"	200'	Standard
OPS-13104	8"	0.08"	300'	Standard



Low-Temperature Ribbed Strip Curtain

2 options · Unit of measure: Roll

- Controls heat/cooling loss in doorways
- Provides an acoustic barrier around noisy equipment and machinery
- Clear, flexible PVC (polyvinyl chloride) reduces stretching and resists abrasion
- Easy to clean and maintain
- Specially-designed for low temperature environments from -40 to 50 degrees Celsius
- Made from PVC (polyvinyl chloride)

Strip Length: 164'

Manufacturer's Warranty: 1 Year Limited

Colour: Clear

ITEM #	STRIP WIDTH	STRIP THICKNESS	WEIGHT
OPS-13105	8"	0.080"	55 lbs.
OPS-13106	12"	0.120"	126 lbs.



Ribbed Strip Curtain

2 options · Unit of measure: Roll

- Controls heat/cooling loss in doorways
- Provides an acoustic barrier around noisy equipment and machinery
- Clear, flexible PVC (polyvinyl chloride) reduces stretching and resists abrasion
- Easy to clean and maintain
- Made from PVC (polyvinyl chloride)

Strip Length: 164'

Manufacturer's Warranty: 1 Year Limited

Colour: Clear

ITEM #	STRIP WIDTH	STRIP THICKNESS	WEIGHT
OPS-13107	8"	0.08"	60 lbs.
OPS-13108	12"	0.12"	126 lbs.



Standard Strip Curtain

2 options · Unit of measure: Roll

- Controls heat/cooling loss in doorways
- Provides an acoustic barrier around noisy equipment and machinery
- Clear, flexible PVC (polyvinyl chloride) reduces stretching and resists abrasion
- Easy to clean and maintain
- Made from PVC (polyvinyl chloride)

Strip Length: 164'
Manufacturer's Warranty: 1 Year Limited
Colour: Opaque Black

ITEM #	STRIP WIDTH	STRIP THICKNESS	WEIGHT
OPS-13109	8"	0.08"	55 lbs.
OPS-13110	12"	0.12"	117 lbs.



Standard Strip Curtain

2 options · Unit of measure: Roll

- Controls heat/cooling loss in doorways
- Provides an acoustic barrier around noisy equipment and machinery
- Clear, flexible PVC (polyvinyl chloride) reduces stretching and resists abrasion
- Easy to clean and maintain
- Made from PVC (polyvinyl chloride)

Strip Length: 164'
Manufacturer's Warranty: 1 Year Limited
Colour: Clear Orange

ITEM #	STRIP WIDTH	STRIP THICKNESS	WEIGHT
OPS-13111	8"	0.08"	55 lbs.
OPS-13112	12"	0.12"	117 lbs.



Static Dissipative Strip Curtain

2 options · Unit of measure: Roll

- Controls heat/cooling loss in doorways
- Provides an acoustic barrier around noisy equipment and machinery
- Clear, flexible PVC (polyvinyl chloride) reduces stretching and resists abrasion
- Easy to clean and maintain
- Static dissipative for electrostatic sensitive environments
- Made from PVC (polyvinyl chloride)

Strip Length: 164'
Manufacturer's Warranty: 1 Year Limited
Colour: Clear Green

ITEM #	STRIP WIDTH	STRIP THICKNESS	WEIGHT
OPS-13113	8"	0.08"	55 lbs.
OPS-13114	12"	0.12"	117 lbs.



Strip Curtain Doors

4 options · Unit of measure: Case of 5

- The optimal solution to open door heat/cooling loss
- Provides the ideal acoustical barrier around noisy equipment
- People can see and be seen so ther's less chance of accidents
- Strip curtains can control in-plant contaminants to improve employee environment
- Clear flexible vinyl resists stretching and stands up to abrasion
- All aluminum hardware is used for maximum drability
- May be quickly and easily cleaned with detergents or cleansing agents that are free frrom abrasives
- Deep stains an ingrained dirt can be removed by carefully applying ethanol
- REPLACEMENT STRIPS - 5 PER CARTON

Manufacturer's Warranty: 1 Year Limited

ITEM #	STRIP WIDTH	STRIP THICKNESS	STRIP LENGTH	PVC MATERIAL TYPE	WEIGHT
OPS-13115	12"	0.120"	12'	Low Temp.	45 lbs.
OPS-13116	8"	0.080"	8'	Low Temp.	15 lbs.
OPS-13117	12"	0.120"	12'	Standard	45 lbs.
OPS-13118	8"	0.080"	8'	Standard	15 lbs.

Swing Gates



Safety Swing Gate

2 options · Unit of measure: Each

- Universal design with right or left application
- 2" incremental adjustments
- Self-closing stainless steel spring and anti-friction bearings
- Can be mounted to round, square or angled rails (up to 2" wide) or a reinforced wall

Height: 21"
Frame Material: Steel
Colour: Safety Yellow
Finish: Powder Coated

ITEM #	WIDTH	WEIGHT
OPS-13119	16" - 26"	34 lbs.
OPS-13120	24" - 40"	38.6 lbs.

Tilt Bin Units



OPS-13121

Heavy-Duty Tilt Bin

Unit of measure: Each

- Extremely durable ABS plastic housing and drawer body
- Transparent polystyrene front window for easy viewing
- Conveniently connects to each other with grooved channels on top, bottom and sides
- Shake resistant design prevents drawers from opening on their own
- Keyholes on back for wall mounting applications
- Colour: Black and Grey

Overall Width: 11-3/4"
Overall Depth: 2-3/4"
Overall Height: 7-7/8"
No. of Bin Compartments: 8
Bin Dimensions W" x D" x H": 2 3/4 x 3 1/4 x 3 5/8
Manufacturer's Warranty: 1 Year Limited



OPS-13122

Heavy-Duty Tilt Bin

Unit of measure: Each

- Extremely durable ABS plastic housing and drawer body
- Transparent polystyrene front window for easy viewing
- Conveniently connects to each other with grooved channels on top, bottom and sides
- Shake resistant design prevents drawers from opening on their own
- Keyholes on back for wall mounting applications
- Colour: Black and Grey

Overall Width: 11-3/4"
Overall Depth: 3-1/2"
Overall Height: 9-3/4"
No. of Bin Compartments: 6
Bin Dimensions W" x D" x H": 3 11/16 x 4 x 4 5/8
Manufacturer's Warranty: 1 Year Limited



Heavy-Duty Tilt Bin


2 options · Unit of measure: Each

- Extremely durable ABS plastic housing and drawer body
- Transparent polystyrene front window for easy viewing
- Conveniently connects to each other with grooved channels on top, bottom and sides
- Shake resistant design prevents drawers from opening on their own
- Keyholes on back for wall mounting applications
- Colour: Black and Grey

Overall Width: 23-1/2"
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL DEPTH	OVERALL HEIGHT	NO. OF BIN COMPARTMENTS	BIN DIMENSIONS W" X D" X H"
OPS-13123	4"	5-7/8"	5	4 1/2 x 4 7/8 x 5 1/2
OPS-13124	5-1/2"	7-7/8"	4	5 5/8 x 6 3/8 x 7 1/2

Tilt Trucks



OPS-13125

Tilt Truck

Unit of measure: Each

- Durable polyethylene body resists rust, dents, corrosion, and moisture
- Compact, handle-free design allows easier dumping and positioning in confined areas
- Canadian-made, all-welded steel chassis provides added strength and support
- Rear swivel caster and large front wheels provide balanced maneuverability
- Lightweight construction supports manual maneuvering for daily maintenance tasks

Volume Capacity: 0.625 cu. yd.
Loading Capacity: 500 lbs.
Bin Material: Polyethylene
Overall Length: 57"
Overall Width: 28"
Overall Height: 38"
Durability: Light Duty
Front Wheel Type: 8" Mold-On Rubber
Rear Wheel Type: 4" Non-Marking Rubber
Manufacturer's Warranty: 1 Year Limited
For Use With: Warehouses, Maintenance Areas, Production Floors



Tilt Truck

2 options · Unit of measure: Each

- Canadian-made, all-welded steel chassis provides added strength and support
- Smooth interior surface makes dumping easier and helps materials empty cleanly

Bin Material: Polyethylene
Durability: Standard Duty
Manufacturer's Warranty: 1 Year Limited

ITEM #	VOLUME CAPACITY	LOADING CAPACITY	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	FRONT WHEEL TYPE	REAR WHEEL TYPE	FOR USE WITH
OPS-13126	0.625 cu. yd.	850 lbs.	57"	28"	38"	10" Mold-On Rubber	5" Non-Marking Rubber	Warehouses, Production Areas, Facility Maintenance Operations
OPS-13127	1.1 cu. yd.	1250 lbs.	66"	34"	43"	12" Mold-On Rubber	5" Mold-On Rubber	Warehouses, Manufacturing Facilities, Large-Scale Maintenance Operations



OPS-13128

Tilt Truck

Unit of measure: Each

- Ideal for transporting and dumping waste, scrap and other bulk materials
- Polyethylene body is mounted on an all-welded steel chassis
- Includes small swivel casters at the front and large fixed wheels at the rear

Volume Capacity: 1.1 cu. yd.
Loading Capacity: 2000 lbs.
Bin Material: Polyethylene
Overall Length: 66"
Overall Width: 34"
Overall Height: 43"
Durability: Heavy Duty
Front Wheel Type: 12" Mold-On Rubber
Rear Wheel Type: 5" Mold-On Rubber
Manufacturer's Warranty: 1 Year Limited

Tiltable Rolling Ladders



Tilt-N-Roll Ladders

4 options · Unit of measure: Each

- Balanced design allows ladder to tilt into the rolling position
- 1-piece all-welded steel construction
- Oversize 22" x 24" top step for easier worker movement
- Legs have rubber tips that hold ladder secure during use
- Ladder moves easily on two 4" casters
- Durable industrial blue polyurethane finish
- Meets ANSI standard A14.7

Frame Material: Steel
Platform Depth: 24"
Step Width: 22"
Step Type: Expanded Metal
Step Depth: 8"
Overall Width: 25"
Rise Height: 9"
Top Step Width: 22"
Height Top Rail: 30"
Capacity: 300 lbs.
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF STEPS	PLATFORM HEIGHT	OVERALL DEPTH	OVERALL HEIGHT	WEIGHT
OPS-13129	3	27"	44"	57"	70 lbs.
OPS-13130	4	38"	50"	68"	81 lbs.
OPS-13131	5	47"	56"	77"	93 lbs.
OPS-13132	6	56"	62"	86"	105 lbs.

Tiltable Step Stands



Tilt-N-Roll Step Stands

2 options · Unit of measure: Each

- Frame is welded 1" round steel tubing
- Non-clogging slip resistant steel steps
- Handle allows step stand to move easily on two 4" casters
- Top step dimensions: 22" x 16"
- Durable industrial blue polyurethane finish
- Meets ANSI standard A14.7

Capacity: 300 lbs.
Overall Width: 29"
Base Width: 29"
Step dimensions: 22" x 8"
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL HEIGHT	OVERALL LENGTH	NO. OF STEPS	TOP STEP HEIGHT	BASE DEPTH	WEIGHT
OPS-13133	12"	16"	1	12"	16"	24 lbs.
OPS-13134	19"	24"	2	19"	24"	33 lbs.

Top For Metal Lockers



OPS-13135
Slope Top

Unit of measure: Each

- Helps eliminate dust build up
- Raises top by 10"

No. of Banks: 1
Overall Depth: 18"
Overall Width: 12"
Overall Height: 10"
Colour: Grey
Material: Steel
Manufacturer's Warranty: 1 Year Limited

Traffic Cone Carts



OPS-13136
Traffic Cone Cart

Unit of measure: Each

- Safely and easily transports traffic cones with little effort
- Constructed of 1" round heavy-duty 14 gauge steel tubing
- Holds up to 25 standard or reflective cones from 12" to 28" in height
- Durable industrial blue polyurethane finish

Traffic Cones Capacity: 25
Wheel Type: Mold-on Rubber
Construction Type: All-Welded
Frame Material: Steel
Overall Dimensions: 22-1/2"W x 20"D x 45"H
Load Capacity: 500 lbs.
Weight: 32 lbs.
Manufacturer's Warranty: 1 Year Limited

Tubular Perimeter Guards



Perimeter Guards - Tubular Style

4 options · Unit of measure: Each

- Posts are constructed of 2" square tube with 5/16" base plate with holes for anchoring to floor
- Hardware to attach add-on sections is included
- Safety yellow or industrial blue finish

Height: 49-1/2"
Colour: Yellow
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	TYPE	WEIGHT
OPS-13137	48"	Starter Section	45 lbs.
OPS-13138	46"	Add-on section	32 lbs.
OPS-13139	96"	Starter Section	66 lbs.
OPS-13140	94"	Add-on section	53 lbs.

Upright Protectors



Upright Protectors

2 options · Unit of measure: Each

- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- 4 pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coated finish

Overall Depth: 7"
Overall Width: 7"
Colour: Safety Yellow
Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL HEIGHT
OPS-13141	12"
OPS-13142	18-1/4"

Urethane Wheel Chocks



OPS-13143

Heavy-Duty Wheel Chocks

Unit of measure: Each

- Ideal for use with ground vehicles and heavy equipment

Material: Urethane
Max. Tire Diameter: 105"
Width: 15-1/2"
Colour: Yellow
Depth: 17-7/10"
Height: 10"
Manufacturer's Warranty: 1 Year Limited



OPS-13144

Wheel Chocks

Unit of measure: Each

- Safety orange for greater visibility
- Moulded-in hole through width of chock for attaching security chain (chain sold separately)

Material: Urethane
Max. Tire Diameter: 35"
Width: 8"
Colour: Orange
Depth: 11"
Height: 8"
Overall size: 8" W x 11" D x 8" H
Manufacturer's Warranty: 1 Year Limited



Product range

2 options · Unit of measure: Each

- Durable polyurethane construction
- Ideal for use with underground mining equipment, fire fighting and large utility vehicles
- Resistant to oils, fuels and solvents
- Easy-grip carrying handle
- Features replaceable aluminum traction cleats or rubber pads

Material: Polyurethane
Max. Tire Diameter: 46"
Width: 11-1/4"
Depth: 21"
Height: 12-1/4"

ITEM #	PRODUCT	COLOUR	WEIGHT	BASE CONFIGURATION
OPS-13145	Wheel Chocks with Aluminum Tread	Safety Yellow	16.5 lbs.	Aluminum Ice Cleat
OPS-13146	Wheel Chocks with Rubber Tread	Yellow	16.1 lbs.	Rubber Pad

Utility Carts



OPS-13147

Flat-Shelf Utility Service Cart

Unit of measure: Each

- Durable structural foam construction will not dent, rust, or bend
- Non-marking 5" casters
- Flat top shelf makes loading and unloading of heavy boxes easy

No. of Shelves: 2
Capacity: 550 lbs.
Cart Material: Polypropylene
Overall Width: 25-1/4"
Overall Height: 32-1/4"
Overall Depth: 44"
Wheel Material: Rubber
Construction: Knocked Down
Shelf Dimensions: 25-1/4" W x 44" L
Handle Height: 32-1/4"
Manufacturer's Warranty: 1 Year Limited



Utility Cart

2 options · Unit of measure: Each

- Shelf design allows for quick and easy loading
- Light and easy to maneuver
- Assembly required

No. of Shelves: 3
Capacity: 250 lbs.
Cart Material: Plastic
Wheel Material: Rubber
Construction: Knocked Down
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH
OPS-13148	19-3/4"	37-1/2"	40-1/4"
OPS-13149	16-3/4"	37"	33-1/2"



OPS-13150

Utility Cart

Unit of measure: Each

- Shelf design allows for quick and easy loading
- Light and easy to maneuver
- Assembly required
- Cart is equipped with 3 closed side walls (above and below shelves), leaving one side open

No. of Shelves: 3
Capacity: 250 lbs.
Cart Material: Plastic
Overall Width: 19-3/4"
Overall Height: 37-1/2"
Overall Depth: 40-1/4"
Wheel Material: Rubber
Construction: Knocked Down
Manufacturer's Warranty: 1 Year Limited



Utility Cart

2 options · Unit of measure: Each

- Durable construction
- Lip up configuration prevents small items from rolling off the surface of the cart
- Non-marking rubber casters

No. of Shelves: 2
Capacity: 550 lbs.
Cart Material: Polypropylene
Overall Height: 33-1/2"
Wheel Material: Rubber
Construction: Knocked Down
Caster Size: 5"
Lip Configuration: Lip Up
Handle Height: 39"
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH	OVERALL DEPTH	TRAY SIZE
OPS-13151	25-5/8"	43-3/4"	36" X 24-3/8" X 3-3/4"
OPS-13152	17-1/8"	37-5/8"	—



OPS-13153

Utility Cart with Deep Lip Shelf

Unit of measure: Each

- Durable construction designed to withstand daily industrial use
- Smooth■rolling locking casters for stable movement across warehouse or workshop floors
- Ergonomic handle and spacious shelves that make organizing and transporting supplies quick and convenient

No. of Shelves: 3
Capacity: 330 lbs.
Cart Material: Plastic
Overall Width: 19"
Overall Height: 39-1/2"
Overall Depth: 28-1/4"
Colour: Black
Top Shelf Height: 39-1/2"
Wheel Diameter: 4"
Tread Thickness: 1"
Shelf Dimensions: 25" L x 19" W x 2-3/4" H
Shelf Capacity: 110 lbs.
Weight: 18.5 kg.



OPS-13154

Utility Cart with Flat Shelf

Unit of measure: Each

- Durable construction designed to withstand daily industrial use
- Smooth■rolling locking casters for stable movement across warehouse or workshop floors
- Ergonomic handle and spacious shelves that make organizing and transporting supplies quick and convenient

No. of Shelves: 3
Capacity: 330 lbs.
Cart Material: Plastic
Overall Width: 18-1/8"
Overall Height: 37-3/8"
Overall Depth: 27-3/4"
Colour: Black
Top Shelf Height: 37-3/8"
Wheel Diameter: 4"
Tread Thickness: 1"
Shelf Dimensions: 24" L x 18-1/8" W x 1/4" H
Shelf Capacity: 110 lbs.
Weight: 13 kg.



Utility Service Cart

2 options · Unit of measure: Each

- Non-marking 5" casters
- Based on evenly distributed weight capacity

No. of Shelves: 2
Capacity: 550 lbs.
Cart Material: Polypropylene
Overall Height: 32-1/2"
Wheel Material: Rubber
Construction: Knocked Down
Lip Configuration: Lip Up
Clearance Between Shelves: 19-1/2"
Handle Height: 32-1/2"
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH	OVERALL DEPTH	SHELF DIMENSIONS	OVERALL DIMENSIONS	COLOUR	WEIGHT	SHELF DIMENSION
OPS-13155	16-1/2"	34-1/2"	30-5/8"L x 16-3/8"W	—	—	—	—
OPS-13156	24-5/8"	40"	—	24-5/8" W x 40" D x 32-1/2" H	Grey	39 lbs.	36-1/4"L x 24-3/8"W

Walk Ramps



OPS-13157
Portable Poly Hand Truck Curb Ramp

Unit of measure: Each

- Lightweight HDPE construction
- Two handles for easy carrying and handling
- Ergonomic method to move heavy loads over curbs or up steps
- Raised surface for excellent traction in all weather conditions

Capacity: 1000 lbs.
Max. Height: 8"
Min. Height: 4-13/16"
Overall Width: 27"
Overall Length: 27"
Weight: 9 lbs.
Colour: Yellow
For Use With: Hand Trucks & Wheeled Carts
Usable Width: 23-1/2"
Manufacturer's Warranty: 1 Year Limited

Wall Mount Wire Shelf Brackets



Direct Wall Mount for Chromate Wire Shelving

2 options · Unit of measure: Each

- NSF certified

Capacity: 200 lbs.
Shelf Depth: 14"
Manufacturer's Warranty: 1 Year Limited

ITEM #	BRACKET TYPE	WEIGHT
OPS-13158	Single	2 lbs.
OPS-13159	Double	3.5 lbs.



Wall Mount Wire Shelving Kit

2 options · Unit of measure: Each

- Kit includes shelves and supports
- NSF certified

Capacity: 200 lbs.
Shelf Depth: 14"
Shelf Dimensions": 30 x 14
Manufacturer's Warranty: 1 Year Limited

ITEM #	BRACKET TYPE	DESCRIPTION
OPS-13160	Single	1 Shelf
OPS-13161	Double	2 Shelves

Wall-Mounted Shop Desks



OPS-13162

Wall-Mounted Shop Desk

Unit of measure: Each

- Durable carbon steel construction
- Ideal for areas with limited floor space
- Four compartment organizer and slightly sloped writing surface
- Easy to assemble, wall brackets included
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Ships knocked down

Material: Steel
Width: 34-1/2"
Depth: 28"
Height: 31"
Colour: Grey
Manufacturer's Warranty: 1 Year Limited

Wardrobe Cabinets



OPS-13163

Wardrobe Storage Cabinet

Unit of measure: Each

- Manufactured from commercial-quality cold rolled steel sheets
- Door features a lock
- Features full-length rod and storage shelf
- Top, door, sides, shelves, and bottom are 20 gauge steel
- Back made from 24 gauge steel

Height: 72"
Width: 36"
Depth: 18"
No. of Shelves: 1
Colour: Grey
Material: Steel
Shelf Capacity: 150 lbs.
Assembly Type: Knocked Down

Wheel Chock Parts & Accessories



OPS-13164

18' Security Chain With Hook

Unit of measure: Each

Weight: 4 lbs.
Manufacturer's Warranty: 1 Year Limited



Product range

2 options · Unit of measure: Each

- Laminated rubber chock (8"W x 8"L x 8" H)
- 18' Security chain with hook
- Yellow wheel chock wall bracket

No. of Components Included: 4

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	LANGUAGE
OPS-13165	Wheel Chock Kit - English	English
OPS-13166	Wheel Chock Kit - French	French



OPS-13167

Wheel Chock Wall Brackets

Unit of measure: Each

- Sturdy yellow metal construction
- Fits wheel chocks up to 10" wide
- Recommended for boards and plates over 140 lbs.

Manufacturer's Warranty: 1 Year Limited

Wire Containers



Bulk Stacking Containers

4 options · Unit of measure: Each

- Heavy-duty all-welded construction
- Mesh containers use 2" x 2" x 10 gauge wire mesh
- All containers use a 13-gauge corrugated sheet steel base
- 2" x 2" x 3/16" angle posts
- 4-way fork truck entry with 4" under-clearance
- Available with one drop gate or fully enclosed sides
- Stackable up to 5 high
- Other sizes are available
- Durable industrial blue polyurethane finish

Capacity: 3000 lbs.
Overall Height: 30"

Usable height: 24"
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL DEPTH	OVERALL WIDTH	NO. OF DROP GATES	TYPE	WEIGHT
OPS-13168	40.5"	34.5"	None	Mesh containeurs	125 lbs.
OPS-13169	40.5"	34.5"	1	Mesh containers	130 lbs.
OPS-13170	48.5"	40.5"	None	Mesh containers	150 lbs.
OPS-13171	48.5"	40.5"	1	Mesh containers	160 lbs.



Collapsible Wire Container

3 options · Unit of measure: Each

Capacity: 4000 lbs.
No. of Drop Gates: 1
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL DEPTH	OVERALL HEIGHT	OVERALL WIDTH	COLLAPSED HEIGHT
OPS-13172	48"	42"	40"	9"
OPS-13173	32"	34"	40"	11"
OPS-13174	40"	36"	48"	9"

Wire Decking For Racks



Wire Decking

4 options · Unit of measure: Each

- Easy to install
- Step/Waterfall style
- Galvanized finish offers corrosion resistance and is ideal for wet and cold conditions

Capacity: 2500 lbs.
Material: Galvanized Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	DEPTH
OPS-13175	46"	36"
OPS-13176	52"	36"
OPS-13177	46"	42"
OPS-13178	52"	42"

Wire Mesh Carts



Enclosed Wire Shelf Cart

6 options · Unit of measure: Each

- Enclosed sides keeps items from falling out
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Includes: (2) 5" swivel resilient casters, (2) 5" rubber caster with brakes
- Shipped knocked down
- One-year limited warranty
- Capacity is based on evenly distributed weight
- NSF certified

No. of Shelves: 4
Capacity: 800 lbs.
Cart Material: Chrome Plated
Overall Height: 69"
Wheel Material: Rubber
Includes: (2) 5" swivel resilient casters; (2) 5" rubber caster with brakes
Manufacturer's Warranty: 1 Year

ITEM #	OVERALL WIDTH	OVERALL DEPTH
OPS-13179	36"	18"
OPS-13180	48"	18"
OPS-13181	60"	18"
OPS-13182	36"	24"
OPS-13183	48"	24"
OPS-13184	60"	24"




Push Cart

8 options · Unit of measure: Each

- Durable, dependable transport solution
- Easy maneuverability
- Shelves can be adjusted quickly and easily
- Shipped knocked down
- One-year limited warranty
- Capacity is based on evenly distributed weight
- Includes: 5" resilient rubber casters (two swivel, two with brake)
- NSF certified

Capacity: 800 lbs.
Cart Material: Chrome Plated
Overall Height: 60"
Overall Depth: 14"
Wheel Material: Rubber
Includes: 5" resilient rubber casters (two swivel, two with brake)
Manufacturer's Warranty: 1 Year

ITEM #	NO. OF SHELVES	OVERALL WIDTH
OPS-13185	4	30"
OPS-13186	4	36"
OPS-13187	4	48"
OPS-13188	4	60"
OPS-13189	5	30'
OPS-13190	5	36"
OPS-13191	5	48"
OPS-13192	5	60"



Security Cart

2 options · Unit of measure: Each

- Security Carts safely protect, store and transport goods
- Wire Shelving allows high visibility of products
- Cart Capacity based on a uniformly distributed weight
- Includes: (2) Rubber swivel casters with brakes, (2) Rubber casters without brakes
- Shipped knocked-down

No. of Shelves: 2
Capacity: 500 lbs.
Cart Material: Chrome Plated
Overall Height: 69"
Overall Depth: 24"
Wheel Material: Rubber
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH
OPS-13193	48"
OPS-13194	60"



Security Trucks

2 options · Unit of measure: Each

- Rugged all-welded steel construction, ready to use
- Designed for efficient loading/unloading and transportation of merchandise
- 14-gauge steel shelves, 1 1/2" lip up
- Frame constructed from 1 1/2" angle iron and 2" x 2" wire mesh
- Includes: Two rigid and two swivel 5" or 6" bolted-on casters
- Comes with hasp for padlock
- Durable industrial blue polyurethane finish

Capacity: 2400 lbs.
Cart Material: Steel
Overall Width: 26"
Overall Height: 62-1/2"
Overall Depth: 39"
Wheel Material: Polyurethane
Caster Type: 6" Polyurethane
Base Length: 36"
Base Width: 24"
Inside Wall Height: 55"
Handle Height: 42"
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	CLEARANCE BETWEEN SHELVES	WEIGHT
OPS-13195	2	25"	157 lbs.
OPS-13196	3	16"	182 lbs.



Wire Mesh Stock Truck

24 options · Unit of measure: Each

- Rugged all-welded steel construction, ready to use
- Designed for efficient loading/unloading and transportation of merchandise
- Frame constructed from 1 1/2" angle iron and 2" x 2" wire mesh
- Includes: Two rigid and two swivel 5" or 6" bolted-on casters
- Durable industrial blue polyurethane finish
- Capacity is based on evenly distributed weight

No. of Shelves: 0
Cart Material: Steel
Overall Height: 55"
Manufacturer's Warranty: 1 Year Limited

ITEM #	CAPACITY	OVERALL WIDTH	OVERALL DEPTH	WHEEL MATERIAL	CASTER DIAMETER	UNIT HEIGHT WITH CASTERS	WITH DROP-GATE / WITHOUT DROP-GATE
OPS-13197	1200 lbs.	24"	36"	Rubber	5"	63"	Without Drop-Gate
OPS-13198	1200 lbs.	24"	36"	Rubber	5"	63"	With Drop-Gate
OPS-13199	2400 lbs.	24"	36"	Polyurethane	6"	64"	Without Drop-Gate
OPS-13200	2400 lbs.	24"	36"	Polyurethane	6"	64"	With Drop-Gate
OPS-13201	1200 lbs.	24"	48"	Rubber	5"	63"	Without Drop-Gate
OPS-13202	1200 lbs.	24"	48"	Rubber	5"	63"	With Drop-Gate

ITEM #	CAPACITY (cont.)	OVERALL WIDTH	OVERALL DEPTH	WHEEL MATERIAL	CASTER DIAMETER	UNIT HEIGHT WITH CASTERS	WITH DROP-GATE / WITHOUT DROP-GATE
OPS-13203	2400 lbs.	24"	48"	Polyurethane	6"	64"	Without Drop-Gate
OPS-13204	2400 lbs.	24"	48"	Polyurethane	6"	64"	With Drop-Gate
OPS-13205	1200 lbs.	24"	60"	Rubber	5"	63"	Without Drop-Gate
OPS-13206	1200 lbs.	24"	60"	Rubber	5"	63"	With Drop-Gate
OPS-13207	2400 lbs.	24"	60"	Polyurethane	6"	64"	Without Drop-Gate
OPS-13208	2400 lbs.	24"	60"	Polyurethane	6"	64"	With Drop-Gate
OPS-13209	1200 lbs.	30"	48"	Rubber	5"	63"	Without Drop-Gate
OPS-13210	1200 lbs.	30"	48"	Rubber	5"	63"	With Drop-Gate
OPS-13211	2400 lbs.	30"	48"	Polyurethane	6"	64"	Without Drop-Gate
OPS-13212	2400 lbs.	30"	48"	Polyurethane	6"	64"	With Drop-Gate
OPS-13213	1200 lbs.	30"	60"	Rubber	5"	63"	Without Drop-Gate
OPS-13214	1200 lbs.	30"	60"	Rubber	5"	63"	With Drop-Gate
OPS-13215	2400 lbs.	30"	60"	Polyurethane	6"	64"	Without Drop-Gate
OPS-13216	2400 lbs.	30"	60"	Polyurethane	6"	64"	With Drop-Gate
OPS-13217	1200 lbs.	30"	72"	Rubber	5"	63"	Without Drop-Gate
OPS-13218	1200 lbs.	30"	72"	Rubber	5"	63"	With Drop-Gate
OPS-13219	2400 lbs.	30"	72"	Polyurethane	6"	64"	Without Drop-Gate
OPS-13220	2400 lbs.	30"	72"	Polyurethane	6"	64"	With Drop-Gate



Wire Mesh Utility Cart

14 options · Unit of measure: Each

- Durable, dependable transport solution that is easy to manoeuvre
- Highly rigid construction that is easily adjustable at 1" increments
- Shipped knocked-down
- One-year limited warranty
- Capacity is based on evenly distributed weight
- Includes: 5" resilient rubber casters (two swivel, two with brake)
- NSF certified

Capacity: 800 lbs.
Cart Material: Chrome Plated
Overall Height: 39"
Wheel Material: Rubber
Manufacturer's Warranty: 1 Year

ITEM #	NO. OF SHELVES	OVERALL WIDTH	OVERALL DEPTH
OPS-13221	3	30"	18"
OPS-13222	3	36"	18"
OPS-13223	3	48"	18"
OPS-13224	3	60"	18"
OPS-13225	3	36"	24"
OPS-13226	3	48"	24"
OPS-13227	3	60"	24"
OPS-13228	2	30"	18"
OPS-13229	2	36"	18"
OPS-13230	2	48"	18"
OPS-13231	2	60"	18"
OPS-13232	2	36"	24"
OPS-13233	2	48"	24"
OPS-13234	2	60"	24"



Wire Mesh Utility Cart

59 options · Unit of measure: Each

- Rugged all-welded steel construction, ready to use
- Designed for efficient loading/unloading and transportation of merchandise
- 14-gauge steel shelves, 1 1/2" lip up
- Frame constructed from 1 1/2" angle iron and 2" x 2" wire mesh
- Includes: Two rigid and two swivel 5" or 6" bolted-on casters
- Durable industrial blue polyurethane finish

Cart Material: Steel
Overall Height: 63"
Manufacturer's Warranty: 1 Year Limited

ITEM #	NO. OF SHELVES	CAPACITY	OVERALL WIDTH	OVERALL DEPTH	WHEEL MATERIAL	CASTER TYPE	BASE LENGTH	BASE WIDTH	INSIDE WALL HEIGHT	HANDLE HEIGHT	CLEARANCE BETWEEN SHELVES
OPS-13235	2	1200 lbs.	24"	39"	Rubber	5" Non-Marking Rubber	36"	24"	55"	42"	26"
OPS-13236	2	1200 lbs.	24"	51"	Rubber	5" Non-Marking Rubber	48"	24"	55"	42"	26"
OPS-13237	2	1200 lbs.	24"	63"	Rubber	5" Non-Marking Rubber	60"	24"	55"	42"	26"
OPS-13238	2	1200 lbs.	30"	51"	Rubber	5" Non-Marking Rubber	48"	30"	55"	42"	26"
OPS-13239	2	1200 lbs.	30"	63"	Rubber	5" Non-Marking Rubber	60"	30"	55"	42"	26"
OPS-13240	2	1200 lbs.	30"	75"	Rubber	5" Non-Marking Rubber	72"	30"	55"	42"	26"
OPS-13241	2	2400 lbs.	24"	39"	Polyurethane	6" Polyurethane	36"	24"	55"	42"	26"
OPS-13242	2	2400 lbs.	24"	51"	Polyurethane	6" Polyurethane	48"	24"	55"	42"	26"
OPS-13243	2	2400 lbs.	24"	63"	Polyurethane	6" Polyurethane	60"	24"	55"	42"	26"
OPS-13244	2	2400 lbs.	30"	51"	Polyurethane	6" Polyurethane	48"	30"	55"	42"	26"
OPS-13245	2	2400 lbs.	30"	63"	Polyurethane	6" Polyurethane	60"	30"	55"	42"	26"
OPS-13246	2	2400 lbs.	30"	75"	Polyurethane	6" Polyurethane	72"	30"	55"	42"	26"
OPS-13247	3	1200 lbs.	24"	39"	Rubber	5" Non-Marking Rubber	36"	24"	55"	42"	16.5"
OPS-13248	3	1200 lbs.	24"	51"	Rubber	5" Non-Marking Rubber	48"	24"	55"	42"	16.5"
OPS-13249	3	1200 lbs.	24"	63"	Rubber	5" Non-Marking Rubber	60"	24"	55"	42"	16.5"
OPS-13250	3	1200 lbs.	30"	51"	Rubber	5" Non-Marking Rubber	48"	30"	55"	42"	16.5"
OPS-13251	3	1200 lbs.	30"	63"	Rubber	5" Non-Marking Rubber	60"	30"	55"	42"	16.5"
OPS-13252	3	1200 lbs.	30"	75"	Rubber	5" Non-Marking Rubber	72"	30"	55"	42"	16.5"

ITEM #	NO. OF SHELVES (cont.)	CAPACITY	OVERALL WIDTH	OVERALL DEPTH	WHEEL MATERIAL	CASTER TYPE	BASE LENGTH	BASE WIDTH	INSIDE WALL HEIGHT	HANDLE HEIGHT	CLEARANCE BETWEEN SHELVES
OPS-13253	3	2400 lbs.	24"	39"	Polyurethane	—	—	—	—	—	—
OPS-13254	3	2400 lbs.	24"	51"	Polyurethane	6" Polyurethane	48"	24"	55"	42"	16.5"
OPS-13255	3	2400 lbs.	24"	63"	Polyurethane	6" Polyurethane	60"	24"	55"	42"	16.5"
OPS-13256	3	2400 lbs.	30"	51"	Polyurethane	6" Polyurethane	48"	30"	55"	42"	16.5"
OPS-13257	3	2400 lbs.	30"	63"	Polyurethane	6" Polyurethane	60"	30"	55"	42"	16.5"
OPS-13258	3	2400 lbs.	30"	75"	Polyurethane	—	—	—	—	—	—
OPS-13259	1	2400 lbs.	24"	39"	Polyurethane	6" Polyurethane	36"	24"	55"	42"	—
OPS-13260	1	2400 lbs.	24"	51"	Polyurethane	6" Polyurethane	48"	24"	55"	42"	—
OPS-13261	1	2400 lbs.	24"	63"	Polyurethane	6" Polyurethane	60"	24"	55"	42"	—
OPS-13262	1	2400 lbs.	30"	51"	Polyurethane	6" Polyurethane	48"	30"	55"	42"	—
OPS-13263	1	2400 lbs.	30"	63"	Polyurethane	6" Polyurethane	60"	30"	55"	42"	—
OPS-13264	1	2400 lbs.	30"	75"	Polyurethane	6" Polyurethane	72"	30"	55"	42"	—
OPS-13265	2	1200 lbs.	24"	39"	Rubber	5" Non-Marking Rubber	36"	24"	55"	42"	26"
OPS-13266	2	1200 lbs.	24"	48"	Rubber	—	—	—	—	—	—
OPS-13267	2	1200 lbs.	24"	63"	Rubber	5" Non-Marking Rubber	60"	24"	55"	42"	26"
OPS-13268	2	1200 lbs.	30"	51"	Rubber	—	—	—	—	—	—
OPS-13269	2	1200 lbs.	30"	63"	Rubber	—	—	—	—	—	—
OPS-13270	2	1200 lbs.	20"	75"	Rubber	—	—	—	—	—	—
OPS-13271	2	2400 lbs.	24"	39"	Polyurethane	6" Polyurethane	36"	24"	55"	42"	26"
OPS-13272	2	2400 lbs.	24"	51"	Polyurethane	6" Polyurethane	48"	24"	55"	42"	26"
OPS-13273	2	2400 lbs.	24"	63"	Polyurethane	6" Polyurethane	60"	24"	55"	42"	26"
OPS-13274	2	2400 lbs.	30"	51"	Polyurethane	6" Polyurethane	48"	30"	55"	42"	26"
OPS-13275	2	2400 lbs.	30"	63"	Polyurethane	6" Polyurethane	60"	30"	55"	42"	26"
OPS-13276	2	2400 lbs.	30"	75"	Polyurethane	6" Polyurethane	72"	30"	55"	42"	26"
OPS-13277	3	1200 lbs.	24"	39"	Rubber	5" Non-Marking Rubber	36"	24"	55"	42"	16.5"
OPS-13278	3	1200 lbs.	24"	51"	Rubber	5" Non-Marking Rubber	48"	24"	55"	42"	16.5"
OPS-13279	3	1200 lbs.	24"	63"	Rubber	5" Non-Marking Rubber	60"	24"	55"	42"	16.5"
OPS-13280	3	1200 lbs.	30"	51"	Rubber	5" Non-Marking Rubber	48"	30"	55"	42"	16.5"

ITEM #	NO. OF SHELVES (cont.)	CAPACITY	OVERALL WIDTH	OVERALL DEPTH	WHEEL MATERIAL	CASTER TYPE	BASE LENGTH	BASE WIDTH	INSIDE WALL HEIGHT	HANDLE HEIGHT	CLEARANCE BETWEEN SHELVES
OPS-13281	3	1200 lbs.	30"	63"	Rubber	5" Non-Marking Rubber	60"	30"	55"	42"	16.5"
OPS-13282	3	1200 lbs.	30"	75"	Rubber	5" Non-Marking Rubber	72"	30"	55"	42"	16.5"
OPS-13283	3	2400 lbs.	24"	39"	Polyurethane	6" Polyurethane	36"	24"	55"	42"	16.5"
OPS-13284	3	2400 lbs.	24"	51"	Polyurethane	6" Polyurethane	48"	24"	55"	42"	16.5"
OPS-13285	3	2400 lbs.	24"	63"	Polyurethane	6" Polyurethane	60"	24"	55"	42"	16.5"
OPS-13287	3	2400 lbs.	30"	63"	Polyurethane	6" Polyurethane	60"	30"	55"	42"	16.5"
OPS-13288	3	2400 lbs.	30"	75"	Polyurethane	6" Polyurethane	72"	30"	55"	42"	16.5"
OPS-13289	1	1200 lbs.	24"	39"	Rubber	5" Non-Marking Rubber	36"	24"	55"	42"	—
OPS-13290	1	1200 lbs.	24"	48"	Rubber	—	—	—	—	—	—
OPS-13291	1	1200 lbs.	24"	63"	Rubber	5" Non-Marking Rubber	60"	24"	55"	42"	—
OPS-13292	1	1200 lbs.	30"	51"	Rubber	5" Non-Marking Rubber	48"	30"	55"	42"	—
OPS-13293	1	1200 lbs.	30"	63"	Rubber	—	—	—	—	—	—
OPS-13294	1	1200 lbs.	30"	75"	Rubber	—	—	—	—	—	—



OPS-13286

Wire Mesh Utility Cart

Unit of measure: Each

- Rugged all-welded steel construction, ready to use
- Designed for efficient loading/unloading and transportation of merchandise
- 14-gauge steel shelves, 1 1/2" lip up
- Frame constructed from 1 1/2" angle iron and 2" x 2" wire mesh
- Includes: Two rigid and two swivel 5" or 6" bolted-on casters
- Durable industrial blue polyurethane finish
- 6" Polyurethane Casters

No. of Shelves: 3
Capacity: 2400 lbs.
Cart Material: Steel
Overall Width: 30"
Overall Height: 63"
Overall Depth: 51"
Wheel Material: Polyurethane
Manufacturer's Warranty: 1 Year Limited




Wire Shelf Cart

36 options · Unit of measure: Each

- Shelves can be adjusted quickly and easily
- Includes: 5" resilient rubber casters (two swivel, two with brake)
- Shipped knocked-down
- One-year limited warranty
- NSF certified

Capacity: 800 lbs.
Wheel Material: Rubber
Manufacturer's Warranty: 1 Year

ITEM #	NO. OF SHELVES	CART MATERIAL	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	INCLUDES
OPS-13295	4	Chrome Plated	36"	80"	18"	—
OPS-13296	4	Chrome Plated	48"	80"	18"	—
OPS-13297	4	Chrome Plated	60"	80"	18"	—
OPS-13298	4	Chrome Plated	36"	80"	24"	—
OPS-13299	4	Chrome Plated	48"	80"	24"	—
OPS-13300	4	Chrome Plated	60"	80"	24"	—
OPS-13301	5	Chrome Plated	36"	92"	18"	—
OPS-13302	5	Chrome Plated	48"	92"	18"	—
OPS-13303	5	Chrome Plated	60"	92"	18"	—
OPS-13304	5	Chrome Plated	36"	92"	24"	—
OPS-13305	5	Chrome Plated	48"	92"	24"	—
OPS-13306	5	Chrome Plated	60"	92"	24"	—
OPS-13307	4	Chrome Plated	36"	69"	18"	5" resilient rubber casters (two swivel, two with brake)
OPS-13308	4	Chrome Plated	48"	69"	18"	5" resilient rubber casters (two swivel, two with brake)
OPS-13309	4	Chrome Plated	60"	69"	18"	5" resilient rubber casters (two swivel, two with brake)
OPS-13310	4	Chrome Plated	36"	69"	24"	5" resilient rubber casters (two swivel, two with brake)
OPS-13311	4	Chrome Plated	48"	69"	24"	5" resilient rubber casters (two swivel, two with brake)
OPS-13312	4	Chrome Plated	60"	69"	24"	5" resilient rubber casters (two swivel, two with brake)
OPS-13313	4	Epoxy Finish	36"	80"	18"	5" resilient rubber casters (two swivel, two with brake)
OPS-13314	4	Epoxy Finish	48"	80"	18"	5" resilient rubber casters (two swivel, two with brake)
OPS-13315	4	Epoxy Finish	60"	80"	18"	5" resilient rubber casters (two swivel, two with brake)
OPS-13316	4	Epoxy Finish	36"	80"	24"	5" resilient rubber casters (two swivel, two with brake)
OPS-13317	4	Epoxy Finish	48"	80"	24"	5" resilient rubber casters (two swivel, two with brake)
OPS-13318	4	Epoxy Finish	60"	80"	24"	5" resilient rubber casters (two swivel, two with brake)
OPS-13319	5	Epoxy Finish	36"	92"	18"	5" resilient rubber casters (two swivel, two with brake)
OPS-13320	5	Epoxy Finish	48"	92"	18"	5" resilient rubber casters (two swivel, two with brake)
OPS-13321	5	Epoxy Finish	60"	92"	18"	5" resilient rubber casters (two swivel, two with brake)
OPS-13322	5	Epoxy Finish	36"	92"	24"	5" resilient rubber casters (two swivel, two with brake)
OPS-13323	5	Epoxy Finish	48"	92"	24"	5" resilient rubber casters (two swivel, two with brake)
OPS-13324	5	Epoxy Finish	60"	92"	24"	5" resilient rubber casters (two swivel, two with brake)
OPS-13325	4	Epoxy Finish	36"	69"	18"	5" resilient rubber casters (two swivel, two with brake)
OPS-13326	4	Epoxy Finish	48"	69"	18"	5" resilient rubber casters (two swivel, two with brake)
OPS-13327	4	Epoxy Finish	60"	69"	18"	5" resilient rubber casters (two swivel, two with brake)
OPS-13328	4	Epoxy Finish	36"	69"	24"	5" resilient rubber casters (two swivel, two with brake)
OPS-13329	4	Epoxy Finish	48"	69"	24"	5" resilient rubber casters (two swivel, two with brake)
OPS-13330	4	Epoxy Finish	60"	69"	24"	5" resilient rubber casters (two swivel, two with brake)



Wire Shelf Push Cart

6 options · Unit of measure: Each

- Capacity is based on evenly distributed weight
- Features 24" Green Epoxy Handle for improved maneuverability
- Green epoxy wire shelf carts are ideal for use in wet environments
- Superior rust resistance
- Designed to minimize dust, improve air circulation and provide greater visibility of stored items
- Shelves can be adjusted quickly and easily
- Includes: (1) 24" Green epoxy handle, (2) 5" Swivel resilient rubber casters, (2) 5" Resilient rubber casters with brakes
- Shipped knocked-down
- NSF certified

Capacity: 600 lbs.
Cart Material: Epoxy Finish
Overall Height: 69"
Overall Depth: 24"
Wheel Material: Rubber

Manufacturer's Warranty: 1 Year Limited
Includes: (1) 24" Green epoxy handle; (2) 5" Swivel resilient rubber casters; (2) 5" Resilient rubber casters with brakes

ITEM #	NO. OF SHELVES	OVERALL WIDTH
OPS-13331	4	36"
OPS-13332	4	48"
OPS-13333	4	60"
OPS-13334	5	36"
OPS-13335	5	48"
OPS-13336	5	60"

Wire Mesh Panels



OPS-13337

Wire Mesh Frame

Unit of measure: Each

- 2" x 2" welded wire mesh
- 10 gauge steel panels are easy to install and require no maintenance
- Permits full visibility and allows for unrestricted circulation of air, heat and light
- Hardware not included - required hardware per additional stacked panel: (2) MMH254 Bolts, (2) MMM966 Nuts

Height: 2'
Width: 2'
Colour: Black

Weight: 10 lbs.
Manufacturer's Warranty: 1 Year Limited



Wire Mesh Frame


2 options · Unit of measure: Each

- 2" x 2" welded wire mesh
- 10 gauge steel panels are easy to install and require no maintenance
- Permits full visibility and allows for unrestricted circulation of air, heat and light
- Hardware not included - required hardware per additional stacked panel: (2) MMH254 Bolts, (2) MMM966 Nuts

Width: 3'
Colour: Black

Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WEIGHT
OPS-13338	2'	15 lbs.
OPS-13339	4'	20 lbs.



Wire Mesh Partition Components - Panels


9 options · Unit of measure: Each

- 2" x 2" welded wire mesh
- 10 gauge steel panels are easy to install and require no maintenance
- Permits full visibility and allows for unrestricted circulation of air, heat and light

Colour: Blue

Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WIDTH	WEIGHT
OPS-13340	2'	2'	10 lbs.
OPS-13341	2'	3'	15 lbs.
OPS-13342	2'	4'	14.5 lbs.
OPS-13343	2'	8'	28 lbs.
OPS-13344	3'	8'	33 lbs.
OPS-13345	4'	3'	20 lbs.
OPS-13346	4'	4'	23 lbs.
OPS-13347	4'	8'	42 lbs.
OPS-13349	1'	4'	10 lbs.



OPS-13348


Wire Mesh Partition Components - Panels

Unit of measure: Each

- 2" x 2" welded wire mesh
- 10 gauge steel panels are easy to install and require no maintenance
- Permits full visibility and allows for unrestricted circulation of air, heat and light
- Hardware not included - required hardware per additional stacked panel: (4) MMH254 Bolts, (4) MMM966 Nuts

Height: 1'
Width: 8'
Colour: Blue

Weight: 21 lbs.
Manufacturer's Warranty: 1 Year Limited



Wire Mesh Partition Components - Panels


9 options · Unit of measure: Each

- 2" x 2" welded wire mesh
- 10 gauge steel panels are easy to install and require no maintenance
- Permits full visibility and allows for unrestricted circulation of air, heat and light

Colour: Yellow

Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WIDTH	WEIGHT
OPS-13350	4'	8'	42 lbs.
OPS-13351	2'	4'	14.5 lbs.
OPS-13352	2'	8'	28 lbs.
OPS-13353	3'	8'	33 lbs.
OPS-13354	1'	4'	10 lbs.
OPS-13355	1'	8'	21 lbs.
OPS-13356	2'	2'	10 lbs.
OPS-13357	2'	3'	15 lbs.
OPS-13358	4'	3'	20 lbs.



Wire Mesh Partition Panel


5 options · Unit of measure: Each

- 2" x 2" welded wire mesh
- Permits full visibility and allows for unrestricted circulation of air, heat and light
- 10 gauge steel panels are easy to install and require no maintenance

Colour: Black

Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WIDTH	WEIGHT
OPS-13359	2'	4'	14.5 lbs
OPS-13360	2'	8'	28 lbs.
OPS-13361	3'	8'	33 lbs.
OPS-13362	4'	4'	23 lbs
OPS-13363	4'	8'	42 lbs



Wirewall Wire Mesh Partition Panel

2 options · Unit of measure: Each

- 2" x 2" welded wire mesh
- 10 gauge steel panels are easy to install and require no maintenance
- Permits full visibility and allows for unrestricted circulation of air, heat and light

Height: 1'

Manufacturer's Warranty: 1 Year Limited

Colour: Black

ITEM #	WIDTH	WEIGHT
OPS-13364	4'	10 lbs.
OPS-13365	8'	21 lbs.

Wire Mesh Partition Doors



OPS-13366


Cabinet Workbench - Doors

Unit of measure: Each

- Made of 18-gauge steel on rollers
- Recessed handles
- Includes: Plunger lock and 2 keys
- Door Set, Lock Included

Weight: 40 lbs.

Manufacturer's Warranty: 1 Year Limited



Product range


4 options · Unit of measure: Each

- 2"x2" welded wire mesh
- 10 gauge steel panels are easy to install and require no maintenance
- Permits full visibility and allows for unrestricted circulation of air, heat and light

Colour: Black

Manufacturer's Warranty: 1 Year Limited

ITEM #	PRODUCT	HEIGHT	WIDTH	WEIGHT
OPS-13367	Heavy-Duty Wire Mesh Partition Sliding Door	8'	4'	85 lbs.
OPS-13368	Heavy-Duty Wire Mesh Partition Sliding Door	10'	8'	148 lbs.
OPS-13369	Heavy-Duty Wire Mesh Partition Sliding Door	8'	8'	122 lbs.
OPS-13372	Standard-Duty Wire Mesh Partition Sliding Door	8'	4'	71 lbs.



Product range

5 options · Unit of measure: Each


- 2"x2" welded wire mesh
- 10 gauge steel panels are easy to install and require no maintenance
- Permits full visibility and allows for unrestricted circulation of air, heat and light

Height: 7'

Manufacturer's Warranty: 1 Year Limited

Colour: Black

ITEM #	PRODUCT	WIDTH	WEIGHT
OPS-13370	Heavy-Duty Wire Mesh Partition Swing Door	3'	65 lbs.
OPS-13371	Heavy-Duty Wire Mesh Partition Swing Door	4'	74 lbs.
OPS-13373	Standard-Duty Wire Mesh Partition Swing Door	3'	54 lbs.
OPS-13374	Standard-Duty Wire Mesh Partition Swing Door	4'	62 lbs.
OPS-13393	Wire Mesh Partition Swing Door with Wicket	4'	85 lbs.



Wire Mesh Partition Components - Sliding Doors


4 options · Unit of measure: Each

- All are 7' 7" in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width

Colour: Blue

Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WIDTH	WEIGHT
OPS-13375	8'	4'	85 lbs.
OPS-13376	10'	8'	148 lbs.
OPS-13377	8'	8'	122 lbs.
OPS-13378	8'	4'	71 lbs.



Wire Mesh Partition Components - Sliding Doors


4 options · Unit of measure: Each

- All are 7' 7" in height and require one or more 8' lengths of 5" tall sliding door track, for a total of 8' height
- All sliding doors may slide open to the left or to the right
- To properly mount a sliding door, a post must be located on the side onto which the door slides, at the same distance away from the opening as the doors width

Colour: Yellow

Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WIDTH	WEIGHT
OPS-13379	8'	4'	71 lbs.
OPS-13380	8'	4'	85 lbs.
OPS-13381	8'	8'	122 lbs.
OPS-13382	10'	8'	148 lbs.



Wire Mesh Partition Components - Swing Doors

5 options · Unit of measure: Each


- All are 7' in height and include a 1' transom for a total of 8' height
- Fasteners are included

Height: 7'

Colour: Blue

Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	WEIGHT
OPS-13383	3'	65 lbs.
OPS-13384	4'	74 lbs.
OPS-13385	4'	85 lbs.
OPS-13386	3'	54 lbs.
OPS-13387	4'	62 lbs.



Wire Mesh Partition Components - Swing Doors

5 options · Unit of measure: Each

- All are 7' in height and include a 1' transom for a total of 8' height
- Fasteners are included

Height: 7'

Colour: Yellow

Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH	WEIGHT
OPS-13388	3'	65 lbs.
OPS-13389	3'	54 lbs.
OPS-13390	4'	74 lbs.
OPS-13391	4'	62 lbs.
OPS-13392	4'	85 lbs.

Wire Mesh Partition Kits




Wire Mesh Partition Kits

16 options · Unit of measure: Each

- Used where restricted access is required
- Bolt-down posts and reinforced panels provide the strength that your application demands
- Standard STOCK SIZES include all basic bolt-together hardware required for fast and easy installation
- Sliding door which may be located on any side, opening left-to-right or right-to-left
- Models with roof provide maximum security
- CUSTOM SIZES can be designed to suit your special application regardless of the size required

Colour: Industrial blue
Type: 2 Sides
Manufacturer's Warranty: 1 Year Limited

ITEM #	DIMENSIONS W X D X H	DOOR SIZE W' X H'	FEATURE
OPS-13394	16'8" x 12'6" x 12'3"	4x8	Without Roof
OPS-13395	16'8" x 12'6" x 12'3"	4x8	With Roof
OPS-13396	16'8" x 12'6" x 8'3"	4x8	Without Roof
OPS-13397	16'8" x 12'6" x 8'3"	4x8	With Roof
OPS-13398	24'8" x 16'6" x 12'3"	8x8	Without Roof
OPS-13399	24'8" x 16'6" x 12'3"	8x8	With Roof
OPS-13400	24'8" x 16'6" x 8'3"	8x8	Without Roof
OPS-13401	24'8" x 16'6" x 8'3"	8x8	With Roof
OPS-13402	32' x 24' x 12'3"	8x8	Without Roof
OPS-13403	32' x 24' x 12'3"	8x8	With Roof
OPS-13404	32' x 24' x 8'3"	8x8	Without Roof
OPS-13405	32' x 24' x 8'3"	8x8	With Roof
OPS-13406	12'8" x 8'4" x 12'3"	4x8	Without Roof
OPS-13407	12'8" x 8'4" x 12'3"	4x8	With Roof
OPS-13408	12'8" x 8'4" x 8'3"	4x8	Without Roof
OPS-13409	12'8" x 8'4" x 8'3"	4x8	With Roof



Wire Mesh Partition Kits


16 options · Unit of measure: Each

- Used where restricted access is required
- Bolt-down posts and reinforced panels provide the strength that your application demands
- Standard STOCK SIZES include all basic bolt-together hardware required for fast and easy installation
- Sliding door which may be located on any side, opening left-to-right or right-to-left
- Models with roof provide maximum security
- CUSTOM SIZES can be designed to suit your special application regardless of the size required

Colour: Industrial blue
Type: 3 Sides
Manufacturer's Warranty: 1 Year Limited

ITEM #	DIMENSIONS W X D X H	DOOR SIZE W' X H'	FEATURE
OPS-13410	16'8" x 12'6" x 12'3"	4x8	Without Roof
OPS-13411	16'8" x 12'6" x 12'3"	4x8	With Roof
OPS-13412	16'8" x 12'6" x 8'3"	4x8	Without Roof
OPS-13413	16'8" x 12'6" x 8'3"	4x8	With Roof
OPS-13414	24'8" x 16'6" x 12'3"	8x8	Without Roof
OPS-13415	24'8" x 16'6" x 12'3"	8x8	With Roof
OPS-13416	24'8" x 16'6" x 8'3"	8x8	Without Roof
OPS-13417	24'8" x 16'6" x 8'3"	8x8	With Roof

ITEM #	DIMENSIONS W X D X H (cont.)	DOOR SIZE W' X H'	FEATURE
OPS-13418	32' x 24' x 12'3"	8x8	Without Roof
OPS-13419	32' x 24' x 12'3"	8x8	With Roof
OPS-13420	32' x 24' x 8'3"	8x8	Without Roof
OPS-13421	32' x 24' x 8'3"	8x8	With Roof
OPS-13422	12'8" x 8'4" x 12'3"	4x8	Without Roof
OPS-13423	12'8" x 8'4" x 12'3"	4x8	With Roof
OPS-13424	12'8" x 8'4" x 8'3"	4x8	Without Roof
OPS-13425	12'8" x 8'4" x 8'3"	4x8	With Roof



Wire Mesh Partition Kits

16 options · Unit of measure: Each

- Used where restricted access is required
- Bolt-down posts and reinforced panels provide the strength that your application demands
- Standard STOCK SIZES include all basic bolt-together hardware required for fast and easy installation
- Sliding door which may be located on any side, opening left-to-right or right-to-left
- Models with roof provide maximum security
- CUSTOM SIZES can be designed to suit your special application regardless of the size required

Colour: Industrial blue
Manufacturer's Warranty: 1 Year Limited
Type: 4 Sides

ITEM #	DIMENSIONS W X D X H	DOOR SIZE W' X H'	FEATURE
OPS-13426	16'8" x 12'6" x 12'3"	4x8	Without Roof
OPS-13427	16'8" x 12'6" x 12'3"	4x8	With Roof
OPS-13428	16'8" x 12'6" x 8'3"	4x8	Without Roof
OPS-13429	16'8" x 12'6" x 8'3"	4x8	With Roof
OPS-13430	24'8" x 16'6" x 12'3"	8x8	Without Roof
OPS-13431	24'8" x 16'6" x 12'3"	8x8	With Roof
OPS-13432	24'8" x 16'6" x 8'3"	8x8	Without Roof
OPS-13433	24'8" x 16'6" x 8'3"	8x8	With Roof
OPS-13434	32' x 24' x 12'3"	8x8	Without Roof
OPS-13435	32' x 24' x 12'3"	8x8	With Roof
OPS-13436	32' x 24' x 8'3"	8x8	Without Roof
OPS-13437	32' x 24' x 8'3"	8x8	With Roof
OPS-13438	12'8" x 8'4" x 12'3"	4x8	Without Roof
OPS-13439	12'8" x 8'4" x 12'3"	4x8	With Roof
OPS-13440	12'8" x 8'4" x 8'3"	4x8	Without Roof
OPS-13441	12'8" x 8'4" x 8'3"	4x8	With Roof

Wire Mesh Partition Parts & Accessories




Mounting Bracket For Mesh Guard

3 options · Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited
Width: 6"
Thickness: 0.12"
Hole Diameter: 3/8"

ITEM #	LENGTH	WEIGHT
OPS-13442	7-1/2"	1.515 lbs.
OPS-13443	10-1/2"	2.127 lbs.
OPS-13444	13-1/2"	2.739 lbs.




OPS-13445

Strip Curtain Doors - Fixed Mounting System

Unit of measure: Each

- Complete 4' aluminum angle mount

Manufacturer's Warranty: 1 Year Limited



Wire Mesh Partition Components - Adjustable Filler Panels

2 options · Unit of measure: Each

- Adjustable filler panels fill in blank spots on the ends of wire mesh partitions to plug up potential security risks. Filler panels come in two sizes: 1' x 4' and 1' x 8' that slide over the ends of existing wire mesh sections. Bolt holes on the filler panels are separated per every inch and allow the filler panel to fill in a space between 6" and 10" wide. The holes line up with holes on the existing panel which are drilled in at the top and bottom to securely fasten the filler panel in two places.

Colour: Blue
Manufacturer's Warranty: 1 Year Limited

ITEM #	DIMENSIONS W X H	WEIGHT
OPS-13446	8' x 1'	16 lbs.
OPS-13447	4' x 1'	10 lbs.



Wire Mesh Partition Components - Adjustable Filler Panels

2 options · Unit of measure: Each

- Adjustable filler panels fill in blank spots on the ends of wire mesh partitions to plug up potential security risks. Filler panels come in two sizes: 1' x 4' and 1' x 8' that slide over the ends of existing wire mesh sections. Bolt holes on the filler panels are separated per every inch and allow the filler panel to fill in a space between 6" and 10" wide. The holes line up with holes on the existing panel which are drilled in at the top and bottom to securely fasten the filler panel in two places.

Colour: Yellow

Manufacturer's Warranty: 1 Year Limited

ITEM #	DIMENSIONS W' X H'	WEIGHT
OPS-13448	4 x 1	5 lbs.
OPS-13449	8 x 1	10 lbs.




Wire Mesh Partition Components - Hardware

2 options · Unit of measure: Each

Colour: Blue

Manufacturer's Warranty: 1 Year Limited

ITEM #	WEIGHT
OPS-13450	6 lbs.
OPS-13451	16 lbs.



OPS-13452

Wire Mesh Partition Components - Hardware

Unit of measure: Each

- Wall Bracket Kit

Colour: Blue

Weight: 0.1 lbs.

Manufacturer's Warranty: 1 Year Limited



Wire Mesh Partition Components - Hardware

3 options · Unit of measure: Each

Colour: Yellow

Manufacturer's Warranty: 1 Year Limited

ITEM #	WEIGHT
OPS-13453	16 lbs.
OPS-13454	6 lbs.
OPS-13455	0.1 lbs.



OPS-13456

Wire Mesh Partition Door Track

Unit of measure: Each

Length: 8"
Colour: Black

Weight: 16 lbs.
Manufacturer's Warranty: 1 Year Limited



OPS-13457

Wire Mesh Partition Sliding Door Hardware Kit

Unit of measure: Each

Colour: Black
Weight: 6 lbs.

Manufacturer's Warranty: 1 Year Limited



Wirewall Adjustable Filler Panel

2 options · Unit of measure: Each

- 2"x2" welded wire mesh
- 10 gauge steel panels are easy to install and require no maintenance
- Permits full visibility and allows for unrestricted circulation of air, heat and light

Colour: Black
Adjustable Width: 6' - 10'

Manufacturer's Warranty: 1 Year Limited

ITEM #	WEIGHT	HEIGHT
OPS-13458	5 lbs.	4'
OPS-13459	10 lbs.	8'

Wire Mesh Partition Posts



Wire Mesh Partition Components - Universal Posts

3 options · Unit of measure: Each

- A post must be placed at each end of every panel (or of every stack of panels)
- Use line posts between in-line panels for support, use corner posts when a 90° corner or a "T" joint is required
- Be sure to calculate an extra 2" of overall wall length for each post added

Colour: Blue

Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WEIGHT
OPS-13460	10-1/4'	27 lbs.
OPS-13461	12-1/4'	28.5 lbs.
OPS-13462	8-1/4'	22 lbs.



Wire Mesh Partition Components - Universal Posts

3 options · Unit of measure: Each

- A post must be placed at each end of every panel (or of every stack of panels)
- Use line posts between in-line panels for support, use corner posts when a 90° corner or a "T" joint is required
- Be sure to calculate an extra 2" of overall wall length for each post added
- When a post meets an existing wall, add 1 OPS-13452 wall bracket for proper support (fasteners are included with OPS-13452 to mount to post, not to wall)

Colour: Yellow

Manufacturer's Warranty: 1 Year Limited

ITEM #	HEIGHT	WEIGHT
OPS-13463	8-1/4'	22 lbs.
OPS-13464	10-1/4'	27 lbs.
OPS-13465	12-1/4'	32 lbs.

Wire Shelf Parts & Accessories



Caster for Chromate Wire Shelving

2 options · Unit of measure: Each

- Zinc plated steel frame resists corrosion and rust
- Recommended for use on hard surfaces

Wheel Diameter: 5"
Capacity: 250 lbs.

Wheel Material: Polyurethane
Manufacturer's Warranty: 1 Year Limited

ITEM #	CASTER TYPE	WEIGHT
OPS-13466	Swivel	—
OPS-13467	Swivel with Brake	2.25 lbs.



OPS-13468

Die Cast for Chromate Wire Shelving

Unit of measure: Each

- Adjustable feet compensate for surface irregularities

Weight: 0.1 lbs.

Manufacturer's Warranty: 1 Year Limited




Direct Wall Mount for Chromate Wire Shelving

4 options · Unit of measure: Each

- NSF certified

Manufacturer's Warranty: 1 Year Limited

ITEM #	LOAD RATING	SINGLE SHELF SUPPORT	WEIGHT
OPS-13469	200 lbs. (91 kg)	18"	1.75 lbs.
OPS-13470	200 lbs. (91 kg)	—	3.25 lbs.
OPS-13471	—	—	1.9 lbs.
OPS-13472	—	—	2 lbs.



Divider for Chromate Wire Shelving

2 options · Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited

ITEM #	WEIGHT
OPS-13473	1.7 lbs.
OPS-13474	2.2 lbs.



OPS-13475

Foot Bolts for Chromate Wire Shelving

Unit of measure: Each

- Adjustable feet compensate for surface irregularities

Weight: 0.1 lbs.

Manufacturer's Warranty: 1 Year Limited




Handle for Chromate Wire Shelving

2 options · Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited

ITEM #	WEIGHT
OPS-13476	3.9 lbs.
OPS-13477	4.4 lbs.



Ledge for Chromate Wire Shelving

8 options · Unit of measure: Each

Height: 4"
Material: Chrome

Manufacturer's Warranty: 1 Year Limited

ITEM #	WEIGHT	WIDTH
OPS-13478	0.6 lbs.	14"
OPS-13479	0.75 lbs.	18"
OPS-13480	1 lbs.	24"
OPS-13481	2 lbs.	30"
OPS-13482	2.5 lbs.	36"
OPS-13483	3.5 lbs.	48"
OPS-13484	3.75 lbs.	60"
OPS-13485	4 lbs.	72"



OPS-13486

Levelling Feet for Chromate Wire Shelving

Unit of measure: Each

- Die cast and foot bolt
- Adjustable feet compensate for surface irregularities

Weight: 0.2 lbs.

Manufacturer's Warranty: 1 Year Limited



OPS-13487

S-Hook for Chromate Wire Shelving

Unit of measure: Each

- For attaching Add-On
- Use S hooks to eliminate two posts per adjacent shelf. 2 required per shelf.

Weight: 0.1 lbs.

Manufacturer's Warranty: 1 Year Limited



OPS-13488


Split Sleeve for Chromate Wire Shelving

Unit of measure: Pack of 4

- Black, 4 pc/bag

Weight: 0.1 lbs.

Manufacturer's Warranty: 1 Year Limited



Wire Enclosure Panel

3 options · Unit of measure: Each

Length: 61.5"
Finish: Chrome

Mesh Opening Dimensions: 3" x 3"
Manufacturer's Warranty: 1 Year Limited

ITEM #	WIDTH
OPS-13489	15"
OPS-13490	18"
OPS-13491	21"

Wire Spool Carts



OPS-13492

Mobile Wire Spool Cart

Unit of measure: Each

- 6 removable spool rods (3 per side)
- 2x 18" wide louvered panels on each end
- 5" non-marking blue rubber casters; 2 swivel with brake and 2 rigid
- Extended push handle on the end with the swivel casters
- Durable industrial blue polyurethane finish

Capacity: 1200 lbs.
Cart Material: Steel
Overall Width: 21"
Overall Height: 48"

Overall Depth: 38"
Construction: All-Welded
Rod Quantity: 6
Manufacturer's Warranty: 1 Year Limited



OPS-13493

Portable Wire Reel Caddy

Unit of measure: Each

- Mobile storage for wire spools, reels, and cables
- Ideal for electricians, contractors and builders
- Ready to use, all-welded steel construction
- 4" wide tool tray included
- Rolls on 8" mold-on rubber wheels
- 4 clip-in-place rods for easy spool change
- Holds up to 8" diameter spools on top 3 rods
- Holds up to 12" diameter spools on lower rod
- Durable industrial blue polyurethane finish
- Load capacity is based on evenly distributed weight

Capacity: 400 lbs.
Cart Material: Steel
Overall Width: 24-1/2"
Overall Height: 49"
Overall Depth: 23"
Construction: All-Welded
Rod Quantity: 4
Weight: 52 lbs.
Width Without the Wheel: 18"
Manufacturer's Warranty: 1 Year Limited

Wood Deck Wagon Trucks



Ergonomic Platform Wagon Trucks

3 options · Unit of measure: Each

- Flush deck allows for easy loading/unloading of cargo
- Quality hardwood deck features a 2" x 2" angle iron frame
- Handle can be raised up to 45"
- Fifth wheel design allows for easier manoeuvering
- T-handle with vinyl handgrips
- Rolls on four 10" pneumatic wheels
- Durable industrial blue polyurethane finish

Handle Height: 45"
Capacity: 1000 lbs.
Wheel Diameter: 10"
Wheel Material: Pneumatic
Deck Height: 14.25"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	WEIGHT	PLATFORM LENGTH	PLATFORM WIDTH
OPS-13494	24"	48"	120 lbs.	48"	24"
OPS-13495	30"	60"	150 lbs.	60"	30"
OPS-13496	36"	72"	190 lbs.	72"	36"

Wood Dolly Racks



Dolly Racks

2 options · Unit of measure: Each

- Converts a basic wood dolly into a multi-purpose panel caddy
- All-welded 1" tube designed for durability
- Tubular steel rack is padded to prevent scratching or marring
- Durable industrial blue polyurethane finish

Frame Material: Steel
Between Rail Clearance: 16"
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL DIMENSIONS	FOR USE WITH	WEIGHT
OPS-13497	18" W x 24" D x 43" H	24" D Wood Dollies	16 lbs.
OPS-13498	18" W x 30" D x 43" H	30" D Wood Dollies	18.4 lbs.

Wood Platform Trucks



Heavy-Duty Platform Truck

15 options · Unit of measure: Each

- Wood deck features a sturdy 2" x 2" angle iron frame with quality hardwood decking
- Removable 1 1/4" chrome handle can be placed at either end
- Double-welded sockets
- Available in standard caster or diamond tilt placement
- Standard Corner pattern is 2 swivel casters in the back and 2 rigid casters in the front of the platform truck
- Diamond Tilt pattern allows the truck to Tilt-balance slightly on the centre side casters, allowing the truck to turn in its own length
- Various casters are available to meet your specific application
- Two rigid and two swivel bolted-on casters
- Durable industrial blue polyurethane finish

Deck: Wood Deck **Manufacturer's Warranty:** 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	HANDLE HEIGHT	CAPACITY	CASTER PLACEMENT	WHEEL DIAMETER	WHEEL MATERIAL	DECK HEIGHT	WEIGHT
OPS-13499	24"	48"	40"	2500 lbs.	Corner Standard	8"	Nylon	11"	110 lbs.
OPS-13500	24"	48"	40"	2500 lbs.	Diamond Tilt	8"	Nylon	11"	115 lbs.
OPS-13501	30"	48"	40"	2500 lbs.	Corner Standard	8"	Nylon	11"	125 lbs.
OPS-13502	30"	48"	40"	2500 lbs.	Diamond Tilt	8"	Nylon	11"	130 lbs.
OPS-13503	30"	60"	40"	2500 lbs.	Corner Standard	8"	Nylon	11"	140 lbs.
OPS-13504	30"	60"	40"	2500 lbs.	Diamond Tilt	8"	Nylon	11"	145 lbs.
OPS-13505	36"	72"	40"	2500 lbs.	Corner Standard	8"	Nylon	11"	180 lbs.
OPS-13506	36"	72"	40"	2500 lbs.	Diamond Tilt	8"	Nylon	11"	190 lbs.
OPS-13507	48"	96"	40"	2500 lbs.	Corner Standard	8"	Nylon	11"	240 lbs.
OPS-13508	48"	96"	40"	2500 lbs.	Diamond Tilt	8"	Nylon	11"	250 lbs.
OPS-13509	24"	48"	42"	1200 lbs.	Corner Standard	10"	Pneumatic	13"	110 lbs.
OPS-13510	30"	60"	42"	1200 lbs.	Corner Standard	10"	Pneumatic	13"	140 lbs.
OPS-13511	24"	48"	40"	2000 lbs.	Corner Standard	8"	Rubber	11"	110 lbs.
OPS-13513	30"	60"	40"	2000 lbs.	Corner Standard	8"	Rubber	11"	140 lbs.
OPS-13514	48"	96"	40"	2000 lbs.	Corner Standard	8"	Rubber	11"	240 lbs.



OPS-13512

Heavy-Duty Platform Truck

Unit of measure: Each

- Wood deck features a sturdy 2" x 2" angle iron frame with quality hardwood decking
- Removable 1 1/4" chrome handle can be placed at either end
- Double-welded sockets
- Available in standard caster or diamond tilt placement
- Standard Corner pattern is 2 swivel casters in the back and 2 rigid casters in the front of the platform truck
- Diamond Tilt pattern allows the truck to Tilt-balance slightly on the centre side casters, allowing the truck to turn in its own length
- Various casters are available to meet your specific application
- Two rigid and two swivel bolted-on casters
- Durable industrial blue polyurethane finish

Deck Width: 30"
Deck Length: 48"
Handle Height: 40"
Capacity: 2000 lbs.
Caster Placement: Corner Standard
Wheel Diameter: 8"
Wheel Material: Rubber
Deck: Wood Deck
Deck Height: 11"
Weight: 125 lbs.
Manufacturer's Warranty: 1 Year Limited




Platform Trucks - All Wood Deck Platform Trucks

5 options · Unit of measure: Each

- Made of quality 7/8" hardwood with 5"x 1 5/8" hardwood sidewall
- Hardwood surface will not mar or scratch loads
- Removable 1 1/4" tubular chrome handle
- Mounted on two 12" wheels and two 6" swivel high-temp nylon casters

Handle Height: 44"
Capacity: 3000 lbs.
Caster Placement: Corner Standard
Wheel Diameter: 6"
Wheel Material: Nylon
Deck Height: 15"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	WEIGHT
OPS-13515	24"	48"	150 lbs.
OPS-13516	30"	48"	170 lbs.
OPS-13517	30"	60"	195 lbs.
OPS-13518	36"	60"	210 lbs.
OPS-13519	36"	72"	230 lbs.



Specialized Platform Decks - Semi Live Skids

2 options · Unit of measure: Each

- Ideal solution for removable temporary storage
- 3/16" x 2" x 2" angle frame with hardwood deck
- 52" jack handle (sold separately) engages skids and converts them to portable truck
- Skids and handle roll on 8" Mold-On rubber wheels
- Can be stacked away when not in use
- Durable industrial blue polyurethane finish

Handle Height: 0"
Capacity: 2000 lbs.
Caster Placement: Corner Standard
Wheel Diameter: 8"
Wheel Material: Rubber
Deck Height: 12"
Manufacturer's Warranty: 1 Year Limited

ITEM #	DECK WIDTH	DECK LENGTH	WEIGHT
OPS-13520	24"	48"	115 lbs.
OPS-13521	30"	60"	145 lbs.

Work Platform



Work Platforms

4 options · Unit of measure: Each

- Solid all-welded construction
- Elevate workers to comfortable working heights
- Provides solid footing around machinery and other work areas
- Durable industrial blue polyurethane finish
- Meets ANSI standard A14.7

Platform Depth: 32"
Construction: All-Welded
Load Capacity: 800 lbs.
Step Type: Perforated
Manufacturer's Warranty: 1 Year Limited

ITEM #	PLATFORM WIDTH	TOP STEP HEIGHT	WEIGHT
OPS-13522	24"	6"	28 lbs.
OPS-13523	32"	6"	34 lbs.
OPS-13524	24"	12"	32 lbs.
OPS-13525	32"	12"	38 lbs.

Work Platform Parts & Accessories



OPS-13526

Emergency Stop Switch

Unit of measure: Each

- Emergency Stop Switch
- Safety kill switch for person on work platform
- Will cut power to forklift in case of an emergency
- Consists of control box for platform, plug-in box (to be installed on forklift) and wire that extends 6' to 20'
- Switch is easy to install
- Recommended for maintenance platform model OPS-11814 and OPS-11815

Manufacturer's Warranty: 1 Year Limited



OPS-13527

High Work Maintenance Platforms - Light Bulb Caddies

Unit of measure: Each

- Mounts on models OPS-11814 and OPS-11815

Dimensions: 15" W x 15" D x 43" H
Weight: 25 lbs.
Manufacturer's Warranty: 1 Year Limited



High Work Maintenance Platforms - Optional Tool Tray

2 options · Unit of measure: Each

Manufacturer's Warranty: 1 Year Limited

ITEM #	DIMENSIONS
OPS-13528	36" L x 4" W x 3" D
OPS-13529	48" L x 4" W x 3" D

Workbench Back Stops



Workbench - Back Stops

5 options · Unit of measure: Each

- Add a 3" edge to the back of any workbench
- Hardware included

Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH
OPS-13530	48"
OPS-13531	60"
OPS-13532	72"
OPS-13533	84"
OPS-13534	96"

Workbench Drawers



Product range


2 options · Unit of measure: Each

- Add secure, convenient storage to your cabinet workbench with a drawer module designed to keep frequently used tools and supplies organized and within easy reach
- Heavy-duty all-welded steel construction delivers lasting durability in demanding industrial, maintenance, and shop environments
- Designed to integrate seamlessly with compatible cabinet workbench configurations for a customized workstation solution
- Two lockable drawers help secure valuable tools and equipment while supporting a more organized workspace
- All locks keyed alike by drawer model
- Each drawer is rated for up to 100 lb evenly distributed, making it ideal for storing heavier tools, components, and workplace essentials
- Full-extension ball-bearing slides provide smooth operation and complete access to stored contents

Width: 18-1/8"
Depth: 22"
Height: 9-3/16"
Material: Steel
For Use With: OPS-13564 Customizable Cabinet Workbench Shell

Interior Drawer Dimensions: 16-9/16" W x 20-3/16" D x 2-3/4" H
Capacity per Drawer: 100 lbs. Evenly Distributed
Colour: Blue & Grey

ITEM #	PRODUCT	INCLUDES
OPS-13535	Dual Drawer Module for Cabinet Workbench	(1) Dual drawer module; (2) Keys
OPS-13536	Dual Drawer Module Kit for Cabinet Workbench	(1) Dual drawer module; (2) Keys; (2) Mounting rails



Product range

2 options · Unit of measure: Each

- Add secure, convenient storage to your cabinet workbench with a drawer module designed to keep frequently used tools and supplies organized and within easy reach
- Heavy-duty all-welded steel construction delivers lasting durability in demanding industrial, maintenance, and shop environments
- Designed to integrate seamlessly with compatible cabinet workbench configurations for a customized workstation solution
- Integrated lock with two keys helps secure valuable tools and equipment when not in use
- All locks keyed alike by drawer model
- Each drawer is rated for up to 100 lb evenly distributed, making it ideal for storing heavier tools, components, and workplace essentials
- Full-extension ball-bearing slides provide smooth operation and complete access to stored contents

Width: 18-1/8"
Depth: 22"
Height: 9-3/16"
Material: Steel
For Use With: OPS-13564 Customizable Cabinet Workbench Shell
Interior Drawer Dimensions: 16-9/16" W x 20-3/16" D x 5-13/16" H
Capacity per Drawer: 100 lbs. Evenly Distributed
Colour: Blue & Grey

ITEM #	PRODUCT	INCLUDES
OPS-13537	Single Drawer Module for Cabinet Workbench	(1) Single drawer module; (2) Keys
OPS-13538	Single Drawer Module Kit for Cabinet Workbench	(1) Single drawer module; (2) Keys; (2) Mounting rails

Workbench End Stops



Workbench - End Stops

3 options · Unit of measure: Each

- Add 3" sides to any workbench
- Hardware included

Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH
OPS-13539	24"
OPS-13540	30"
OPS-13541	36"

Workbench Legs



Industrial Duty Leg for Workbench

4 options · Unit of measure: Each

- Hole at the bottom allow floor anchoring
- Top leg is pre-drilled to allow easy attachment to workbenches
- 14 gauge steel construction

Height: 34"
Kit: Single
Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	USE W/ TOP DEPTH	COLOUR
OPS-13542	24"	24"	Black
OPS-13543	30"	30"/36"	Black
OPS-13544	24"	24"	—
OPS-13545	30"	30"/36"	—



Workbench - Legs

6 options · Unit of measure: Each

- Comes with knockout for standard two-outlet electrical plug
- Hardware included

Height: 32"
Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	DEPTH	KIT	USE W/ TOP DEPTH	DETAILS
OPS-13546	22"	Single	24"	Static leg
OPS-13547	28"	Single	30"/36"	Static legs
OPS-13548	22"	Pair	24"	Pair of legs for use w/24" D top, includes stringer OPS-13574 · Static legs
OPS-13549	22"	Pair	24"	Mobile Kit for use w/24" D top (pair), includes stringer OPS-13574 · Mobile legs
OPS-13550	28"	Pair	30"/36"	Static legs · Provides an overall height of 34" w/top
OPS-13551	28"	Pair	30"/36"	Mobile kit for use w/30" D or 36" D top (pair), includes stringer OPS-13574 · Mobile legs



OPS-13552

Workbench Leg

Unit of measure: Each

- Static leg
- Comes with knockout for standard two-outlet electrical plug
- Hardware included

Depth: 48"
Height: 32"
Kit: Single
Use w/ Top Depth: 24"
Material: Steel
Manufacturer's Warranty: 1 Year Limited

Workbench Lower Shelves



Industrial Duty Lower Shelf for Workbench

6 options · Unit of measure: Each

- Add extra storage to any industrial duty workbench
- 14 gauge steel construction

Overall Depth: 14-3/4"

Manufacturer's Warranty: 1 Year Limited

ITEM #	USE W/ TOP WIDTH	OVERALL WIDTH	COLOUR
OPS-13553	48"	48"	Black
OPS-13554	60"	60"	Black
OPS-13555	72"	72"	Black
OPS-13556	48"	48"	—
OPS-13557	60"	60"	—
OPS-13558	72"	72"	—



Workbench - Lower Shelves

5 options · Unit of measure: Each

- Add extra storage to any workbench
- Hardware included

Overall Depth: 9"

Manufacturer's Warranty: 1 Year Limited

ITEM #	USE W/ TOP WIDTH	OVERALL WIDTH
OPS-13559	48"	44"
OPS-13560	60"	56"
OPS-13561	72"	68"
OPS-13562	84"	80"
OPS-13563	96"	92"

Workbench Parts & Accessories



OPS-13564

Customizable Cabinet Workbench Shell, 59" W x 28"D x 32" H

Unit of measure: Each

- Build a workbench tailored to your operation with a configurable cabinet shell designed to support a wide range of storage and workstation accessories.
- Heavy-duty all-welded 14-gauge steel construction delivers dependable strength for demanding industrial environments
- Create organized, secure storage with customizable drawer, cabinet, and work surface configurations to suit evolving workplace needs (sold separately)
- Durable polyurethane finish helps resist everyday wear and maintain a professional appearance in busy facilities
- A versatile foundation for building efficient, professional-grade workstations across virtually any facility

Height: 32"
Width: 59"
Depth: 28"
Capacity: 1000 lbs.
Colour: Blue
Weight: 105 lbs.



OPS-13565

Workbench Leg Extensions

Unit of measure: Each

- Hardware included

Manufacturer's Warranty: 1 Year Limited



OPS-13566

Workbench Leg Gussets

Unit of measure: Each

- Bench leg gussets are required components when building all leg/pedestal combinations

Sold/Priced Per: Package
Qty/Pkg.: 2
Manufacturer's Warranty: 1 Year Limited

Workbench Riser Shelves



Workbench - Bench Riser Shelves

5 options · Unit of measure: Each

- Increase storage space
- Ideal for getting tools and other equipment off work surfaces
- Hardware included

Overall Depth: 9"
Overall Height: 12"
Material: Steel
Manufacturer's Warranty: 1 Year Limited

ITEM #	OVERALL WIDTH
OPS-13567	48"
OPS-13568	60"
OPS-13569	72"
OPS-13570	84"
OPS-13571	96"

Workbench Stringers



Industrial Duty Universal Stringer

2 options · Unit of measure: Each

- Designed to add stability to any industrial duty workbench
- Prevents legs from shifting
- Adjustable length
- 14 gauge steel construction

Use w/ Top Width: 48"/60"/72"
Manufacturer's Warranty: 1 Year Limited

ITEM #	COLOUR
OPS-13572	Black
OPS-13573	—



Workbench - Universal Stringers

3 options · Unit of measure: Each

- Adds stability to the workbench
- Prevents legs from shifting
- Hardware included

Manufacturer's Warranty: 1 Year Limited

ITEM #	USE W/ TOP WIDTH
OPS-13574	48"/60"/72"
OPS-13575	84"
OPS-13576	96"

Workstation Louvered Panels



OPS-13577

Louvered Bench Rack Only

Unit of measure: Each

- All-welded louvered bench rack
- Provides tool and storage for assembly or repair operations when combined with plastic parts bin
- Durable industrial blue polyurethane finish
- Free standing unit made of 1" square tube frame
- May be placed on any flat surface near a worksite without the need for bolts or fasteners

Overall Width: 36"
Overall Height: 22"
Bins Included: No
Manufacturer's Warranty: 1 Year Limited