KRONOS INDUSTRIES

# PRODUCT CATALOG

# Packaging & Shipping

254 items · Item numbers OPS-13636 to OPS-13889

TO ORDER OR REQUEST A QUOTE

**info@kronosindustries.ca**

**Please quote the item number (OPS-#####)**

## Bag Taping Machines



### OPS-13636

### Heavy-Duty Bag Taper

**Unit of measure: Each**

- Hand filament tape dispenser
- For up to 1" wide rolls
- Metal construction

**Type:** Heavy-Duty
**Fits Tape Width:** 3/8"
**Weight:** 2 lbs.
**Manufacturer's Warranty:** 1 Year Limited

## Box Sealing Tapes




### OPS-13637

### "Fragile" Box Sealing Tape

**Unit of measure: Pack of 6**

- Recommended for cartons containing high recycled content with rough or dusty surfaces
- Not recommended for long term storage or applications with high UV exposure
- Possesses superior holding power and tensile strength than acrylic equivalents
- Suitable for shipping and short-term storage

**Type:** Hand
**Adhesive:** Hot Melt
**Width:** 48 mm (2")
**Length:** 100 m (328')
**Thickness:** 2 mils
**Colour:** Red
**Manufacturer's Warranty:** 1 Year Limited




### Box Sealing Tape

**10 options · Unit of measure: Roll**

**Type:** Hand
**Colour:** Clear
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | ADHESIVE | WIDTH | LENGTH | THICKNESS | QTY/CASE |
|---|---|---|---|---|---|
| **OPS-13638** | Acrylic | 48 mm (2") | 66 m (216') | 1.6 mils | — |
| **OPS-13639** | Acrylic | 48 mm (2") | 100 m (328') | 1.6 mils | — |
| **OPS-13640** | Acrylic | 48 mm (2") | 100 m (328') | 2 mils | — |
| **OPS-13641** | Acrylic | 72 mm (3") | 66 m (216') | 1.6 mils | — |
| **OPS-13642** | Acrylic | 48 mm (2") | 132 m (432') | 1.6 mils | — |
| **OPS-13643** | Hot Melt | 48 mm (2") | 66 m (216') | 1.6 mils | — |
| **OPS-13644** | Hot Melt | 48 mm (2") | 100 m (328') | 1.6 mils | — |
| **OPS-13645** | Hot Melt | 48 mm (2") | 100 m (328') | 2.0 mils | — |
| **OPS-13646** | Hot Melt | 72 mm (3") | 66 m (216') | 1.6 mils | — |
| **OPS-13647** | Hot Melt | 48 mm (2") | 132 m (432') | 1.6 mils | 36 Rolls |



## Box Sealing Tape

**3 options · Unit of measure: Roll**

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | TYPE | ADHESIVE | WIDTH | LENGTH | THICKNESS | COLOUR |
|---|---|---|---|---|---|---|
| **OPS-13648** | Machine | Hot Melt | 50.8 mm (2") | 914.4 m (3000') | 1.6 mils | — |
| **OPS-13649** | Machine | Hot Melt | 50.8 mm (2") | 1828.8 m (6000') | 1.6 mils | — |
| **OPS-13650** | Hand | Acrylic | 48 mm (2") | 110 m (328') | 1.8 mils | Tan |

## Bubble Envelopes



### Bubble Shipping Mailer

**10 options**

- Protective shipping envelopes offer superior protection
- Lightweight saves on shipping costs
- Self-sealing adhesive closure

**Material:** Kraft
**Colour:** Golden Kraft

**Sold/Priced Per:** Envelope
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | LENGTH | WIDTH | UNIT |
|---|---|---|---|
| **OPS-13651** | 10" | 6" | Case of 250 |
| **OPS-13652** | 10" | 5" | Case of 250 |
| **OPS-13653** | 8" | 4" | Case of 500 |
| **OPS-13654** | 12" | 7-1/4" | Case of 100 |
| **OPS-13655** | 12" | 8-1/2" | Case of 100 |
| **OPS-13656** | 14-1/4" | 8-1/2" | Case of 100 |
| **OPS-13657** | 14-1/2" | 9-1/2" | Case of 100 |
| **OPS-13658** | 16" | 10-1/2" | Case of 100 |
| **OPS-13659** | 19" | 12-1/2" | Case of 50 |
| **OPS-13660** | 20" | 14-1/4" | Case of 50 |



## Bubble Shipping Mailer

**13 options**

- Protective shipping envelopes offer superior protection
- Lightweight saves on shipping costs
- Self-sealing adhesive closure

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | MATERIAL | LENGTH | WIDTH | COLOUR | UNIT |
|---|---|---|---|---|---|
| **OPS-13661** | White Paper | 8" | 4" | — | Case of 500 |
| **OPS-13662** | White Paper | 10" | 5" | — | Case of 250 |
| **OPS-13663** | White Paper | 10" | 6" | — | Case of 250 |
| **OPS-13664** | White Paper | 12" | 7-1/4" | — | Case of 100 |
| **OPS-13665** | White Paper | 12" | 8-1/2" | — | Case of 100 |
| **OPS-13666** | White Paper | 14-1/4" | 8-1/2" | — | Case of 100 |
| **OPS-13667** | White Paper | 14-1/2" | 9-1/2" | — | Case of 100 |
| **OPS-13668** | Polyethylene | 12" | 8-1/2" | White | Case of 100 |
| **OPS-13669** | Polyethylene | 14-1/4" | 8-1/2" | White | Case of 100 |
| **OPS-13670** | Polyethylene | 14-1/2" | 9-1/2" | White | Case of 100 |
| **OPS-13671** | Polyethylene | 16" | 10-1/2" | White | Case of 100 |
| **OPS-13672** | Polyethylene | 19" | 12-1/2" | White | Case of 50 |
| **OPS-13673** | Polyethylene | 20" | 14-1/4" | White | Case of 50 |

## Bubble Rolls



### Bubble Roll

**9 options**

- Protects products from vibration, shock and costly damage
- Air bubble reduces damage to shipments while adding very little to overall package weight

**Type:** Standard **Manufacturer's Warranty:** 1 Year Limited

| ITEM # | WIDTH | LENGTH | BUBBLE SIZE | THICKNESS | ROLLS/BAG | UNIT |
|---|---|---|---|---|---|---|
| **OPS-13674** | 48" | 250' | 1/2" | 1/2" | — | Roll |
| **OPS-13675** | 24" | 50' | 1/2" | 1/2" | — | Roll |
| **OPS-13676** | 24" | 250' | 1/2" | 1/2" | 2 | Box of 2 |
| **OPS-13677** | 24" | 175' | 3/16" | 3/16" | — | Roll |
| **OPS-13678** | 24" | 750' | 3/16" | 3/16" | 2 | Box of 2 |
| **OPS-13679** | 12" | 175' | 3/16" | 3/16" | — | Box of 2 |
| **OPS-13680** | 48" | 750' | 3/16" | 3/16" | — | Roll |
| **OPS-13682** | 24" | 375' | 5/16" | 5/16" | 2 | Box of 2 |
| **OPS-13683** | 24" | 375' | 5/16" | 5/16" | 2 | Box of 2 |



## Bubble Roll

**2 options · Unit of measure: Roll**

**Type:** Anti-Static
**Width:** 48"
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | LENGTH | BUBBLE SIZE | THICKNESS |
|---|---|---|---|
| **OPS-13681** | 750' | 3/16" | 3/16" |
| **OPS-13684** | 250' | 1/2" | 1/2" |



## Product range

**2 options · Unit of measure: Each**

**Type:** Standard
**Width:** 48"

| ITEM # | PRODUCT | LENGTH | BUBBLE SIZE | MANUFACTURER'S WARRANTY | THICKNESS | NO. OF LAYERS |
|---|---|---|---|---|---|---|
| **OPS-13685** | Heavy-Duty Bubble Roll | 250' | 1/2" | 1 Year Limited | 1/2" | 3 |
| **OPS-13686** | Industrial Grade Bubble Roll | 750' | 3/16" | — | — | — |

# Edge Protectors



## Product range

**6 options**

- Helps improve the flow of strapping and stretch film around the product

**Material:** Cardboard

| ITEM # | PRODUCT | LENGTH | WIDTH | DEPTH | THICKNESS | MANUFACTURER'S WARRANTY | UNIT |
|---|---|---|---|---|---|---|---|
| **OPS-13687** | Edge Protector | 72" | 2-1/2" | 2.5" | .2" | 1 Year Limited | Each |
| **OPS-13688** | Edge Protectors | 36" | 2-1/2" | 2.5" | 0.2" | 1 Year Limited | Pack of 20 |
| **OPS-13689** | Edge Protectors | 48" | 2-1/2" | 2.5" | 0.2" | 1 Year Limited | Pack of 20 |
| **OPS-13690** | Edge Protectors | 36" | 3" | 3" | 0.2" | 1 Year Limited | Pack of 20 |
| **OPS-13691** | Edge Protectors | 42" | 3" | 3" | 0.2" | — | Pack of 20 |
| **OPS-13692** | Edge Protectors | 48" | 3" | 3" | 0.2" (1/5") | 1 Year Limited | Pack of 20 |

## Filament Tape Dispensers



### OPS-13693
### Filament Tape Dispenser

**Unit of measure: Each**

**Fits Tape Width Up To:** 25.4 mm (1")
**Material:** Steel
**Manufacturer's Warranty:** 1 Year Limited

## Gaylord Bags



### Gaylord Liners

**3 options · Unit of measure: Roll**

- Industrial grade lining for standard gaylord containers

**Colour:** Clear

| ITEM # | LENGTH | WIDTH | HEIGHT | THICKNESS | QTY/ROLL |
|---|---|---|---|---|---|
| **OPS-13694** | 50" | 42" | 110" | 2 mil | 25 |
| **OPS-13695** | 32" | 42" | 72" | 2 mils | 50 |
| **OPS-13696** | 42" | 48" | 66" | 2 mils | 50 |

## Gummed Tape Dispensers



### OPS-13697
### Gummed Tape Dispenser

**Unit of measure: Each**

- A single pull of the handle moistens and dispenses the required length of gummed tape.
- Manual lever dispenses and cuts tape up to 44" long

**Type:** Manual
**Fits Tape Width Up To:** 100 mm ( 4")
**Weight:** 20.46 lbs.
**Manufacturer's Warranty:** 1 Year Limited

## Gummed Tapes



### OPS-13698
### Reinforced Tape

**Unit of measure: Roll**

- Water activated adhesive bonds to the carton even in dusty or dirty conditions
- Reinforced with fiberglass, adding strength to the tape
- Works well with recycled cardboard
- Recommended for use on lightweight cartons of up to 20 lbs

**Width:** 76 mm (3")
**Length:** 150 m (492')
**Colour:** Kraft
**Manufacturer's Warranty:** 1 Year Limited

## Hand Stretch Wraps



### Banding Film

**4 options · Unit of measure: Each**

- For palletizing and securing large loads
- Protects goods from dirt, moisture and theft
- Built-in disposable handle limits downtime when you need a new roll
- Smooth release makes bundling items quick and easy
- Two sided cling with up to 300% stretch

**Type:** Cast
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | WIDTH | LENGTH | GAUGE |
|---|---|---|---|
| **OPS-13699** | 5" | 1500' | 80 Gauge |
| **OPS-13700** | 3" | 1500' | 80 Gauge |
| **OPS-13701** | 5" | 650' | 120 Gauge |
| **OPS-13702** | 3" | 650' | 120 Gauge |



### Stretch Wrap

**8 options · Unit of measure: Each**

| ITEM # | TYPE | WIDTH | LENGTH | GAUGE | MANUFACTURER'S WARRANTY |
|---|---|---|---|---|---|
| **OPS-13703** | Cast | 14" | 1500' | 80 Gauge (20 micrometers) | 1 Year Limited |
| **OPS-13704** | Cast | 13" | 1500' | 65 Gauge (16.25 micrometers) | 1 Year Limited |
| **OPS-13705** | Cast | 18" | 1500' | 80 Gauge (20 micrometers) | 1 Year Limited |
| **OPS-13706** | Cast | 13" | 1500' | 75 Gauge (19 micrometers) | 1 Year Limited |
| **OPS-13707** | Cast | 15" | 1500' | 80 Gauge (20.3 micrometers) | 1 Year Limited |
| **OPS-13708** | Cast | 14" | 1500' | 50 Gauge (13 micrometers) | 1 Year Limited |
| **OPS-13709** | Cast | 12" | 1500' | 50 Gauge (13 micrometers) | 1 Year Limited |
| **OPS-13710** | Blown | 18" | 1000' | 120 Gauge (30 micrometers) | — |

## Hand Tape Dispensers



### Tape Dispenser

**2 options · Unit of measure: Each**

- Retractable safety blade protects operator from injury
- Industrial quality tape guns constructed of steel and high impact plastic frame
- Adjustable brake lets you choose the desired release tension

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | TYPE | FITS TAPE WIDTH UP TO | BODY MATERIAL | REPLACEMENT BLADE MODEL NO. | REPLACEMENT WINDOW MODEL NO. |
|---|---|---|---|---|---|
| **OPS-13711** | Standard-Duty | 51 mm (2") | Plastic | OPS-13871 | OPS-13873 |
| **OPS-13713** | Heavy Duty | 76.2 mm (3") | Steel | OPS-13872 | OPS-13874 |



### OPS-13712

### Tape Dispenser

**Unit of measure: Each**

- Replacement Blade Model No.: OPS-13871
- Retractable safety blade protects operator from injury
- Industrial quality tape guns constructed of steel and high impact plastic frame
- Adjustable brake lets you choose the desired release tension

**Type:** Heavy Duty
**Fits Tape Width Up To:** 51 mm (2")
**Body Material:** Steel
**Replacement Blade Model No.:** OPS-13871
**Replacement Window Model No.:** OPS-13873
**Manufacturer's Warranty:** 1 Year Limited



### OPS-13714

### Tape Dispenser

**Unit of measure: Each**

- Industrial quality tape guns constructed of steel and high impact plastic frame
- Protective shield over the blade reduces user injury
- Adjustable brake lets you choose the desired release tension
- Replacement blades sold separately
- Fits Tape Width Up To: 50.8 mm (2")

**Type:** Standard-Duty
**Fits Tape Width Up To:** 51 mm (2")
**Body Material:** Steel
**Manufacturer's Warranty:** 1 Year Limited



### Tape Dispenser

**2 options · Unit of measure: Each**

- Industrial quality tape guns constructed of steel and high impact plastic frame
- Protective shield over the blade reduces user injury
- Adjustable brake lets you choose the desired release tension
- Replacement blades sold separately

**Type:** Heavy Duty
**Body Material:** Steel
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | FITS TAPE WIDTH UP TO |
|---|---|
| OPS-13715 | 51 mm (2") |
| OPS-13716 | 76.2 mm (3") |

## Impulse Sealer Parts & Accessories



### OPS-13717
**Bag Taper Replacement Blade**

**Unit of measure: Each**

**Manufacturer's Warranty:** 1 Year Limited



### OPS-13718
**Impulse Heat Sealer Heating Element**

**Unit of measure: Each**

**Length:** 9-1/2"
**Width:** 2mm

**Manufacturer's Warranty:** 1 Year Limited



### OPS-13719
**PFTE Strip for Impulse Sealer**

**Unit of measure: Each**

**Material:** PFTE

**Manufacturer's Warranty:** 1 Year Limited



### OPS-13720
**Silicon Strip for Impulse Sealer**

**Unit of measure: Each**

**Material:** Silicon

**Manufacturer's Warranty:** 1 Year Limited

## Impulse Sealers




### Impulse Heat Sealer

**2 options · Unit of measure: Each**

- Used for sealing polyethylene, polypropylene, and PVC bags
- Compact, lightweight design
- Easy to operate
- Seal width of 2mm

**Voltage:** 110 V

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | MAX. SEAL LENGTH | POWER | SIZE |
|---|---|---|---|
| **OPS-13721** | 8" | 260 W | 8" |
| **OPS-13722** | 12" | 380 W | 12" |

## Machine Stretch Wraps



### OPS-13723

### Machine Stretch Wrap

**Unit of measure: Each**

- For palletizing and securing large loads
- Protects goods from dirt, moisture and theft

**Type:** Cast
**Width:** 20"
**Length:** 6000'
**Gauge:** 80 Gauge (20.3 micrometers)

## Moving Blankets



### OPS-13724

### Economy Furniture Pad

**Unit of measure: Each**

- Protects furniture from scratches when moving
- Zig-zag stitching provides durability and consistent cushioning

**Weight:** 3.33 lbs.
**Length:** 80"
**Width:** 72"
**Filling:** 22 oz.
**Colour:** Navy Blue & Light Blue
**Material:** Cotton & Polyester
**Manufacturer's Warranty:** 1 Year Limited



## OPS-13725

### Premium Furniture Pad

**Unit of measure: Each**

- Protect furniture from scratches when moving
- Zig-zag stitching provides durability and consistent cushioning
- Cotton and polyester material

**Weight:** 5.5 lbs.
**Length:** 80"
**Width:** 72"
**Filling:** 40 oz.
**Colour:** Dark blue and light blue
**Manufacturer's Warranty:** 1 Year Limited



## OPS-13726

### Standard Furniture Pad

**Unit of measure: Each**

- Protect furniture from scratches when moving
- Zig-zag stitching provides durability and consistent cushioning
- Cotton and polyester material

**Weight:** 5 lbs.
**Length:** 80"
**Width:** 72"
**Filling:** 29 oz.
**Colour:** Dark blue and green
**Manufacturer's Warranty:** 1 Year Limited



## OPS-13727

### Standard Furniture Pad

**Unit of measure: Each**

- Protect furniture from scratches when moving
- Zig-zag stitching provides durability and consistent cushioning

**Weight:** 29 oz.
**Length:** 80"
**Width:** 72"
**Colour:** Camouflage
**Material:** Cotton\Polyester
**Manufacturer's Warranty:** 1 Year Limited

## Packing Slip Envelopes




### Blank Packing List Envelope

**3 options · Unit of measure: Case of 1000**

- Ideal for packing slips, invoices, spec sheets, warranties, instructions, etc.

**Style:** Backloading
**Width:** 5-1/2"
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | LENGTH | INSIDE DIMENSIONS |
|---|---|---|
| **OPS-13728** | 4-1/2" | 4" X 5" |
| **OPS-13729** | 7" | 6-1/2" X 5" |
| **OPS-13730** | 10" | 9-1/2" X 5" |




## Packing List Envelope


**3 options · Unit of measure: Case of 1000**

- Ideal for packing slips, invoices, spec sheets, warranties, instructions, etc.

**Style:** Backloading
**Width:** 5-1/2"
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | LENGTH | INSIDE DIMENSIONS |
|---|---|---|
| **OPS-13731** | 4-1/2" | 4" X 5" |
| **OPS-13732** | 4-1/2" | 4" X 5" |
| **OPS-13733** | 7" | 6-1/2" X 5" |

## Plastic Strapping Kits



### OPS-13734

### Strapping Kit

**Unit of measure: Each**

- Consists of the following components:
- 1-PF985 1/2" X 5600' 750 lb strength polypropylene strapping
- 1-PE555 dispenser
- 1-PA555 1/2" poly sealer
- 1-PC939 polypropylene and polyester tensioner
- 1-PF408 1/2" open seals, 2000/box

**Strapping Material:** Polypropylene
**Fits Strapping Width:** 1/2"
**Manufacturer's Warranty:** 1 Year Limited



### OPS-13735

### Strapping Kit

**Unit of measure: Each**

- Includes: 1-PE555 Dispenser, 1-PG175 5/8" x 4000' x 1400lbs strength polyester strapping, 1-PF991 5/8" open seals, 1000/box, 1-PF992 5/8" polyester sealer, 1-PF993 polyester strapping tensioner

**Strapping Material:** Polyester
**Fits Strapping Width:** 5/8"
**Includes:** 1-PE555 Dispenser; 1-PG175 5/8" x 4000' x 1400lbs strength polyester strapping; 1-PF991 5/8" open seals 1000/box; 1-PF992 5/8" polyester sealer; 1-PF993 polyester strapping tensioner
**Manufacturer's Warranty:** 1 Year Limited

## Plastic Strapping Sealers



### Polyester Strapping Sealer

**2 options · Unit of measure: Each**

- Prevents strapping from loosening during transit

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | FITS STRAP WIDTH | HANDLE LENGTH |
|---|---|---|
| OPS-13736 | 5/8" | — |
| OPS-13737 | 1/2" | 17" |



### Polypropylene Strapping Sealer

**3 options · Unit of measure: Each**

- Heated treated steel construction for superior strength and durability
- Prevents strapping from loosening during transit
- Long 18" handle requires less effort
- Use on open steel seals

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | FITS STRAP WIDTH | STRAP WIDTH |
|---|---|---|
| OPS-13738 | 1/2" | 1/2" |
| OPS-13739 | 5/8" | 5/8" |
| OPS-13740 | 3/4" | 3/4" |

## Plastic Strapping Seals



### Serrated Strapping Seals

**3 options · Unit of measure: Box of 1000**

- Serrated seals for use with polyester strapping

**Type:** Open

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | FITS STRAP WIDTH |
|---|---|
| OPS-13741 | 5/8" |
| OPS-13742 | 1/2" |
| OPS-13743 | 3/4" |

## Plastic Strapping Tensioners



### OPS-13744
**Polyester Strapping Tensioner**

**Unit of measure: Each**

- Tightens strapping quickly with little effort
- Built-in strapping cutter
- Ideal for applications on flat surfaces
- Compatible with polyester strapping

**Fits strapping thickness:** 0.023" to 0.039"

**Manufacturer's Warranty:** 1 Year Limited



### OPS-13745
**Polypropylene & Polyester Strapping Tensioner**

**Unit of measure: Each**

- Ideal for applications on flat surfaces
- Accepts strapping 3/8 - 3/4" wide and up to 0.035" thick
- Superior design and performance
- Premium copper bushings
- Built-in strapping cutter

**Strap Size:** 3/8 - 3/4"

**Manufacturer's Warranty:** 1 Year Limited

## Plastic Strappings



### OPS-13746
**Strapping**

**Unit of measure: Roll**

- Ideal for light-duty palletizing and bundling
- Lightweight, easy-to-use and recyclable

**Material:** Polypropylene
**Grade:** Machine
**Strap Width:** 3/8"
**Length:** 12900'
**Colour:** White

**Core Dimensions:** 8" x 8"
**Break Strength:** 300 lbs.
**Strap Thickness:** 0.024"
**Weight:** 28 lbs.
**Manufacturer's Warranty:** 1 Year Limited



### OPS-13747
**Strapping**

**Unit of measure: Roll**

- Ideal for light-duty palletizing and bundling
- Lightweight, easy-to-use and recyclable

**Material:** Polypropylene
**Grade:** Machine
**Strap Width:** 1/2"
**Length:** 9900'
**Colour:** White

**Core Dimensions:** 8" x 8"
**Break Strength:** 300 lbs.
**Strap Thickness:** 0.023"
**Weight:** 31 lbs.
**Manufacturer's Warranty:** 1 Year Limited



## Strapping

**2 options · Unit of measure: Roll**

- Ideal for light-duty palletizing and bundling
- Lightweight, easy-to-use and recyclable

**Material:** Polypropylene
**Grade:** Manual
**Strap Width:** 1/2"
**Colour:** Black
**Core Dimensions:** 16" x 6"
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | LENGTH | BREAK STRENGTH | STRAP THICKNESS | WEIGHT |
|---|---|---|---|---|
| **OPS-13748** | 5600' | 750 lbs. | 0.035" | 40 lbs. |
| **OPS-13749** | 7200' | 600 lbs. | 0.032" | 31 lbs. |



## OPS-13750

## Strapping

**Unit of measure: Roll**

- Ideal for light-duty palletizing and bundling
- Lightweight, easy-to-use and recyclable

**Material:** Polypropylene
**Grade:** Manual
**Strap Width:** 1/2"
**Length:** 7200'
**Colour:** Black
**Core Dimensions:** 8" x 8"
**Break Strength:** 600 lbs.
**Strap Thickness:** 0.032"
**Weight:** 31 lbs.
**Manufacturer's Warranty:** 1 Year Limited



## OPS-13751

## Strapping

**Unit of measure: Roll**

- Ideal for light-duty palletizing and bundling
- Lightweight, easy-to-use and recyclable

**Material:** Polypropylene
**Grade:** Manual
**Strap Width:** 5/8"
**Length:** 6000'
**Colour:** Black
**Core Dimensions:** 8" x 8"
**Break Strength:** 700 lbs.
**Strap Thickness:** 0.03"
**Weight:** 31 lbs.
**Manufacturer's Warranty:** 1 Year Limited



## Strapping

**5 options**

- Ideal for medium to heavy-duty palletizing
- Moisture-resistant, safe to handle and recyclable
- Approved by the Association of American Railroads (AAR)

**Material:** Polyester
**Grade:** Manual
**Colour:** Green
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | STRAP WIDTH | LENGTH | CORE DIMENSIONS | BREAK STRENGTH | STRAP THICKNESS | WEIGHT | UNIT |
|---|---|---|---|---|---|---|---|
| **OPS-13752** | 5/8" | 4000' | 16" x 6" | 1400 lbs | 0.035" | 55.65 lbs | Roll |
| **OPS-13753** | 1/2" | 3380' | 16" x 3" | 600 lbs. | 0.02" | — | Each |
| **OPS-13757** | 1/2" | 6315' | 16" x 6" | 820 lbs. | 0.028" | — | Each |
| **OPS-13759** | 3/4" | 2680' | 16" x 6" | 1800 lbs. | 0.04" | — | Each |

| ITEM # | STRAP WIDTH (cont.) | LENGTH | CORE DIMENSIONS | BREAK STRENGTH | STRAP THICKNESS | WEIGHT | UNIT |
|---|---|---|---|---|---|---|---|
| OPS-13760 | 5/8" | 3500' | 16" x 6" | 1600 lbs. | 0.04" | — | Each |



### Strapping

**4 options · Unit of measure: Each**

- Ideal for medium to heavy-duty palletizing
- Moisture-resistant, safe to handle and recyclable
- Approved by the Association of American Railroads (AAR)

**Material:** Polyester
**Grade:** Manual
**Colour:** Black
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | STRAP WIDTH | LENGTH | CORE DIMENSIONS | BREAK STRENGTH | STRAP THICKNESS |
|---|---|---|---|---|---|
| OPS-13754 | 1/2" | 2756' | 16" x 3" | 770 lbs. | 0.025" |
| OPS-13755 | 1/2" | 3250' | 16" x 3" | 820 lbs. | 0.028" |
| OPS-13756 | 5/8" | 1800' | 16" x 3" | 1100 lbs. | 0.03" |
| OPS-13758 | 1/2" | 5800' | 16" x 6" | 770 lbs. | 0.025" |

## Polyethylene Bags



### Poly Bags

**27 options · Unit of measure: Pack of 100**

- Hang-holes allow users to hang on hooks or pegs
- Zippered opening allows for easy opening and resealing
- Accepted for use in Canadian food processing facilities

**Type:** Reclosable
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | LENGTH | WIDTH | THICKNESS |
|---|---|---|---|
| OPS-13761 | 4" | 3" | 2 mils |
| OPS-13762 | 5" | 3" | 2 mils |
| OPS-13763 | 4" | 4" | 2 mils |
| OPS-13764 | 6" | 4" | 2 mils |
| OPS-13765 | 8" | 4" | 2 mils |
| OPS-13766 | 7" | 5" | 2 mils |
| OPS-13767 | 8" | 5" | 2 mils |
| OPS-13768 | 6" | 6" | 2 mils |
| OPS-13769 | 8" | 6" | 2 mils |
| OPS-13770 | 9" | 6" | 2 mils |
| OPS-13771 | 10" | 8" | 2 mils |
| OPS-13772 | 6" | 9" | 2 mils |
| OPS-13773 | 12" | 9" | 2 mils |
| OPS-13774 | 12" | 10" | 2 mils |
| OPS-13775 | 13" | 10" | 2 mils |
| OPS-13776 | 12" | 12" | 2 mils |
| OPS-13777 | 15" | 12" | 2 mils |

| ITEM # | LENGTH (cont.) | WIDTH | THICKNESS |
|---|---|---|---|
| OPS-13778 | 20" | 15" | 2 mils |
| OPS-13779 | 4" | 3" | 4 mils |
| OPS-13780 | 5" | 3" | 4 mils |
| OPS-13781 | 4" | 4" | 4 mils |
| OPS-13782 | 6" | 4" | 4 mils |
| OPS-13783 | 8" | 5" | 4 mils |
| OPS-13784 | 9" | 6" | 4 mils |
| OPS-13785 | 10" | 8" | 4 mils |
| OPS-13786 | 12" | 9" | 4 mils |
| OPS-13787 | 15" | 12" | 4 mils |



## White Block Poly Bags


**8 options · Unit of measure: Pack of 100**

- Hang-holes allow users to hang on hooks or pegs
- Identify contents by writing on the white block area
- Zippered opening allows for easy opening and resealing

**Type:** Reclosable
**Thickness:** 2 mils
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | LENGTH | WIDTH |
|---|---|---|
| OPS-13788 | 4" | 3" |
| OPS-13789 | 5" | 3" |
| OPS-13790 | 6" | 4" |
| OPS-13791 | 8" | 5" |
| OPS-13792 | 9" | 6" |
| OPS-13793 | 10" | 8" |
| OPS-13794 | 12" | 9" |
| OPS-13795 | 15" | 12" |

## Roll Hand Grip Dispensers



### OPS-13796


### Stretch Wrap Dispenser

**Unit of measure: Each**

- For a smooth, tight application of stretch wrap
- Tension control knob on top ensures a tight, smooth wrap; also provides a second hand grip for added stability
- Adjusts to hold rolls from 11" to 18" wide
- Wt.: 4 lbs.

**Fits Roll Width:** 11" - 18"
**Material:** Metal
**Manufacturer's Warranty:** 1 Year Limited

## Security Seals



### Product range

**5 options · Unit of measure: Case of 1000**

**Material:** Plastic
**Width:** 1"
**Legend:** "SEALED" with 7 consecutive numbers

| ITEM # | PRODUCT | TYPE | LENGTH | COLOUR | THICKNESS | TAIL LENGTH |
|---|---|---|---|---|---|---|
| **OPS-13797** | Heavy-Duty Security Seal | Pull-Up Seal | 13" | Blue | 4 mm | 10-1/2" |
| **OPS-13798** | Heavy-Duty Security Seal | Pull-Up Seal | 13" | Red | 4 mm | 10-1/2" |
| **OPS-13805** | Standard-Duty Security Seal | Plastic Seal | 12" | Red | 3.8 mm | — |
| **OPS-13807** | Standard-Duty Security Seal | Plastic Seal | 15" | Red | 3.8 mm | — |
| **OPS-13808** | Standard-Duty Security Seal | Plastic Seal | 15" | Blue | 3.8 mm | — |





### OPS-13799

### High Security Security Seal

**Unit of measure: Case of 200**

- ABS plastic-coated steel pin and locking chamber
- Specifically designed for ISO containers and high value shipments
- High security seal that is ISO 17712 and C-TPAT compliant
- Plastic cover on pin and locking chamber clearly indicates tampering

**Type:** Bolt Seal
**Material:** Metal
**Length:** 3-1/4"
**Width:** 1"
**Colour:** Blue
**Legend:** "SEALED" with 7 consecutive numbers
**Bolt Material:** Carbon Steel
**Bolt Length:** 3-1/2"
**Bolt Diamether:** 3/8"
**Average Pull-Apart Force:** 3775 lbs.



### OPS-13800

### High Security Security Seal

**Unit of measure: Case of 500**

- Designed for use in a variety of applications
- High security seal that is ISO 17712 and C-TPAT compliant
- Corrosion-resistant aluminum body

**Type:** Cable Seal
**Material:** Metal
**Length:** 12"
**Diameter:** 1/8"
**Colour:** Blue
**Legend:** "SEALED" with 7 consecutive numbers




## Security Seal

**2 options · Unit of measure: Case of 1000**

**Colour:** Blue

| ITEM # | TYPE | MATERIAL | LENGTH | WIDTH | LEGEND | TENSILE STRENGTH |
|---|---|---|---|---|---|---|
| **OPS-13801** | Truck Seal | Plastic | 7-3/4" | 1/2" | "SEALED" with 7 consecutive numbers | — |
| **OPS-13802** | Padlock | Metal/Plastic | 1-1/2" | — | — | 100 lbs. (45 kg) |




## Standard-Duty Security Seal

**2 options · Unit of measure: Case of 1000**

- One-piece polypropylene construction

**Material:** Plastic
**Length:** 9"
**Colour:** Red
**Legend:** "SEALED" with 7 consecutive numbers

| ITEM # | TYPE | WIDTH | THICKNESS |
|---|---|---|---|
| **OPS-13803** | Plastic Seal | 1" | 3.8 mm |
| **OPS-13809** | Pull-Through | — | 2.7 mm |




## Standard-Duty Security Seal

**3 options · Unit of measure: Case of 1000**

- One-piece polypropylene construction

**Material:** Plastic
**Colour:** Blue
**Legend:** "SEALED" with 7 consecutive numbers

| ITEM # | TYPE | LENGTH | WIDTH | THICKNESS |
|---|---|---|---|---|
| **OPS-13804** | Plastic Seal | 9" | 1" | 3.8 mm |
| **OPS-13806** | Plastic Seal | 12" | 1" | 3.8 mm |
| **OPS-13810** | Pull-Through | 9" | — | 2.7 mm |



## OPS-13811

### Standard-Duty Security Seal

**Unit of measure: Case of 1000**

- For tagging and sealing
- Easily install and remove without tools
- Features a double wall locking chamber which resembles a double dome design
- The inner dome performs the actual locking while the outer dome protects against tampering attempts
- One-piece polypropylene construction

**Type:** Pull-Through
**Material:** Plastic
**Length:** 9"
**Thickness:** 2.7 mm
**Colour:** Yellow
**Legend:** "SEALED" with 7 consecutive numbers

## Specialty Hand Stretch Wraps



### Stretch Wrap

**2 options · Unit of measure: Each**

- For palletizing and securing large loads
- Protects goods from dirt, moisture and theft
- Cast stretch film
- Opaque black colour is ideal for product concealment and outdoor storage
- Smooth release makes wrapping skids quick and easy
- Two sided cling with up to 300% stretch

**Length:** 1500'
**Gauge:** 80 Gauge (20.3 micrometers)
**Colour:** Opaque Black

| ITEM # | WIDTH |
|---|---|
| **OPS-13812** | 15" |
| **OPS-13813** | 18" |

## Steel & Poly Dispensers




### Strapping Dispenser

**2 options · Unit of measure: Each**

- Cart includes large storage tray for strapping accessories
- Heavy-duty 8" rubber wheels for easy maneuverability
- For use with 1/2" - 3/4" strapping

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | USE WITH STRAPPING MATERIAL | ACCOMMODATES CORE INSIDE DIAMETER | ACCOMMODATES ROLL WIDTH | CORE SIZE |
|---|---|---|---|---|
| **OPS-13814** | Polypropylene/Steel/Polyester | 16"/8" | 3"/6"/8" | 16" x 3", 16" x 6", 8" x 8" |
| **OPS-13815** | Polypropylene/Polyester | 8" | 8" | — |



## OPS-13816

### Strapping Dispenser

**Unit of measure: Each**

- Strapping cart is designed to be compatible with polyester, polypropylene and steel strapping
- The unique multi-tier discs accommodate three core strapping sizes: 16" x 3", 16" x 6" and 8" x 8"
- Rubber rollers prevent strapping from unrolling
- Cart includes large storage tray for strapping accessories
- Heavy-duty 8" rubber wheels for easy maneuverability
- For use with 1/2" - 3/4" strapping

**Use with Strapping Material:** Polyester/Polypropylene/Steel
**Accommodates Core Inside Diameter:** 16"/8"
**Accommodates Roll Width:** 3"/8"/6"
**Core Size:** 16" x 3", 16" x 6", 8" x 8"
**Colour:** Black
**Manufacturer's Warranty:** 1 Year Limited



## OPS-13817

### Strapping Dispenser

**Unit of measure: Each**

- Strapping dispenser is designed to be compatible with polyester, polypropylene and steel strapping
- The unique multi-tier discs accommodate three core strapping sizes: 16" x 3", 16" x 6" and 8" x 8"
- Rubber rollers prevent strapping from unrolling
- For use with 1/2" - 3/4" strapping
- The unit also pivots up to 180 degrees to allow for easier loading of new strapping coils

**Use with Strapping Material:** Polyester/Polypropylene/Steel
**Accommodates Core Inside Diameter:** 16"/8"
**Accommodates Roll Width:** 3"/6"/8"

## Steel Strapping Cutters



## OPS-13818

### Heavy Duty Safety Cutters For Steel Strapping

**Unit of measure: Each**

- Powerful drop-forged steel design
- Heavy-duty performance for industrial applications
- 24" long

**Cuts Strapping Width:** 3/8" to 2"
**Cuts Strapping Thickness:** 0.050"
**Manufacturer's Warranty:** 1 Year Limited



## OPS-13819

### Standard Duty Safety Cutters for Steel Strapping

**Unit of measure: Each**

- Safety design holds strapping in place to prevent injuries from flying ends
- Rubber pads gently release strapping when being cut

**Cuts Strapping Width:** 3/8" to 1-1/4"
**Cuts Strapping Thickness:** 0.036"
**Manufacturer's Warranty:** 1 Year Limited



## OPS-13820
### Steel Strap Cutter

**Unit of measure: Each**

- Delivers smooth cuts
- Cuts wide strapping with ease
- One-handed operation allows you to cut continuously

**Cuts Strapping Width:** 1-1/4"

**Overall Length:** 12"

## Steel Strapping Kits



### Steel Strapping System

**2 options · Unit of measure: Each**

- Easy-to-use, efficient system provides maximum strength packaging, bundling and palletizing

**Fits Strapping Width:** 1/2"

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | USE WITH SEAL TYPE |
|---|---|
| OPS-13821 | Open |
| OPS-13822 | Closed |

## Steel Strapping Sealers



### Heavy-Duty Steel Strapping Sealer

**2 options · Unit of measure: Each**

- Single notch
- Heat-treated steel construction for added durability
- Ideal for use with push-bar style tensioners
- 28" long
- Accepts steel strapping between 0.025" to 0.035" thick

**Fits Strap Width:** 1-1/4"

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | WIDTH |
|---|---|
| OPS-13823 | 1 1/4" |
| OPS-13824 | — |



## Steel Strapping Sealer

**3 options · Unit of measure: Each**

- Double notch creates a strong interlocking joint
- Heat-treated steel construction for added durability
- Ball handles provide a superior grip
- Ideal for use with feed-wheel tensioners

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | FITS STRAP WIDTH | WIDTH |
|---|---|---|
| **OPS-13825** | 1/2" | 1/2" |
| **OPS-13826** | 3/4" | 3/4" |
| **OPS-13827** | 5/8" | 5/8" |



## Steel Strapping Sealer

**3 options · Unit of measure: Each**

- Single notch for use with closed and semi-closed seals
- Chrome-plated steel construction
- Ball handles provide a superior grip
- Ideal for use with push-bar style tensioners

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | FITS STRAP WIDTH | WIDTH |
|---|---|---|
| **OPS-13828** | 1/2" | 1/2" |
| **OPS-13829** | 5/8" | 5/8" |
| **OPS-13830** | 3/4" | 3/4" |

# Steel Strapping Seals



## Steel Seals

**14 options**

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | TYPE | FITS STRAP WIDTH | MATERIAL | UNIT |
|---|---|---|---|---|
| **OPS-13831** | Open | 1/2" | Galvanized Steel | Box of 2000 |
| **OPS-13832** | Open | 5/8" | Galvanized Steel | Pack of 2000 |
| **OPS-13833** | Open | 3/4" | Galvanized Steel | Pack of 2000 |
| **OPS-13834** | Open | 1/2" | — | Pack of 5000 |

| ITEM # | TYPE (cont.) | FITS STRAP WIDTH | MATERIAL | UNIT |
|---|---|---|---|---|
| **OPS-13835** | Open | 5/8" | — | Pack of 5000 |
| **OPS-13836** | Open | 3/4" | — | Pack of 5000 |
| **OPS-13837** | Open | 1-1/4" | — | Pack of 1000 |
| **OPS-13838** | Closed | 1/2" | — | Pack of 2000 |
| **OPS-13839** | Closed | 5/8" | — | Pack of 2000 |
| **OPS-13840** | Closed | 3/4" | — | Pack of 2000 |
| **OPS-13841** | Closed | 1/2" | — | Pack of 5000 |
| **OPS-13842** | Closed | 5/8" | — | Pack of 5000 |
| **OPS-13843** | Closed | 3/4" | — | Pack of 5000 |
| **OPS-13844** | Closed | 1-1/4" | — | Box of 1000 |

## Steel Strapping Tensioners



### OPS-13845
### Manual Sealless Steel Strapping Tool

**Unit of measure: Each**

- Multi purpose tool cuts, tightens and seals for optimal working efficiency
- Keeps straps secure with punch joint sealing
- Made to withstand high volume usage

**Type:** Push Bar
**Fits Strap Width:** 1/2" - 3/4"
**Fits Strapping Thickness:** 0.015" - 0.027"
**Manufacturer's Warranty:** 1 Year Limited




### OPS-13846
### Steel Strapping Tensioner

**Unit of measure: Each**

- Standard
- Accepts steel strapping 0.020" thick
- Light tension
- Limited take-up
- Ideal for applications on small, round or irregular surfaces

**Type:** Push Bar
**Fits Strap Width:** 3/8" - 1/2"
**Fits Strapping Thickness:** 0.020"
**Width:** 3/8 - 1/2"
**Manufacturer's Warranty:** 1 Year Limited



### OPS-13847
### Steel Strapping Tensioner

**Unit of measure: Each**

- Heavy-Duty
- Accepts steel strapping up to 0.035" thick
- Fast and easy operation
- Medium/heavy tension
- Unlimited take-up
- Ideal for applications on flat surfaces

**Type:** Feed-Wheel
**Fits Strap Width:** 3/4" - 1-1/4"
**Fits Strapping Thickness:** 0.035"
**Width:** 3/4-1 1/4"
**Manufacturer's Warranty:** 1 Year Limited



## OPS-13848

### Steel Strapping Tensioner

**Unit of measure: Each**

- Standard
- Accepts steel strapping up to 0.035" thick
- Fast and easy operation
- Medium/heavy tension
- Unlimited take-up
- Ideal for applications on flat surfaces

**Type:** Feed-Wheel
**Fits Strap Width:** 3/8" - 3/4"
**Fits Strapping Thickness:** 0.035"
**Width:** 3/8-3/4"
**Manufacturer's Warranty:** 1 Year Limited



## OPS-13849

### Steel Strapping Tensioner

**Unit of measure: Each**

- Heavy-Duty
- Accepts steel strapping 0.020" thick
- Light tension
- Limited take-up
- Ideal for applications on small, round or irregular surfaces

**Type:** Push Bar
**Fits Strap Width:** 3/8" - 3/4"
**Fits Strapping Thickness:** 0.020"
**Width:** 3/8-3/4"
**Manufacturer's Warranty:** 1 Year Limited

## Steel Strappings



### High-Tensile Steel Strapping

**2 options · Unit of measure: Each**

- Strongest material for a wide range of strapping requirements
- Ideal for heavy shipments that require stronger protection over polypropylene and polyester
- Black painted and waxed finish
- Ribbon wound

**Strap Width:** 1-1/4"
**Break Strength:** 5500 lbs.
**Length:** 760'
**Core Dimensions:** 16" x 1-1/4"
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | STRAP THICKNESS |
|---|---|
| **OPS-13850** | 0.031" |
| **OPS-13851** | 0.029" |



## Product range

**2 options · Unit of measure: Each**

**Strap Width:** 3/4"

| ITEM # | PRODUCT | STRAP THICKNESS | BREAK STRENGTH | LENGTH | CORE DIMENSIONS | MANUFACTURER'S WARRANTY |
|---|---|---|---|---|---|---|
| **OPS-13852** | High-Tensile Steel Strapping | 0.025" | 2600 lbs. | 1649' | — | — |
| **OPS-13855** | Steel Strapping | 0.020" | 1800 lbs. | 1960' | 16" x 3" | 1 Year Limited |



## Steel Strapping


**10 options · Unit of measure: Each**

- Strongest material for a wide range of strapping requirements
- Ideal for heavy shipments that require stronger protection over polypropylene and polyester
- Black painted and waxed finish
- Oscillated wound

**Core Dimensions:** 16" x 3" **Manufacturer's Warranty:** 1 Year Limited

| ITEM # | STRAP WIDTH | STRAP THICKNESS | BREAK STRENGTH | LENGTH |
|---|---|---|---|---|
| **OPS-13853** | 1/2" | 0.02" | 1200 lbs. | 2940' |
| **OPS-13854** | 5/8" | 0.020" | 1500 lbs. | 2360' |
| **OPS-13856** | 3/8" | 0.015" | 680 lbs. | 5310' |
| **OPS-13857** | 3/8" | 0.02" | 900 lbs. | 3800' |
| **OPS-13858** | 1/2" | 0.015" | 910 lbs. | 3550' |
| **OPS-13859** | 1/2" | 0.023" | 1380 lbs. | 2370' |
| **OPS-13860** | 5/8" | 0.015" | 1125 lbs. | 2820' |
| **OPS-13861** | 5/8" | 0.023" | 1725 lbs. | 1890' |
| **OPS-13862** | 3/4" | 0.015" | 1360 lbs. | 2385' |
| **OPS-13863** | 3/4" | 0.023" | 2070 lbs. | 1580' |

## Strapping Dispenser Parts & Accessories



### OPS-13864

## Strapping Pallet Threader Wand

**Unit of measure: Each**

- Allows for easy guidance of strapping through pallets
- Decreases the time it takes to manually strap pallets
- Fiberglass construction is flexible for ideal operation
- Steel spring clip securely holds strapping for optimal results

**Manufacturer's Warranty:** 1 Year Limited **Length:** 50"

## Strapping Tapes



### Product range

**4 options · Unit of measure: Each**

**Length:** 55 m (180')
**Thickness:** 4 mils
**Tensile Strength:** 100 lbs.
**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | PRODUCT | WIDTH |
|---|---|---|
| **OPS-13865** | Filament Tape | 48 mm (1-7/8") |
| **OPS-13866** | Filament Tape | 72 mm (2-7/8") |
| **OPS-13869** | General-Purpose Filament Tape | 24 mm (1") |
| **OPS-13870** | General-Purpose Filament Tape | 36 mm (1-1/2") |



### OPS-13867

### General-Purpose Filament Tape

**Unit of measure: Each**

- For use in light to medium strapping applications

**Width:** 12 mm (1/2")
**Length:** 55 m (180')
**Thickness:** 4 mils
**Tensile Strength:** 100 lbs.
**Manufacturer's Warranty:** 1 Year Limited



### OPS-13868

### General-Purpose Filament Tape

**Unit of measure: Each**

- For use in light to medium strapping applications

**Width:** 18 mm (3/4")
**Length:** 55 m (180')
**Thickness:** 4 mils
**Tensile Strength:** 100 lbs.
**Manufacturer's Warranty:** 1 Year Limited

## Tape Dispenser Parts & Accessories



### Product range

**2 options · Unit of measure: Each**

**Material:** Steel

**Manufacturer's Warranty:** 1 Year Limited

| ITEM # | PRODUCT | WIDTH |
|---|---|---|
| **OPS-13871** | Replacement Blade for 2" Tape Dispenser | 2" |
| **OPS-13872** | Replacement Blade for 3" Tape Dispenser | 3" |




### OPS-13873

### Replacement Window for 2" Tape Dispenser

**Unit of measure: Each**

**Width:** 2"
**Material:** Plastic

**Manufacturer's Warranty:** 1 Year Limited




### OPS-13874

### Replacement Window for 3" Tape Dispenser

**Unit of measure: Each**

**Width:** 3"
**Material:** Plastic

**Manufacturer's Warranty:** 1 Year Limited

## Twisted Poly Ropes




### OPS-13875

### #18 Braided Mason Rope

**Unit of measure: Roll**

- Ideal for indoor and outdoor use
- Mason's line is designed to be strung between two posts to create a straight and level line ; do not use for overhead lifting
- Also perfect for a variety of other projects such as crafting, gardening, marking layouts, and DIY projects
- Nylon rope fibres are strong than polypropylene, polyethylene, or organic fibres
- Good resistance to deteriorating from rot or mildew, but absorbs water
- Heavy-duty rope has high strength and mid-stretchability
- Multiple strands of #18 are braided together for increased strength and durability, and decreased fraying when cut

**Fibre Material:** Nylon
**Length:** 550'

**Colour:** White




## OPS-13876

### #18 Twisted Mason Rope

**Unit of measure: Roll**

- Ideal for indoor and outdoor use
- Mason's line is designed to be strung between two posts to create a straight and level line ; do not use for overhead lifting
- Also perfect for a variety of other projects such as crafting, gardening, marking layouts, and DIY projects
- Nylon rope fibres are strong than polypropylene, polyethylene, or organic fibres
- Good resistance to deteriorating from rot or mildew, but absorbs water
- Heavy-duty rope has high strength and mid-stretchability
- Multiple strands of #18 are twisted together for a more flexible rope that is easier to handle

**Fibre Material:** Nylon
**Colour:** White
**Length:** 260'



## OPS-13877

### 1/2" Braided Yellow Rope

**Unit of measure: Roll**

- Twisted polypropylene jumbo rolls
- Polypropylene - is lightweight, flexible, floats in water and resistant to chemicals, oil and grease
- High resistance to rot and mildew

**Fibre Material:** Polypropylene
**Length:** 335'



## OPS-13878

### 1/4" Braided Rope

**Unit of measure: Roll**

- Nylon rope fibres are strong than polypropylene, polyethylene, or organic fibres
- Good resistance to deteriorating from rot or mildew, but absorbs water
- Firm, steady rope with good abrasion resistance
- Heavy, soft rope handles easily
- For general use
- Holds knots well, with a good stretch factor

**Fibre Material:** Nylon
**Colour:** White
**Length:** 250'



## OPS-13879

### 1/4" Braided Yellow Rope

**Unit of measure: Roll**

- Twisted polypropylene jumbo rolls
- Polypropylene - is lightweight, flexible, floats in water and resistant to chemicals, oil and grease
- High resistance to rot and mildew

**Fibre Material:** Polypropylene
**Length:** 1300'



## OPS-13880
### 3/8" Braided Rope
**Unit of measure: Roll**

- Nylon rope fibres are strong than polypropylene, polyethylene, or organic fibres
- Good resistance to deteriorating from rot or mildew, but absorbs water
- Firm, steady rope with good abrasion resistance
- Heavy, soft rope handles easily
- For general use
- Holds knots well, with a good stretch factor

**Fibre Material:** Nylon
**Colour:** White
**Length:** 600'



## OPS-13881
### 3/8" Braided Yellow Rope
**Unit of measure: Roll**

- Twisted polypropylene jumbo rolls
- Polypropylene - is lightweight, flexible, floats in water and resistant to chemicals, oil and grease
- High resistance to rot and mildew

**Fibre Material:** Polypropylene
**Length:** 630'



## OPS-13882
### 5/8" Braided Yellow Rope
**Unit of measure: Roll**

- Twisted polypropylene jumbo rolls
- Polypropylene - is lightweight, flexible, floats in water and resistant to chemicals, oil and grease
- High resistance to rot and mildew

**Fibre Material:** Polypropylene
**Length:** 200'



## OPS-13883
### Black Paracord
**Unit of measure: Roll**

- 550 survival paracord – rugged, reliable, ready for anything
- Seven strong nylon strands for maximum strength and versatility
- Quick-dry, all-weather performance that resists rot and mildew

**Fibre Material:** Nylon
**Diameter:** 1/8"
**Length:** 1600'
**Min. Break Strength:** 550 lbs.



## OPS-13884
### Braided Red Rope
**Unit of measure: Roll**

- Polypropylene - is lightweight, flexible, floats in water and resistant to chemicals, oil and grease
- High resistance to rot and mildew

**Fibre Material:** Polypropylene
**Thickness:** 3/8"
**Length:** 500'



## OPS-13885
### Braided White Rope
**Unit of measure: Roll**

**Fibre Material:** Nylon
**Length:** 250'
**Thickness:** 1/2"
**Break Strength:** 525 lb



## OPS-13886
### Braided White Rope
**Unit of measure: Roll**

**Fibre Material:** Nylon
**Length:** 250'
**Thickness:** 3/16"



### Braided Yellow Rope
**2 options · Unit of measure: Roll**

- Polypropylene - is lightweight, flexible, floats in water and resistant to chemicals, oil and grease
- High resistance to rot and mildew

**Fibre Material:** Polypropylene

| ITEM # | LENGTH | THICKNESS | STRENGTH | COLOUR |
|---|---|---|---|---|
| **OPS-13887** | 300' | 1" | 125 lbs. | White |
| **OPS-13888** | 144' | 3/4" | — | — |



## OPS-13889
### Green Paracord
**Unit of measure: Roll**

- 550 survival paracord – rugged, reliable, ready for anything
- Seven strong nylon strands for maximum strength and versatility
- Quick-dry, all-weather performance that resists rot and mildew

**Fibre Material:** Nylon
**Length:** 1600'
**Diameter:** 1/8"
**Min. Break Strength:** 550 lbs.